

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878 Revision date: 8/5/2025 Supersedes: 11/4/2024 Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Eni i-Sigma monograde 10W-20

Product code : 1087
Type of product : Lubricants
Formula : 0290-2021
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use

Industrial/Professional use spec : Used in closed systems

Wide dispersive use

Use of the substance/mixture : Lubricant for internal combustion engines

Function or use category : Lubricants and additives

Uses advised against

Recommended use are listed above; other uses are not recommended unless an assessment has provided that risks are controlled.

1.3. Details of the supplier of the safety data sheet

Manufacturer: Enilive Iberia S.L.U. Avenida de Europa, 24, Edificio Torona B - Planta 1ª, 28108 Alcobendas (Madrid)

Tel: (+34) 917 277 878 Competent person responsible for the Safety Data Sheet (Reg. EC nr. 1907/2006): SDS.Enilive@enilive.com

Distributed by: Enilive Schmiertechnik GmbH, Paradiesstraße 14, 97080 Würzburg, GERMANY

Department responsible for information: Application Engineering & Product Management (AEPM), Tel. +49 (0)931-900 98-0

e-mail: technik.wuerzburg@enilive.com

1.4. Emergency telephone number

Emergency number : CNIT +39 0382 24444 (24h) (IT + EN)

Poison Center

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [EU-GHS / CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. For specific information about the toxicological/ecotoxicological properties and classification of this product, see Sect. 11 and/or Sect. 12.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

CLP Signal word : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents and container to according to national or local regulations.

EUH208 - Contains Amides, C18 (unsaturated). May produce an allergic reaction.

EUH-statements

2.3. Other hazards

Other hazards not contributing to the classification

: This product is combustible, but not classified as Flammable. The creation of flammable vapour mixtures takes place at temperatures which are higher than normal ambient levels. In case of contact with eyes, this product may cause irritation. Any substance, in case of accidents involving pressurized circuits and the like, may be accidentally injected under the skin, even without external damage. In such a case, the victim should be brought to an hospital as soon as possible, to get specialized medical treatment. If the product is handled or used at high temperature, contact with hot product or vapours may cause burns. Do not wait for symptoms to develop.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Phenol, dodecyl-, branched, sulfurized (96152-43-1), Dodecylphenol, mixed isomers, branched (121158-58-5), Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Phenol, dodecyl-, branched, sulfurized (96152-43-1), Dodecylphenol, mixed isomers, branched (121158-58-5), Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)

The mixture contains substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
Substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Dodecylphenol, mixed isomers, branched (121158-58-5)
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0), Phenol, dodecyl-, branched, sulfurized (96152-43-1)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Comments : Composition/ Information on ingredients:

Mixture of hydrocarbons

Additives

8/5/2025 (Revision date) EN (English) 2/22

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [EU-GHS / CLP]
Distillates (petroleum), solvent-dewaxed heavy paraffinic (see note [*], see note [**]) substance with national workplace exposure limit(s) (AT, BE, DK, ES, GB, HU, NL, SE)	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27	90 – 95	Not classified
Phenol, dodecyl-, branched, sulfurized	CAS-No.: 96152-43-1 EC-No.: 306-115-5 REACH-no: 01-2119524001- 62	0.1 - 0.2	Repr. 1B, H360F Aquatic Chronic 4, H413
Amides, C18 (unsaturated)	EC-No.: 931-801-1 REACH-no: 01-2119560613- 41	0.1 – 0.15	Skin Sens. 1B, H317 Aquatic Chronic 3, H412
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (see note [******]) Substance included in REACH Candidate List (Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)) substance identified as having endocrine disrupting properties	CAS-No.: 121158-58-5 EC-No.: 310-154-3 EC Index-No.: 604-092-00-9 REACH-no: 01-2119513207- 49	0.1 – 0.15	Skin Corr. 1C, H314 Eye Dam. 1, H318 Repr. 1B, H360F Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Comments : Note [*]:

this product may be formulated with one or more of the following base oils: CAS: 64742-54-7, EC 265-157-1, REACH Reg. 01-2119484627-25-0033/ CAS: 74869-22-0, EC: 278-012-2 REACH Reg. 01-2119495601-36

Note [**]:

this product has a value of DMSO extract < 3 % wt, according to IP 346. According to the criteria laid out by the EU (note L, Annex VI of Regulation (CE) 1272/2008), this product must be regarded as non carcinogenic.

substance with occupational exposure limits for some EU countries affecting the category of mineral oils (finely refined mineral base oil mists; see section 8.1)

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

First-aid measures after skin contact

First-aid measures after eye contact

- : In case of disturbances owing to inhalation of vapours or mists, remove the victim from exposure; keep at rest; if necessary, seek medical attention. See also section 4.3.
- : Take off contaminated clothing and shoes. Wash thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention. In case of burns, cool affected part with cold running water for at least 10 min. Cover with gauze or clean cloth. Ask for medical assistance or bring to a hospital. Do not apply salves or other substances, unless by doctor's advice. Body hypothermia must be avoided. Do not put ice on the burn.
- : Rinse eyes thoroughly for at least 15 minutes. Keep eyelids well apart. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation, blurred vision or swelling occurs and persists, obtain medical advice from a specialist. In case of burns, cool affected part with cold running water for at least 10 min. Cover with gauze or clean cloth. Ask for medical assistance or bring to a hospital. Do not apply salves or other substances, unless by doctor's advice.

8/5/2025 (Revision date) EN (English) 3/22

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

First-aid measures after ingestion

: Do NOT induce vomiting. If the person is conscious, rinse mouth with water without swallowing. Keep at rest. Call for medical assistance or bring to an hospital. If the casualty is unconscious, place in the recovery position. In case of spontaneous vomiting, keep head low, to avoid the risk of aspiration into the lungs. Do not give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: This product has a low vapour pressure, and in normal conditions at ambient temperature the concentration in the air is negligible. A significant concentration may build up only in case of sprays and mists. In these cases overexposure to mists (e.g. through prolonged use in confined insufficiently ventilated spaces) may cause irritation to airways, nausea and dizziness.

Symptoms/effects after skin contact Symptoms/effects after eye contact : Contact with hot product may cause thermal burns.

: Contact with eyes may cause temporary reddening and irritation. Contact with hot product or vapours may cause burns.

Symptoms/effects after ingestion

: Accidental ingestion of small quantities of the product may cause nausea, discomfort and gastric disturbances.

Symptoms/effects upon intravenous administration

: No information available.

Chronic symptoms

: None to be reported, according to the present classification criteria.

4.3. Indication of any immediate medical attention and special treatment needed

Obtain medical attention if casualty has an altered state of consciousness or if symptoms do not resolve. Seek medical attention in all cases of serious burns.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

: Small-size fires: carbon dioxide, dry chemicals, foam, sand or earth. Large fires: foam or water fog (mist). These means should be used by trained personnel only. Other extinguishing gases (according to regulations).

Unsuitable extinguishing media

: Do not use water jets. They could cause splattering, and spread the fire. Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.

5.2. Special hazards arising from the substance or mixture

Fire hazard

: This product is combustible, but not classified as Flammable. The creation of flammable vapour mixtures takes place at temperatures which are higher than normal ambient levels.

Explosion hazard

: Heat may build pressure in tank and containers, rupturing closed vessels, spreading fire and increasing risk of burns and injuries. The vapours are flammable and may form explosive mixtures with air.

Hazardous decomposition products in case of fire

Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. Oxygenated compounds (aldehydes, etc.). POx. ZnOx. CaOx.

5.3. Advice for firefighters

Firefighting instructions

: Shut off source of product, if possible. Move undamaged containers from immediate hazard area if it can be done safely. Spilled product which is not burning should be covered with sand or foam. Use water sprays to cool containers and surfaces exposed to the flames. If the fire cannot be controlled, evacuate area.

Special protective equipment for firefighters

: Wear personal protection equipment. (see chapter 8). In case of a large fire or in confined or poorly ventilated spaces, wear full fire resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. EN 443 EN 469 EN 659

Other information

: In case of fire, do not discharge residual product, waste materials and runoff water: collect separately and use a proper treatment.

8/5/2025 (Revision date) EN (English) 4/22

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Stop or contain leak at the source, if safe to do so. Eliminate all ignition sources if safe to do so (e.g. electricity, sparks, fires, flares). Avoid accidental sprays on hot surfaces or electrical contacts. Avoid direct contact with released material. Keep upwind.

For non-emergency personnel

Protective equipment

: See Section 8.

Emergency procedures

: Keep non-involved personnel away from the area of spillage. Alert emergency personnel. Except in case of small spillages, the feasibility of any actions should always be assessed and advised, if possible, by a trained, competent person in charge of managing the emergency.

For emergency responders

Protective equipment

Small spillages: normal antistatic working clothes are usually adequate. Large spillages: full body suit of chemically resistant and antistatic material. if necessary heat resistant and insulated. Work gloves providing adequate chemical resistance, specifically to aromatic hydrocarbons. Gloves made of PVA are not water-resistant, and are not suitable for emergency use. If contact with hot product is possible or anticipated, gloves should be heat-resistant and thermally insulated. Antistatic non-skid safety shoes or boots, chemical resistant, if necessary heat resistant and insulated. Work helmet. Goggles and /or face shield, if splashes or contact with eyes is possible or anticipated. Respiratory protection: a half or full-face respirator with filter(s) for organic vapours (AX), or a Self-contained Breathing Apparatus (SCBA) can be used according to the extent of spill and predictable amount of exposure. If the situation cannot be completely assessed, or if an oxygen deficiency is possible, only SCBA's should be used.

Emergency procedures

: If required, notify relevant authorities according to all applicable regulations.

6.2. Environmental precautions

Do not let the product accumulate in confined or underground spaces. Do not let the product flow into sewers or water courses, or in any way contaminate the environment. In case of contamination of environment compartments (soil, subsoil, surface or underground waters), remove contaminated soil when possible, and in any case treat all involved compartments in accordance with local regulations. The site should have a spill plan to ensure that adequate safeguards are in place to minimize the impact of episodic releases.

6.3. Methods and material for containment and cleaning up

For containment

: Contain spilled liquid with sand, earth or other suitable absorbents (non-flammable). Recover free liquid and waste materials in suitable waterproof and oil-resistant containers. Clean contaminated area. Dispose of according to local regulations. If in water: Confine the spillage. Remove from surface by skimming or suitable floating absorbents. Collect recovered product and other waste materials in suitable waterproof, oil resistant containers. Recover or dispose of according to local regulations. Do not use solvents or dispersants, unless specifically advised by an expert, and, if required, approved by local authorities.

Methods for cleaning up

: Transfer recovered product and other materials to suitable tanks or containers and store/dispose according to relevant regulations.

Other information

: Recommended measures are based on the most likely spillage scenarios for this material; however, local conditions (wind, air/water temperature, wave/current direction and speed) may significantly influence the choice of appropriate actions. Local regulations may also prescribe or limit actions to be taken. For this reason, local experts should be consulted when necessary.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

8/5/2025 (Revision date) EN (English) 5/22

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: This material is combustible, but will not ignite readily. Provide adequate ventilation. Use adequate personal protective equipment as needed. Due to the extremely slippery nature of this material, more care than usual must be exercised in material handling practices to keep off all walking surfaces. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid release to the environment. Emptied containers can contain combustible product residues. Do not cut, weld, drill, burn or incinerate empty containers or drums, unless they have been drained and cleaned.

Hygiene measures

Ensure that proper housekeeping measures are in place. Avoid contact with skin. Do not breathe fume/ mist/ vapours. Do not ingest. Do not smoke. Do not eat and do not drink during use. Do not clean hands with dirty or oil-soaked rags. Do not re-use clothes, if they are still contaminated. Keep away from food and beverages. Take off immediately all contaminated clothing and wash it before reuse. Contaminated materials should not be allowed to accumulate in the workplaces and should never be kept inside the pockets. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Separate working clothes from town clothes. Launder separately.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in dry, well-ventilated area. Keep away from open flames, hot surfaces and sources of ignition. Do not smoke.

Incompatible products

: Keep away from strong oxidizers.

Storage area

: Storage area layout, tank design, equipment and operating procedures must comply with the relevant European, national or local legislation. Storage installations/areas should be designed with adequate bunds in case of leaks or spills. Cleaning, inspection and maintenance of internal structure of storage tanks must be done only by properly equipped

and qualified personnel as defined by national, local or company regulations.

Packages and containers:

: If the product is supplied in containers: Keep containers tightly closed and properly labelled. Keep only in the original container or in a suitable container for this kind of product.

Packaging materials

: For containers, or container linings use materials specifically approved for use with this product. Compatibility should be checked with the manufacturer, according to the specific

use conditions.

Germany

Storage class (LGK, TRGS 510) : LGK 10 - Combustible liquids

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	MAK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Belgium - Occupational Exposure Limits		
OEL TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Denmark - Occupational Exposure Limits		
OEL TWA	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
OEL STEL	2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Netherlands - Occupational Exposure Limits		
MAC TGG 8h (mg/m³)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
VLA-EC (mg/m³)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
KGV (OEL STEL)	3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
WEL STEL (OEL STEL)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH® TLV® TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
ACGIH® TLV® STEL	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	

Recommended monitoring procedures

Monitoring methods	
Monitoring methods	Monitoring procedures should be chosen according to the indications set by national authorities or labour contracts. Refer to relevant legislation and in any case to the good practice of industrial hygiene.

Air contaminants formed

Applicable OEL and BLV for air contaminants : None known

DNEL and PNEC

Eni i-Sigma monograde 10W-20		
DNEL/DMEL (additional information)		
Additional information	Not applicable	
PNEC (additional information)		
Additional information	Not applicable	
Phenol, dodecyl-, branched, sulfurized (96152-43-1)		
DNEL/DMEL (Workers)		
Acute - systemic effects, dermal	80 mg/kg bodyweight/day	
Acute - systemic effects, inhalation	66.8 mg/m³	
Long-term - systemic effects, dermal	3.12 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	3.526 mg/m³	
DNEL/DMEL (General population)		
Acute - systemic effects, dermal	40 mg/kg bodyweight/day	
Acute - systemic effects, inhalation	66.8 mg/m³	

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Phenol, dodecyl-, branched, sulfurized (96152-43-1)		
Acute - systemic effects, oral	25 mg/kg bodyweight/day	
Long-term - systemic effects,oral	0.25 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	0.87 mg/m³	
Long-term - systemic effects, dermal	1.56 mg/kg bodyweight/day	
PNEC (Water)	noo mg/ng body norginaday	
PNEC aqua (freshwater)	0.25 mg/l	
PNEC aqua (marine water)	0.024 mg/l	
PNEC aqua (intermittent, freshwater)	2.5 mg/l	
PNEC (Sediment)	2.3 mg/l	
PNEC sediment (freshwater)	0.223 mg/kg dwt	
PNEC sediment (mashwater)	0.021 mg/kg dwt	
PNEC (Soil)	0.021 Highly dwt	
PNEC (30II)	260 04 malka dut	
	260.04 mg/kg dwt	
PNEC (Oral)	C C7 mayling food	
PNEC oral (secondary poisoning)	6.67 mg/kg food	
PNEC (STP)	0.5	
PNEC sewage treatment plant	6.5 mg/l	
	yl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)	
DNEL/DMEL (Workers)		
Acute - systemic effects, dermal	166 mg/kg bodyweight/day	
Acute - systemic effects, inhalation	44.18 mg/m³	
Long-term - systemic effects, dermal	0.25 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1.762 mg/m³	
DNEL/DMEL (General population)		
Acute - systemic effects, dermal	50 mg/kg bodyweight	
Acute - systemic effects, inhalation	13.26 mg/m³	
Acute - systemic effects, oral	1.26 mg/kg bodyweight	
Long-term - systemic effects,oral	0.075 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	0.79 mg/m³	
Long-term - systemic effects, dermal	0.075 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.074 μg/l	
PNEC aqua (marine water)	0.0074 μg/l	
PNEC aqua (intermittent, freshwater)	0.37 μg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0.226 mg/kg dwt	
PNEC sediment (marine water)	0.0266 mg/kg dwt	
PNEC (Soil)		
PNEC soil	118 μg/kg dw	

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

phenol, dodecyl-, branched; phenol, 2-dodecy	yl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)	
PNEC (Oral)		
PNEC oral (secondary poisoning)	4 mg/kg food	
PNEC (STP)		
PNEC sewage treatment plant	100 mg/l	
Amides, C18 (unsaturated)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	138.89 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	979.53 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	83.33 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	289.86 mg/m³	
Long-term - systemic effects, dermal	83.33 mg/kg bodyweight/day	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	0.97 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	2.73 mg/m³	
Long-term - local effects, inhalation	5.58 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0.74 mg/kg bodyweight/day	
PNEC (Oral)		
PNEC oral (secondary poisoning)	9.33 mg/kg food	
PNEC (additional information)		
Additional information	Not derived - Not classified as hazardous for environment	
Note :	The Derived No Effect Level (DNEL) is an estimated safe level of exposure that is derived from toxicity data in accord with specific guidance within the European REACH regulation. The DNEL may differ from an Occupational Exposure Limit (OEL) for the same chemical. OELs may be recommended by an individual company, a governmental regulatory body or an expert organization, such as the Scientific Committee for Occupational Exposure Limits (SCOEL) or the American Conference of Governmental Industrial Hygienists (ACGIH). OELs are considered to be safe exposure levels for a typical worker in an occupational setting for an 8-hour work shift, 40 hour work week, as a time weighted average (TWA) or a 15 minute short-term exposure limit (STEL). While also considered to be protective of health, OELs are derived by a process different from that of REACH.	
Control banding Control banding :	None known	

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure that there is a suitable ventilation system. Before entering storage tanks and commencing any operation in a confined area (e.g. tunnels), carry out an adequate clean-up, and check the atmosphere for oxygen content and flammability.

Personal protection equipment

Personal protective equipment (for industrial or professional use):

Face shield. Gloves. Protective clothing. Safety glasses. Safety shoes or boots. High gas/vapour concentration: gas mask with filter for organic vapours (A) or organic vapours/H2S (A+B).

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Personal protective equipment symbol(s):













Eye and face protection

Eye protection:

When there is a risk of contact with the eyes, use safety goggles or other means of protection (face shield). If necessary, refer to national standards or to the EN 166 standard.

Skin protection

Skin and body protection:

Long-sleeved overalls. If necessary, refer to the EN 340 and related standards, for definition of characteristics and performance according to the risk rating of the area. Antistatic non-skid safety shoes or boots, chemical resistant, if necessary heat resistant and insulated.

Hand protection:

When there is a risk of contact with the skin, use waterproof gloves, resistant to chemical products. Gloves must be felt-lined. Adequate materials: nitrile (NBR) or PVC with a protection index > 5 (permeation time > 240 mins). Use gloves respecting all the conditions and within the limits set by the manufacturer. Replace gloves immediately in case of cuts, holes or other signs of damages or degradation. If necessary, refer to the EN 374 standard. Personal hygiene is a key element for an effective hand care. Gloves must be worn only with clean hands. After wearing gloves, hands must be carefully washed and dried.

Respiratory protection

Respiratory protection:

Independently from other possible actions (technical modifications, operating procedures, and other means to limit the exposure of workers), personal protection equipment can be used according to necessity. Open or well ventilated spaces: if the product is handled without adequate containment: use full or half-face masks with adequate filter for mists and organic vapours. (EN 136/140/145). Combined gas/dust mask with filter type: EN 14387. Closed or confined areas (e.g. tank interiors): the use of protection measures for airways (masks or self-contained breathing apparatus), must be assessed according to the specific activity, as well as level and duration of predicted exposure.

Thermal hazards

Thermal hazard protection:

If contact with hot product is possible or anticipated, gloves should be heat-resistant and thermally insulated.

Environmental exposure controls

Environmental exposure controls:

Do not discharge the product into the environment. Storage areas/installations should be designed with adequate bunds so as to prevent ground and water pollution in case of leaks or spills. Prevent discharge of undissolved substance to or recover from onsite wastewater. Onsite wastewater treatment required. Do not apply industrial sludge to natural soils. Sludge should be incinerated, contained or reclaimed.

Consumer exposure controls:

No special requirements.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Yellow-brown.
Appearance : Liquid, bright & clear.
Odour : Slight odour of petroleum.

Odour threshold : Not determined

Melting point : Not applicable

Freezing point : Not determined

Softening point : -21 °C (ASTM D 5950)

Boiling point : 200 - 800 °C (CAS 64742-65-0)

Flammability : Not flammable
Lower explosion limit : Not determined
Upper explosion limit : Not determined
Flash point : 220 °C (ASTM D 92)
Auto-ignition temperature : > 300 °C (CAS 64742-65-0)

Decomposition temperature : Not determined

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

pH : Not determined

Viscosity, kinematic : 46 mm²/s (40 °C) (ASTM D 445)
Viscosity, dynamic : 6800 mPa·s (-25°C, ASTM D 5293)
Solubility : Water: Immiscible and insoluble
Log Kow : Not applicable for mixtures
Log Pow : Not applicable for mixtures

Vapour pressure : < 0.1 hPa (20 °C) (Mineral oil, ASTM D 5191) (CONCAWE, 2010)

Vapour pressure at 50°C : Not determined

Critical pressure : Not applicable for mixtures

Density : 885 kg/m³ (15 °C) (ASTM D 4052)

Relative density : Not determined Relative vapour density at 20°C : Not determined Particle characteristics : Not applicable

9.2. Other information

Information with regard to physical hazard classes

Critical temperature : Not applicable for mixtures

SECTION 10: Stability and reactivity

10.1. Reactivity

This mixture does not offer any further hazard for reactivity, except what is reported in the following paragraphs.

10.2. Chemical stability

Stable product, according to its intrinsic properties.

10.3. Possibility of hazardous reactions

None (in normal conditions of storage and handling). Contact with strong oxidizers (peroxides, chromates, etc.) or alkali metals may cause a fire hazard. Sensitivity to heat, friction or shock cannot be assessed in advance.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Strong oxidants.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition may produce: Toxic fumes.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Additional information : (according to composition)

Phenol, dodecyl-, branched, sulfurized (96152-43-1)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 4000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Additional information Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Ph	250 25 15/1/14 4555 41/19 15 45/1/1/15 15/1/15 15/1/15 15/1/15 15/1/15 15/1/15 15/1/15 15/1/15 15/1/15 15/1/15			
LD50 dermal rabbit Amides, C18 (unsaturated) LD50 orai rat > 2000 mg/kg bodyweight > 2000 mg/kg bodyweight > 2000 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LD50 orai rat > 5000 mg/kg bodyweight (Animat: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 orai rat > 5000 mg/kg bodyweight (API 1982, UBTL 1983 - OECD 401) LD50 orai rat > 5000 mg/kg bodyweight (API 1982, UBTL 1984 - OECD 402) LC50 Inhalation - Rat 3.9 - 5.3 mg/l4/n (Bis-Research Laboratories, Ltd. 1984 - OECD 403) Sinc norosion/iritation : Not classified (Based on available data, the classification criteria are not met) ppt: Not determined (according to composition) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) pH Not applicable Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) ppt: Not determined (according to composition) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) pH Not applicable Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) (according to composition) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) pH Not applicable Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) (according to composition) Positiliates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) pH Not applicable Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) (according to composition) All the mineral base olis contained in this product have a value < 3 % wt of DMSO extract, according to 19 346 (Nota L. Annex VI Reg (CE) 1272/2008, #1.1.3) Reproductive toxicity Additional information (according to composition) This product contains as our Not cassification criteria are not m	phenol, dodecyl-, branched; phenol, 2-dodec	phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)		
Amides, C18 (unsaturated) LD50 oral rat D500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LD50 oral rat S5000 mg/kg (API 1982, UBTL 1983 - OECD 401) LD50 oral rat S5000 mg/kg (API 1982, UBTL 1983 - OECD 401) LD50 dermal rabbit D50 dermal rabbit D60 dermal rabbit D60 dermal rabbit D60 dermal rabbit D60 dermal rabbit D61 desaffication criteria are not met) pix Not desamined (according to composition) D51 desaffication criteria are not met) pix Not desaffication defaraces D64 desaffication criteria are not met) pix Not desaffication criteria are not met) D65 derma cli mulagencity Additional information C67 derm cell mulagencity Additional information C67 derm cell mulagencity Additional information C67 dermal rabbit dermation C67 dermal rabbit dermation C67 dermal rabbit dermation C68 desaffication criteria are not met) C68 desaffication criteria are not met) C68 desaffication criteria are not met) C68 desaffication rabbit dermation C70 desaffication dermation C70 desaffication dermation C70 description to composition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to P348 (Nota L. Annex VI Reg (C6) 1272/2008, #1.1.3) C70 desaffication criteria are not met) C70 description to desaffication criteria are not met) C70 description to composition) D70 desaffication dermation C70 description to composition) D70 desaffication dermation D70 desaffica	LD50 oral rat	2200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)		
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LD50 dermal rat	LD50 dermal rabbit	15000 mg/kg bodyweight		
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	Amides, C18 (unsaturated)			
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LD50 oral rat	LD50 oral rat	> 5000 mg/kg bodyweight		
LD50 oral rat 5000 mg/kg (API 1982, UBTL 1983 - OECD 401) LD50 dermal rabbit 2000 - 5000 mg/kg bodyweight (API 1982, UBTL 1984 - OECD 402) LC50 Inhalation - Rat 3.9 - 5.3 mg/l/4h (Bio-Research Laboratories, Ltd. 1984 - OECD 403) Skin corrosion/irritation Not classified (Based on available data, the classification criteria are not met) pht. Not determined Additional information Not classified (Based on available data, the classification criteria are not met) pht. Not determined Not applicable	LD50 dermal rat			
LD50 dermal rabbit 2000 – 5000 mg/kg bodyweight (API 1982, UBTL 1984 - OECD 402) LC50 Inhalation - Rat 3.9 – 5.3 mg/l/4h (Bio-Research Laboratories, Ltd. 1984 - OECD 403) Skin corrosion/irritation Additional information Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) PH Not classified (Based on available data, the classification criteria are not met) ph: Not determined (according to composition) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) PH Serious eye damage/irritation Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) PH Not classified (Based on available data, the classification criteria are not met) ph: Not determined Additional information Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) PH Not applicable Respiratory or skin sensitisation Solvent-dewaxed heavy paraffinic (64742-65-0) PH Not classified (Based on available data, the classification criteria are not met) (according to composition) Germ cell mutagenicity Not classified (Based on available data, the classification criteria are not met) (according to composition) Carcinogenicity Not classified (Based on available data, the classification criteria are not met) (according to composition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to P346 (Nota L. Annex VI Reg (CE) 1272/2008, # 11.3) Reproductive toxicity Not classified (Based on available data, the classification criteria are not met) (according to composition) Not classified (Based on available data, the classification criteria are not met) (according to composition) Not desidined information This product contains an UVCB substance (Dodecylphenol, branched, sulfurized) classified as Repr. 18, H360F according to the criteria of EU This product contains also the following substances: Dodecylphenol, mixed isomers, branched May damage fertility. May damage fertility. May damage fertility. May damage fertility: (according t	Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)		
LC50 Inhalation - Rat 3.9 – 5.3 mg/l/th (Bio-Research Laboratories, Ltd. 1984 - OECD 403) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) pH: Not determined (according to composition) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) pH Not applicable Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) pH: Not determined classification criteria are not met) pH: Not determined classification information is (according to composition) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) pH Not applicable Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) (according to composition) Serm cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) (according to composition) Carrinogenicity : Not classified (Based on available data, the classification criteria are not met) (according to composition) Additional information Carrinogenicity : Not classified (Based on available data, the classification criteria are not met) (according to composition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to proposition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to proposition) Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) (according to composition) This product contains and under a valual set of a substance (Dodecylphenol, branched, sulfurized) classified as Repr. 18, H380F according to the criteria of EU This product contains also the following substances: Dodecylphenol, mixed isomers, branched May damage fertility. May damage fertility. May damage fertility. May damage fertility. Valuational information is according to composition) Phenol, dodecyl-, branched,	LD50 oral rat	> 5000 mg/kg (API 1982, UBTL 1983 - OECD 401)		
Skin corrosion/irritation Pit: Not classified (Based on available data, the classification criteria are not met) pit: Not determined Additional information Pit: Not determined (according to composition) Pit: Not determined Serious eye damage/irritation Not applicable Serious eye damage/irritation Pit: Not classified (Based on available data, the classification criteria are not met) pit: Not determined Additional information Pit: Not determined (according to composition) Pit: Not determined (according to composition) Pit: Not determined (according to composition) Not applicable Not applicable Not applicable Not applicable Not applicable Not dassified (Based on available data, the classification criteria are not met) (according to composition) Germ cell mutagenicity (according to composition) Additional information (according to composition) Additional information (according to composition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to IP 346 (Nota L Annex VI Reg (CE) 1272/2008, # 1.1.3) Reproductive toxicity (according to composition) Additional information (according to composition) Additional information (according to composition) Additional information (according to available data, the classification criteria are not met) (according to P346 (Nota L Annex VI Reg (CE) 1272/2008, # 1.1.3) Reproductive toxicity (according to available data, the classification criteria are not met) (according to emposition) This product contains also the following substances: Dodecylphenol, branched, sulfurized) classified as Repr. 18, H360F according to the criteria of EU This product contains also the following substances: Dodecylphenol, mixed isomers, branched May damage fertility. May damage the unborn child. Phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5) NOAEL (animal/male, F1) 15 mg/kg (OECD 416) STOT-single exposure Additional information (according to composition) Phenol, dod	LD50 dermal rabbit	2000 – 5000 mg/kg bodyweight (API 1982, UBTL 1984 - OECD 402)		
pH: Not determined (according to composition) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) pH Serious eye damage/irritation Serious eye eye eye eye eye eye eye eye eye ey	LC50 Inhalation - Rat	3.9 – 5.3 mg/l/4h (Bio-Research Laboratories, Ltd. 1984 - OECD 403)		
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) pH		pH: Not determined		
Not applicable				
Serious eye damage/irritation Not classified (Based on available data, the classification criteria are not met) pH: Not determined (according to composition) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Ph				
PH: Not determined (according to composition) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) pH Not applicable Respiratory or skin sensitisation (according to composition) Germ cell mutagenicity (according to composition) Additional information (according to composition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to lP 346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) Reproductive toxicity (according to composition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to lP 346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) Reproductive toxicity (according to composition) This product contains an UVCB substance (Dodecylphenol, branched, sulfurized) classified as Repr. 18, H360F according to the criteria of EU This product contains also the following substances: Dodecylphenol, mixed isomers, branched May damage fertility. NoAEL (animal/male, F1) 15 mg/kg (OECD 416) STOT-single exposure (according to composition) Total cassification criteria are not met) Additional information (according to composition) Phenol, dodecyl-, branched, sulfurized (96152-43-1) NOAEL (dermal, rat/rabbit, 90 days)	•			
PH Respiratory or skin sensitisation Respiratory or skin sensitisation Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information Reproductive toxicity Additional information This product contains an UVCB substance (Dodecylphenol, branched, sulfurized) classified as Repr. 1B, H360F according to the criteria of EU This product contains an UVCB substance (Dodecylphenol, mixed isomers, branched May damage fertility. May damage the unborn child. Phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5) NOAEL (animal/male, F1) 1.5 mg/kg NOAEL (animal/female, F1) 5TOT-repeated exposure Additional information Five toxicity Additional information Carcording to composition) Phenol, dodecyl-, branched, sulfurized (96152-43-1) NOAEL (dermal, rat/rabbit, 90 days) Page 1250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose		pH: Not determined		
Respiratory or skin sensitisation Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information Carcinogenicity Additional information Carcinogenicity Caccording to composition) Carcinogenicity Carcinogenicity Caccording to composition Carcinogenicity Caccording to composition Carcinogenicity Additional information Carcinogenicity Caccording to composition All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to IP 346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) Reproductive toxicity Additional information Caccording to IP 346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) Reproductive toxicity Caccording to composition) This product contains an UVCB substance (Dodecylphenol, branched, sulfurized) classified as Repr. 18, H360F according to the criteria of EU This product contains also the following substances: Dodecylphenol, mixed isomers, branched May damage fertility. May damage fertility. May damage fertility. Phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5) NOAEL (animal/male, F1) 1.5 mg/kg (OECD 416) STOT-single exposure Caccording to composition) This product contains and so the collowing substances: Not classified (Based on available data, the classification criteria are not met) Caccording to composition) This product contains and the contains and the classification criteria are not met) Caccording to composition) This product contains and the classification criteria are not met) Caccording to composition) This product contains and the classification criteria are not met) Caccording to composition) This product contains and the classification criteria are not met) Caccording to composition) This product contains and the contains and the classification criteria are not met) Caccording to composition) This product contains and the contains and	Distillates (petroleum), solvent-dewaxed heav	yy paraffinic (64742-65-0)		
Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to IP 346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) Reproductive toxicity Additional information Reproductive toxicity Additional information Carcinogenicity Caccording to composition) Carcinogenicity Caccording to composition Caccording to composition Carcinogenicity Caccord	рН	Not applicable		
NOAEL (animal/male, F1) 1.5 mg/kg NOAEL (animal/female, F1) 15 mg/kg (OECD 416) STOT-single exposure 3. Not classified (Based on available data, the classification criteria are not met) Additional information 3. STOT-repeated exposure 4. Not classified (Based on available data, the classification criteria are not met) 5. Not classified (Based on available data, the classification criteria are not met) 4. Additional information 5. (according to composition) 7. Phenol, dodecyl-, branched, sulfurized (96152-43-1) 8. NOAEL (dermal, rat/rabbit, 90 days) 8. ≈ 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose)	Additional information : Germ cell mutagenicity : Additional information : Carcinogenicity : Additional information : Reproductive toxicity :	(according to composition) Not classified (Based on available data, the classification criteria are not met) (according to composition) Not classified (Based on available data, the classification criteria are not met) (according to composition) All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to IP 346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) Not classified (Based on available data, the classification criteria are not met) (according to composition) This product contains an UVCB substance (Dodecylphenol, branched, sulfurized) classified as Repr. 1B, H360F according to the criteria of EU This product contains also the following substances: Dodecylphenol, mixed isomers, branched May damage fertility.		
NOAEL (animal/female, F1) 15 mg/kg (OECD 416) STOT-single exposure Additional information STOT-repeated exposure (according to composition) Phenol, dodecyl-, branched, sulfurized (96152-43-1) NOAEL (dermal, rat/rabbit, 90 days) ≈ 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose				
STOT-single exposure Additional information STOT-repeated exposure Additional information STOT-repeated exposure Additional information STOT-repeated exposure Additional information STOT-repeated exposure STOT-repeated exposure Additional information STOT-repeated exposure S	,			
Additional information : (according to composition) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) Additional information : (according to composition) Phenol, dodecyl-, branched, sulfurized (96152-43-1) NOAEL (dermal, rat/rabbit, 90 days) ≈ 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose	,			
Phenol, dodecyl-, branched, sulfurized (96152-43-1) NOAEL (dermal, rat/rabbit, 90 days) ≈ 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose	STOT-single exposure : Additional information : STOT-repeated exposure : Additional information : :	(according to composition) Not classified (Based on available data, the classification criteria are not met)		
NOAEL (dermal, rat/rabbit, 90 days) ≈ 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose				
		≈ 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose		

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

A 1 040 / 4 10		
Amides, C18 (unsaturated)		
NOAEL (oral, rat, 90 days)	≈ 10000 mg/kg bodyweight Animal: rat, Animal sex: male	
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)	
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day (CAS 64742-04-7, Mobil 1990) (OECD 408)	
LOAEL (dermal, rat/rabbit, 90 days)	100 mg/kg bodyweight/day	
NOAEL (oral, rat, 90 days)	< 125 mg/kg bodyweight/day (CAS 64742-04-7, Mobil 1990) (OECD 408)	
NOAEL (dermal, rat/rabbit, 90 days)	1000 – 2000 mg/kg bodyweight/day (API 1982, Mobil Environmental and Health Science Laboratory 1983 - OECD 410)	
NOAEC (inhalation,rat, vapour, 90 days)	220 – 980 mg/m³ (Dalbey W, Osimitz T, Kommineni C, Roy T, Feuston M and Yang J 1991 - OECD 412)	
•	Not classified (Based on available data, the classification criteria are not met)	
Additional information :	(according to composition) Viscosity, kinematic: > 20,5 mm2/s (40 °C) (ASTM D 445)	
Eni i-Sigma monograde 10W-20		
Viscosity, kinematic	46 mm²/s (40 °C) (ASTM D 445)	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
Viscosity, kinematic	30 – 32 mm²/s (40 °C) (ASTM D 445)	

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture contains substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605,Shows an adverse effect in an intact organism or its progeny, which is a change in the morphology, physiology, growth, development, reproduction or life span of an organism, system or (sub)population that results in an impairment of functional capacity, an impairment of the capacity to compensate for additional stress or an increase in susceptibility to other influences,The adverse effect is a consequence of the endocrine mode of action

Component phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5) The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3)

Other information

Potential adverse human health effects and symptoms

Other information

: Contact with eyes may cause reddening and irritation, Avoid all eye and skin contact and do not breathe vapour and mist

: None

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. An uncontrolled release to the environment may produce a contamination of different environmental compartments (air, soil, underground, surface water bodies, aquifers). Handle according to general working hygiene practices to avoid pollution and release into the environment. Notify authorities if product enters sewers or public waters.

8/5/2025 (Revision date) EN (English) 13/22

Safety Data Sheet

Ecology - water

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Ecology - air : This product has a low vapour pressure, and in normal conditions at ambient temperature the concentration in the air is negligible. A significant concentration may build up only in case of sprays and mists. In these cases overexposure to mists (e.g. through prolonged use in confined insufficiently ventilated spaces) may cause irritation to airways, nausea and

Ecology - water This product is not soluble in water. It floats on water and forms a film on the surface. The damage to aquatic organisms is of mechanical kind (immobilization and entrapment)

Harmful to aquatic life.

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

: Not classified (Based on available data, the classification criteria are not met)

: Harmful to aquatic life with long lasting effects. (chronic)

3110110)		
Phenol, dodecyl-, branched, sulfurized (96152-43-1)		
LC50 fish 1	≥ 500 mg/l (LL50 - 96h)	
EC50 Daphnia 1	≥ 750 mg/l (LL50 - 96h)	
Dodecylphenol, mixed isomers, branched (121158-58-5)		
LC50 fish 1	40 mg/l (Pimephales promelas)	
EC50 Daphnia 1	92.7 μg/l Test organisms (species): Daphnia magna	
EC50 other aquatic organisms 1	> 0.58 mg/l (96h, Mysidopsis Bahia)	
EC50 72h - Algae [1]	> 0.765 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	0.36 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
ErC50 (algae)	0.36 mg/l (21d)	
LOEC (chronic)	0.012 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0.0037 mg/l (21d)	
Amides, C18 (unsaturated)		
LC50 fish 1	> 0.5 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 Daphnia 1	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	
NOEC chronic fish	0.105 mg/l	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
LC50 fish 1	> 100 mg/l (LL 50, Exxon 1995 - OECD 203)	
EC50 Daphnia 1	> 10000 mg/l (EL50, Shell 1988 - OECD 202)	
NOEC (acute)	≥ 100 mg/l (Pseudokirchneriella subcapitata, 72h, OECD 201 - Petro-Canada 2008)	
NOEC chronic fish	≥ 1000 mg/l (Oncorhynchus mykiss, NOELR, 14d - QSAR, Redman, A. et al. 2010)	
NOEC chronic crustacea	≥ 1000 mg/l (21d, OECD 211 - Shell 1994)	
NOEC chronic algae	≥ 100 mg/l (Pseudokirchneriella subcapitata, 72h)	

12.2. Persistence and degradability

Eni i-Sigma monograde 10W-20	
Persistence and degradability	The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent, particularly in anaerobic conditions.

14/22 8/5/2025 (Revision date) EN (English)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Phenol, dodecyl-, branched, sulfurized (96152-43-1)		
Persistence and degradability	Rapidly degradable	
Biodegradation	13.4 % (28d)	
Dodecylphenol, mixed isomers, branched (12	1158-58-5)	
Persistence and degradability	Rapidly degradable	
Biodegradation	25 % (28 d, OECD TG 301 B)	
Amides, C18 (unsaturated)		
Persistence and degradability	Rapidly degradable	
Biodegradation	62 – 64 % (28d, OECD 301B)	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
Persistence and degradability The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persisted particularly in an		
Biodegradation	egradation 31 % (28d, Exxon 1995)	

12.3. Bioaccumulative potential

Eni i-Sigma monograde 10W-20		
Log Pow	Not applicable for mixtures	
Log Kow	Not applicable for mixtures	
Bioaccumulative potential	Not established.	
Dodecylphenol, mixed isomers, branched (12	1158-58-5)	
Bioconcentration factor (BCF REACH)	concentration factor (BCF REACH) 794.33	
Log Kow	v 7.14	
Amides, C18 (unsaturated)		
Log Pow	Pow 6.48	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
BCF fish 1	0.4 – 6280 l/kg	
BCF fish 2	3.16 – 71100 l/kg	
Log Pow	1.99 – 18.02	
Log Kow	Not applicable (UVCB)	
Bioaccumulative potential	The test methods for this endpoint are not applicable to UVCB substances.	

12.4. Mobility in soil

Eni i-Sigma monograde 10W-20		
Ecology - soil No data available.		
Amides, C18 (unsaturated)		
og Koc 4.5 – 4.66		
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
.og Koc 1.71 – 14.7		
cology - soil The test methods for this endpoint are not applicable to UVCB substances.		

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

12.5. Results of PBT and vPvB assessment

Eni i-Sigma monograde 10W-20		
This substance/mixture does not meet the PBT criteria	of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria	a of REACH regulation, annex XIII	
Results of PBT-vPvB assessment The components in this formulation do not meet the criteria for classification as PBT or vPvB. The product should be considered prudentially as "Persistent" in the environmen according to the REACH Annex XIII criteria (point 1.1)		
Component		
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII Phenol, dodecyl-, branched, sulfurized (96152-43-1), Dodecylphenol, mixed isomers, branched (121158-58-5), Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
Substance(s) not meeting the vPvB criteria of REACH Phenol, dodecyl-, branched, sulfurized (96152-43-1), Dodecylphenol, mixed isomers, branched (121158-58-5), Distillates (petroleum), solvent-dewaxed heavy paraffinic		

(64742-65-0)

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

The mixture contains substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Endocrine disrupting properties (Article 57(f) — environment): Has an endocrine mode of action, i.e. it alters the function(s) of the endocrine system. Shows an adverse effect in nontarget organisms, which is a change in the morphology, physiology, growth, development, reproduction or life span of an organism, system or (sub)population that results in an impairment of functional capacity, an impairment of the capacity to compensate for additional stress or an increase in susceptibility to other influences.

Component

Dodecylphenol, mixed isomers, branched (121158-58-5)

Has an endocrine mode of action, i.e. it alters the function(s) of the endocrine system

12.7. Other adverse effects

Other adverse effects : None

Eni i-Sigma monograde 10W-20		
Other information This product has no specific properties for inhibition of bacterial activity. In any ca wastewater containing this product should be treated in plants that are suited for the specific purpose.		
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
Other information This product has no specific properties for inhibition of bacterial activity. In any case, wastewater containing this product should be treated in plants that are suited for the specific purpose.		

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Do not dispose of the product, either new or used, by dumping on the ground, or discharging into sewers, tunnels, lakes or water courses. Deliver to a qualified official collector. Dispose of empty containers and wastes safely.

Sewage disposal recommendations

: Dispose of in a safe manner in accordance with local/national regulations. Do not apply industrial sludge to natural soils. Sludge should be incinerated, contained or reclaimed.

8/5/2025 (Revision date) EN (English) 16/22

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Product/Packaging disposal recommendations : European Waste Catalogue code(s) (Decision 2001/118/CE): 13 02 05* (mineral-based

non-chlorinated engine, gear and lubricating oils). This EWC code is only a general indication, and takes into account the original composition of the product and its intended use. The user has the responsibility of choosing the right EWC code, considering the actual

use of the product, alterations and contaminations.

Additional information : Empty containers may contain combustible product residues. Do not cut, weld, bore, burn or

incinerate emptied containers, unless they have been cleaned and declared safe.

Ecology - waste materials : The product as it is does not contain halogenated substances.

EURAL code (EWC) : 13 02 05* - Mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
Not regulated for transport				
14.2. UN proper shippin	14.2. UN proper shipping name			
Not regulated	Not regulated Not regulated Not regulated Not regulated			
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group	14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
None.				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	Phenol, dodecyl-, branched, sulfurized; Dodecylphenol, mixed isomers, branched	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Eni i-Sigma monograde 10W-20; Phenol, dodecyl-, branched, sulfurized; Dodecylphenol, mixed isomers, branched	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations ≥ 0.1 % or SCL: Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) (EC 310-154-3, CAS 121158-58-5)

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

France

Maladies professionelles	(F)
Code	Description
RG 36 Diseases caused by oils and fats of mineral or synthetic origin	

Germany

Employment restrictions

: Employment prohibitions or restrictions on the protection of young people at work according to § 22 JArbSchG in the case of formation of hazardous substances have to be observed.

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

National Rules and Recommendations : TRGS 400: Hazard assessment for activities involving Hazardous Substances.

TRGS 401: Risks resulting from skin contact - identification, assessment, measures,

TRGS 402: Identification and Assessment of the Risks from Activities involving Hazardous

Substances: Inhalation Exposure. TRGS 800: Fire protection measures. TRGS 500: Protective measures.

TRGS 555: Working instruction and information for workers.

TRGS 900: Occupational Exposure Limits.

TRGS 905: List of mutagenic, carcinogenic or teratogenic substances.

TRGS 910: Risk-related concept of measures for activities involving carcinogenic hazardous

substances.

VbF class (D) Not applicable.

Water hazard class (WGK) (D) WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1). WGK remark

Classification is carried out on the basis of the Ordinance on facilities for handling substances that are hazardous to water (Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV)) of 18 April 2017 (BGBI 2017, Teil I, Nr. 22, Seite

Major Accidents Ordinance (12. BlmSchV) : Is not subject to the Major Accidents Ordinance (12. BlmSchV)

Netherlands

Waterbezwaarliikheid : 8 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment

9 - Harmful to aquatic organisms

Saneringsinspanningen : C - Minimize discharge

SZW-lijst van kankerverwekkende stoffen Phenol, dodecyl-, branched, sulfurized, Dodecylphenol, mixed isomers, branched, Distillates

(petroleum), solvent-dewaxed heavy paraffinic are listed

SZW-lijst van mutagene stoffen Phenol, dodecyl-, branched, sulfurized, Dodecylphenol, mixed isomers, branched, Distillates

None of the components are listed

(petroleum), solvent-dewaxed heavy paraffinic are listed

Dodecylphenol, mixed isomers, branched is listed

SZW-lijst van reprotoxische stoffen - Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Young people under 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with it

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Poland

Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).

Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).

The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).

Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).

The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended). Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).

ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

15.2. Chemical safety assessment

For this mixture a chemical safety assessment has not been carried out

A chemical safety assessment has been carried out for the following components of this mixture::

Phenol, dodecyl-, branched, sulfurized

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
2.2	CLP Signal word	Removed
2.2	Precautionary statements (CLP)	Modified
2.2	EUH-statements	Added
2.3	Other hazards not contributing to the classification	Modified
3	Composition/information on ingredients	Modified
3.2	Comments	Modified
4.3	Other medical advice or treatment	Modified
5.2	Hazardous decomposition products in case of fire	Modified
6.1	Protective equipment	Modified
7.1	Precautions for safe handling	Modified
8.2	Respiratory protection	Modified
8.2	Appropriate engineering controls	Modified
9	Relative evaporation rate (butylacetate=1)	Removed

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Indication of changes		
Section	Changed item	Comments
9.1	Explosive limits (g/m³)	Removed
10.6	Hazardous decomposition products	Modified
11.1	Additional information	Modified
11.1	Additional information	Modified
15.1	REACH Annex XVII	Modified
16	Other information	Modified

Abbreviations and acronyms:				
	Complete text of the H phrases quoted in this Safety Data Sheet. These phrases are reported here for information only, and MAY NOT correspond to the classification of the product.			
	N/D = not available			
	N/A = not applicable			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road			
ATE	Acute Toxicity Estimate			
BCF	Bioconcentration factor			
CAS-No.	Chemical Abstract Service number			
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008			
DMEL	Derived Minimal Effect level			
DNEL	Derived-No Effect Level			
EC50	Effective concentration for 50 percent of test population (median effective concentration)			
EC-No.	European Community number			
ED	Endocrine disruptor			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods			
LC50	Lethal concentration for 50 percent of test population (median lethal concentration)			
LD50	Lethal dose for 50 percent of test population (median lethal dose)			
LOAEL	Lowest Observed Adverse Effect Level			
NOAEC	No-Observed Adverse Effect Concentration			
NOAEL	No-Observed Adverse Effect Level			
NOEC	No-Observed Effect Concentration			
OECD	Organisation for Economic Co-operation and Development			
OEL	Occupational Exposure Limit			
PBT	Persistent Bioaccumulative Toxic			
PNEC	Predicted No-Effect Concentration			
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals, Regulation (EC) No 1907/2006			
RID	Regulation concerning the International Carriage of Dangerous Goods by Railways			

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Abbreviations and acronyms:		
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Data sources

This Safety Data Sheet is based on the real characteristics of the components and their combination, taking into account the information provided by the suppliers.

Training advice

: Provide adequate training to professional operators for the use of PPEs, according to the information contained in this Safety Data Sheet.

Other information

: Do not use the product for any purposes that have not been advised by the manufacturer.

Full text of H- and EUH-statements:				
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1			
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3			
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Repr. 1B	Reproductive toxicity, Category 1B			
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C			
Skin Sens. 1B	Skin sensitisation, category 1B			
H314	Causes severe skin burns and eye damage.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H360F	May damage fertility.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
H413	May cause long lasting harmful effects to aquatic life.			
EUH208	Contains Amides, C18 (unsaturated). May produce an allergic reaction.			

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Aquatic Chronic 3	H412	Calculation method		

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.