



AUTOL CPM HD S3

Material number 13520

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 29.7.2025
Version: 16.0
Replaces version: 15.0
Language: en-DE
Date of print: 31.7.2025

Page: 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: AUTOL CPM HD S3

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Engine oil

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

Special labelling

EUH210

Safety data sheet available on request.



AUTOL CPM HD S3

Material number 13520

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 29.7.2025
Version: 16.0
Replaces version: 15.0
Language: en-DE
Date of print: 31.7.2025

Page: 2 of 10

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Outflowing product can lead to the formation of a film on the water surface, which reduces oxygen exchange and may result in the death of organisms.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of mineral oil and additive.

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119471299-27-xxxx EC No. 265-169-7 CAS 64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic Asp. Tox. 1; H304.	1 - 5 %
REACH 01-2119521201-61-xxxx EC No. 288-917-4 CAS 85940-28-9	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts Skin Irrit. 2; H315. Eye Dam. 1; H318. Aquatic Chronic 2; H411. Specific concentration limits (SCL): Skin Irrit. 2; H315: C ≥ 15 % / Eye Dam. 1; H318: C ≥ 20 % / Eye Irrit. 2; H319: 15 % ≤ C < 20 % (expert judgement and weight of evidence determination (Prior supplier))	< 2,5 %

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:	Take off contaminated clothing and wash it before reuse.
In case of inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. In the events of symptoms take medical treatment.
Following skin contact:	Remove residues with soap and water. Change contaminated clothing. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.



AUTOL CPM HD S3

Material number 13520

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 29.7.2025
Version: 16.0
Replaces version: 15.0
Language: en-DE
Date of print: 31.7.2025

Page: 3 of 10

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Danger of aspiration! Do not induce vomiting. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

After contact with skin:
Frequently or prolonged contact with skin may cause dermal irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet.

5.2 Special hazards arising from the substance or mixture

Combustible.
May form dangerous gases and vapours in case of fire.
Furthermore, there may develop: Pyrolysis products, hydrogen sulfide, nitrogen oxides (NO_x), phosphorus oxides, hydrocarbons, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Contaminated fire-fighting water must be collected separately. Do not allow water used to extinguish fire to enter drains, ground or waterways.
Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance. Provide adequate ventilation.

Keep unprotected people away. Wear appropriate protective equipment. Do not get in eyes, on skin, or on clothing. Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.
If necessary, notify appropriate authorities.



AUTOL CPM HD S3

Material number 13520

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 29.7.2025
Version: 16.0
Replaces version: 15.0
Language: en-DE
Date of print: 31.7.2025

Page: 4 of 10

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, universal binding agents, sawdust). Collect in appropriate containers for recovery or disposal.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray.
Wear appropriate protective equipment.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Take off contaminated clothing and wash it before reuse. Do not get in eyes, on skin, or on clothing.

Precautions against fire and explosion:
Keep away from heat. Keep away from sources of ignition - No smoking.
When handling larger quantities, take precautionary measures against electrostatic charging.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:
Store container tightly closed in a dry area. Keep in a cool place.
Store only in original container.
Protect from heat and direct sunlight.
Recommended storage temperature: < 50 °C.

Hints on joint storage: Do not store together with: Strong oxidizing agents.
Keep away from food, drink and animal feedingstuffs.

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

DNEL/DMEL: Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0):
DNEL, workers, inhalative, systemic, long-term: 2,73 mg/m³
DNEL, workers, inhalative, local, long-term: 5,58 mg/m³
DNEL, workers, dermal, systemic, long-term: 0,97 mg/kg bw/d
DNEL, consumers, oral, systemic, long-term: 0,74 mg/kg bw/d



AUTOL CPM HD S3

Material number 13520

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 29.7.2025
Version: 16.0
Replaces version: 15.0
Language: en-DE
Date of print: 31.7.2025

Page: 5 of 10

PNEC: Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0):
PNEC, Secondary Poisoning: 9,33 mg/kg Food

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection.
Generation/formation of mist: Use filter apparatus type A2/P2.
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to DIN EN ISO 374-1.
Glove material: Nitrile rubber
Breakthrough time: > 480 min
Layer thickness: > 0,35 mm
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:
Do not breathe mist/vapours/spray.
Take off contaminated clothing and wash it before reuse. Do not get in eyes, on skin, or on clothing.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Protect skin by using skin protective cream.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow, brown
Odour:	Characteristic
Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	> 320 °C
Flammability:	No data available
Lower and upper explosion limit:	LEL (Lower Explosion Limit): 0,60 Vol-% UEL (Upper Explosive Limit): 6,50 Vol-%
Flash point:	> 220 °C (DIN ISO 2592)
Auto-ignition temperature:	No data available
Decomposition temperature:	Not applicable
pH:	Not applicable
Kinematic viscosity:	at 40 °C: 56,7 mm ² /s (ASTM D7279)
Water solubility:	Practically insoluble



AUTOL CPM HD S3

Material number 13520

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 29.7.2025
Version: 16.0
Replaces version: 15.0
Language: en-DE
Date of print: 31.7.2025

Page: 6 of 10

Partition coefficient n-octanol/water (log value):

No data available

Vapour pressure:

No data available

Density:

at 15 °C: 0,84 - 0,88 g/mL (DIN EN ISO 12185)

Relative vapour density:

No data available

Particle characteristics:

Not applicable

9.2 Other information

Explosive properties:

No data available

Oxidizing characteristics:

No data available

Auto-ignition temperature:

No data available

Additional information:

Pour point: -33 °C (ASTM D7346)

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point.

10.4 Conditions to avoid

Protect from heat and direct sunlight.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition:

Not applicable



AUTOL CPM HD S3

Material number 13520

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 29.7.2025
Version: 16.0
Replaces version: 15.0
Language: en-DE
Date of print: 31.7.2025

Page: 7 of 10

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.
ATEmix (calculated): > 2.000 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met.
ATEmix (calculated): > 2.000 mg/kg

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.
ATEmix (calculated, vapour): > 20 mg/L
ATEmix (calculated, dusts/mist): > 5 mg/L

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties:

None

Other information:

Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0):
LD50 Rat, oral: > 5.000 mg/kg (OECD 401)
LD50 Rabbit, dermal: > 5.000 mg/kg (OECD 402)

Symptoms

After contact with skin:
Frequently or prolonged contact with skin may cause dermal irritation.

SECTION 12: Ecological information

12.1 Toxicity

Water Hazard Class: 2 = obviously hazardous to water (Self-classification (mixture).)



AUTOL CPM HD S3

Material number 13520

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 29.7.2025
Version: 16.0
Replaces version: 15.0
Language: en-DE
Date of print: 31.7.2025

Page: 8 of 10

12.2 Persistence and degradability

Further details: Not readily biodegradable (according to OECD criteria). Data apply to the main component.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

12.6 Endocrine disrupting properties

None

12.7 Other adverse effects

General information: Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 13 02 05* = Mineral-based non-chlorinated engine, gear and lubricating oils
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Package

Waste key number: 15 01 10* = Packaging containing residues of or contaminated by dangerous substances
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Section 14. Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable



AUTOL CPM HD S3

Material number 13520

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 29.7.2025
Version: 16.0
Replaces version: 15.0
Language: en-DE
Date of print: 31.7.2025

Page: 9 of 10

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 2 = obviously hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Further regulations, limitations and legal requirements:

No data available

National regulations - EC member states

Labelling of packaging with ≤ 125mL content

Hazard statements: EUH210 Safety data sheet available on request.

Precautionary statements: not applicable

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 75

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H304 = May be fatal if swallowed and enters airways.

H315 = Causes skin irritation.

H318 = Causes serious eye damage.

H411 = Toxic to aquatic life with long lasting effects.

EUH210 = Safety data sheet available on request.



AUTOL CPM HD S3

Material number 13520

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 29.7.2025
Version: 16.0
Replaces version: 15.0
Language: en-DE
Date of print: 31.7.2025

Page: 10 of 10

Reason of change: Changes in section 3: Composition / Information on ingredients
Changes in section 8: Exposure controls/personal protection
Changes in section 11: Toxicological information
Changes in section 13: Disposal considerations
Changes in section 15: WGK

Date of first version: 25.5.2022

Department issuing data sheet:
see section 1: Department responsible for information

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
Aquatic Chronic: Hazardous to the aquatic environment - chronic
AS/NZS: Australian Standards/New Zealand Standards
Asp. Tox.: Aspiration toxicity
ATEmix: Acute Toxicity Estimate of mixture
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods
EN: European Standard
EQ: Excepted quantities
EU: European Union
Eye Dam.: Eye damage
Eye Irrit.: Eye irritation
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
IMO: International Maritime Organization
LD50: Lethal dose 50%
LEL: Lower Explosion Limit
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD: Organisation for Economic Co-operation and Development
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
Skin Irrit.: Skin irritation
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative
WGK: Water risk class

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<https://sumdat.net/b2fyy9s9>

