



# AUTOL AGROTECH 10W-30

Material number 14110

Revision date: 25.6.2026  
Version: 14.0  
Replaces version: 13.2  
Language: en-DE  
Date of print: 29.6.2026

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: AUTOL AGROTECH 10W-30

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Tractor oil.

### 1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH  
Street/POB-No.: Paradiesstraße 14  
Postcode, city: 97080 Würzburg  
Germany

Email: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

Email: technik.wuerzburg@enilive.com

### 1.4 Emergency telephone number

GIZ-Nord, Göttingen  
Telephone: +49 (0)551-19240

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

### 2.2 Label elements

#### Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

#### Special labelling

EUH208 Contains Amides, C18 (unsaturated). May produce an allergic reaction.  
EUH210 Safety data sheet available on request.



# AUTOL AGROTECH 10W-30

Material number 14110

Revision date: 25.6.2026  
Version: 14.0  
Replaces version: 13.2  
Language: en-DE  
Date of print: 29.6.2026

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 2 of 12

### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Outflowing product can lead to the formation of a film on the water surface, which reduces oxygen exchange and may result in the death of organisms.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

### 3.2 Mixtures

Chemical characterisation: A mixture of mineral oil and additives.

Hazardous ingredients:

| Identifiers   | Designation<br>Classification  | Content |
|---|--|---------|
| REACH 01-2119471299-27-xxxx<br>EC No. 265-169-7<br>CAS 64742-65-0 | Distillates (petroleum), solvent-dewaxed heavy paraffinic<br>Asp. Tox. 1; H304.  | 1 - 5 % |
| REACH 01-2119521201-61-xxxx<br>EC No. 288-917-4<br>CAS 85940-28-9 | Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and<br>iso-Bu and iso-Pr) esters, zinc salts<br>Skin Irrit. 2; H315. Eye Dam. 1; H318.<br>Aquatic Chronic 2; H411.<br>Specific concentration limits (SCL):<br>Skin Irrit. 2; H315: C ≥ 15 % / Eye Dam. 1; H318: C ≥ 20 % / Eye Irrit.<br>2; H319: 15 % ≤ C < 20 % (expert judgement and weight of evidence<br>determination (Prior supplier)) | < 2,5 % |
| REACH 01-2119488911-28-xxxx<br>list no. 701-385-4<br>CAS -        | Reaction products of diphenylamine with nonene, branched<br>Repr. 2; H361f.  | < 1 %   |
| REACH 01-2119560613-41-xxxx<br>list no. 931-801-1<br>CAS -        | Amides, C18 (unsaturated)<br>Skin Sens. 1B; H317. Aquatic Chronic 3; H412.   | < 1 %   |

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General information: Take off contaminated clothing and wash it before reuse.



# AUTOL AGROTECH 10W-30

Material number 14110

Revision date: 25.6.2026  
Version: 14.0  
Replaces version: 13.2  
Language: en-DE  
Date of print: 29.6.2026

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 3 of 12

|                         |  |
|-------------------------|--|
| In case of inhalation:  | Remove casualty to fresh air and keep warm and at rest. If breathing becomes irregular or ceases, apply rescue breathing or artificial respiration immediately, where required supply oxygen.<br>Subsequently consult physician. |
| Following skin contact: | After contact with skin, wash immediately with soap and plenty of water. In case of skin reactions, consult a physician.   |
| After eye contact:      | Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately get medical attention.                           |
| After swallowing:       | Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Immediately get medical attention.   |

### 4.2 Most important symptoms and effects, both acute and delayed

May cause allergic reactions in already sensitized persons.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Combustible.

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Pyrolysis products, hydrocarbons, hydrogen sulfide, nitrogen oxides (NO<sub>x</sub>), phosphorus oxides, carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Cool endangered containers with water spray jet. Move undamaged containers from immediate hazard area if it can be done safely.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Provide adequate ventilation. Remove all sources of ignition. Wear appropriate protective equipment.

Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing.



# AUTOL AGROTECH 10W-30

Material number 14110

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 25.6.2026  
Version: 14.0  
Replaces version: 13.2  
Language: en-DE  
Date of print: 29.6.2026

Page: 4 of 12

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Prevent spread over a wide area (e.g. by containment or oil barriers).

Never return spills in original containers for re-use.

Clean contaminated articles and floor according to the environmental legislation.

Additional information: Special danger of slipping by leaking/spilling product.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Avoid oil mist formation.  
Wear appropriate protective equipment.  
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.  
Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing.

Precautions against fire and explosion:  
Keep away from heat. Keep away from sources of ignition - No smoking.  
When handling larger quantities, take precautionary measures against electrostatic charging.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:  
Store container tightly closed in a dry area. Keep in a cool place.  
Store only in original container.  
Protect from heat and direct sunlight.  
Recommended storage temperature: < 50 °C.

Hints on joint storage: Do not store together with: Strong oxidizing agents.  
Keep away from food, drink and animal feedingstuffs.

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.



# AUTOL AGROTECH 10W-30

Material number 14110

Revision date: 25.6.2026  
Version: 14.0  
Replaces version: 13.2  
Language: en-DE  
Date of print: 29.6.2026

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 5 of 12

### DNEL/DMEL:

Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0):

DNEL, workers, inhalative, systemic, long-term: 2,73 mg/m<sup>3</sup>

DNEL, workers, inhalative, local, long-term: 5,58 mg/m<sup>3</sup>

DNEL, workers, dermal, systemic, long-term: 0,97 mg/kg bw/d

DNEL, consumers, oral, systemic, long-term: 0,74 mg/kg bw/d

Information about Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (CAS 85940-28-9):

DNEL, workers, inhalative, systemic, long-term: 6,6 mg/m<sup>3</sup>

DNEL, workers, dermal, systemic, long-term: 9,6 mg/kg bw/d

DNEL, consumers, inhalative, systemic, long-term: 1,67 mg/m<sup>3</sup>

DNEL, consumers, dermal, systemic, long-term: 4,8 mg/kg bw/d

DNEL, consumers, oral, systemic, long-term: 0,19 mg/kg bw/d

Information about Reaction products of diphenylamine with nonene, branched (List no. 701-385-4):

DNEL, workers, inhalative, systemic, long-term: 1,41 mg/m<sup>3</sup>

DNEL, workers, dermal, systemic, long-term: 4 mg/kg bw/d

DNEL, consumers, inhalative, systemic, long-term: 0,35 mg/m<sup>3</sup>

DNEL, consumers, dermal, systemic, long-term: 2 mg/kg bw/d

DNEL, consumers, oral, systemic, long-term: 0,2 mg/kg bw/d

### PNEC:

Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0):

PNEC, Secondary Poisoning: 9,33 mg/kg Food

Information about Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (CAS 85940-28-9):

PNEC, water (freshwater): 0,002 mg/L

PNEC, water (freshwater, intermittent release): 0,02 mg/L

PNEC, water (marine water): 0 mg/L

PNEC, sewage treatment plant: 100 mg/L

PNEC, sediment (freshwater): 19,3 mg/kg dw

PNEC, sediment (marine water): 1,93 mg/kg dw

PNEC, soil: 15,7 mg/kg dw

Information about Reaction products of diphenylamine with nonene, branched (List no. 701-385-4):

PNEC, water (freshwater): 0,412 mg/L

PNEC, water (freshwater, intermittent release): 1 mg/L

PNEC, water (marine water): 0,041 mg/L

PNEC, sediment (freshwater): 1 mg/kg dw

PNEC, sediment (marine water): 0,1 mg/kg dw

Information about Amides, C18 (unsaturated) (List no. 931-801-1):

PNEC, water (freshwater): 0,125 mg/L

PNEC, water (marine water): 0,013 mg/L

PNEC, sewage treatment plant: 4 mg/L

PNEC, sediment (freshwater): 3,18 mg/kg dw

PNEC, sediment (marine water): 0,318 mg/kg dw

PNEC, soil: 11,1 mg/kg dw



# AUTOL AGROTECH 10W-30

Material number 14110

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 25.6.2026  
Version: 14.0  
Replaces version: 13.2  
Language: en-DE  
Date of print: 29.6.2026

Page: 6 of 12

## 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

## Personal protection equipment

### Occupational exposure controls

- Respiratory protection: In case of inadequate ventilation wear respiratory protection.  
Generation/formation of mist: Use filter apparatus type A2/P2.  
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.
- Hand protection: Protective gloves according to DIN EN ISO 374-1.  
Glove material: Nitrile rubber (NBR)  
Breakthrough time: > 480 min  
Layer thickness: > 0,35 mm  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1.
- Body protection: Wear suitable protective clothing.
- General protection and hygiene measures:  
Do not breathe mist/vapours/spray.  
Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing.  
Do not eat, drink or smoke when using this product.  
Wash hands thoroughly after handling.  
Protect skin by using skin protective cream.

### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |  |
|--|--|
| Physical state at 20 °C and 101.3 kPa              | liquid   |
| Colour:  | light yellow-light brown   |
| Odour:   | Characteristic   |
| Melting point/freezing point:                      | No data available  |
| Boiling point:                                     | No data available  |
| Flammability:                                      | No data available  |
| Lower and upper explosion limit:                   | LEL (Lower Explosion Limit): 0,60 Vol-%<br>UEL (Upper Explosive Limit): 6,50 Vol-% |
| Flash point:                                       | > 220 °C (DIN ISO 2592)  |
| Auto-ignition temperature:                         | No data available  |
| Decomposition temperature:                         | Not applicable   |
| pH:  | Not applicable   |
| Kinematic viscosity:                               | at 40 °C: 68,7 mm <sup>2</sup> /s (ASTM D7279)                                     |
| Water solubility:                                  | Practically insoluble  |
| Partition coefficient n-octanol/water (log value): | No data available  |
| Vapour pressure:                                   | No data available  |



# AUTOL AGROTECH 10W-30

Material number 14110

Revision date: 25.6.2026  
Version: 14.0  
Replaces version: 13.2  
Language: en-DE  
Date of print: 29.6.2026

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 7 of 12

Density: at 15 °C: 0,845 - 0,885 g/mL (DIN EN ISO 12185)

Relative vapour density: No data available

Particle characteristics: Not applicable

### 9.2 Other information

Explosive properties: No data available

Oxidizing characteristics: No data available

Auto-ignition temperature: No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point.

### 10.4 Conditions to avoid

Protect from heat and direct sunlight.

### 10.5 Incompatible materials

Strong oxidizing agents.

### 10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: Not applicable



# AUTOL AGROTECH 10W-30

Material number 14110

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 25.6.2026  
Version: 14.0  
Replaces version: 13.2  
Language: en-DE  
Date of print: 29.6.2026

Page: 8 of 12

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.  
ATEmix (calculated): > 2.000 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met.  
ATEmix (calculated): > 2.000 mg/kg

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.  
ATEmix (calculated, vapour): > 20 mg/L  
ATEmix (calculated, dusts/mist): > 5 mg/L

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.  
Contains Amides, C18 (unsaturated). May produce an allergic reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

Endocrine disrupting properties:

None

Other information:

Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0):  
LD50 Rat, oral: > 5.000 mg/kg (OECD 401)  
LD50 Rabbit, dermal: > 5.000 mg/kg (OECD 402)

### Symptoms

After contact with skin:  
Frequently or prolonged contact with skin may cause dermal irritation.

## SECTION 12: Ecological information

### 12.1 Toxicity

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)



# AUTOL AGROTECH 10W-30

Material number 14110

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 25.6.2026  
Version: 14.0  
Replaces version: 13.2  
Language: en-DE  
Date of print: 29.6.2026

Page: 9 of 12

### 12.2 Persistence and degradability

Further details: Not readily biodegradable (according to OECD criteria). Data apply to the main component.

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

### 12.6 Endocrine disrupting properties

None

### 12.7 Other adverse effects

General information: Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 13 02 05\* = Mineral-based non-chlorinated engine, gear and lubricating oils  
\* = Evidence for disposal must be provided.

Recommendation: Send to a hazardous waste incinerator facility under observation of official regulations.

#### Package

Waste key number: 15 01 10\* = Packaging containing residues of or contaminated by dangerous substances  
\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## Section 14. Transport information

### 14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

### 14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

### 14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable



# AUTOL AGROTECH 10W-30

Material number 14110

Revision date: 25.6.2026  
Version: 14.0  
Replaces version: 13.2  
Language: en-DE  
Date of print: 29.6.2026

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 10 of 12

### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

### 14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

no

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Germany

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Further regulations, limitations and legal requirements:

No data available

#### National regulations - EC member states

Volatile organic compounds (VOC):

< 3 % by weight

#### Labelling of packaging with <= 125mL content

Hazard statements: EUH208 Contains Amides, C18 (unsaturated). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Precautionary statements: not applicable

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 75

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.



# AUTOL AGROTECH 10W-30

Material number 14110

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 25.6.2026  
Version: 14.0  
Replaces version: 13.2  
Language: en-DE  
Date of print: 29.6.2026

Page: 11 of 12

## SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H304 = May be fatal if swallowed and enters airways.  
H315 = Causes skin irritation.  
H317 = May cause an allergic skin reaction.  
H318 = Causes serious eye damage.  
H361f = Suspected of damaging fertility.  
H411 = Toxic to aquatic life with long lasting effects.  
H412 = Harmful to aquatic life with long lasting effects.  
EUH208 = Contains Amides, C18 (unsaturated). May produce an allergic reaction.  
EUH210 = Safety data sheet available on request.

Reason of change: Changes in section 2: Labelling  
Changes in section 3: Composition / Information on ingredients  
Changes in section 8: DNEL, PNEC  
General revision

Date of first version: 17.2.2022

Department issuing data sheet:  
see section 1: Department responsible for information

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
Aquatic Chronic: Hazardous to the aquatic environment - chronic  
AS/NZS: Australian Standards/New Zealand Standards  
Asp. Tox.: Aspiration toxicity  
ATEmix: Acute Toxicity Estimate of mixture  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods  
EN: European Standard  
EQ: Excepted quantities  
EU: European Union  
Eye Dam.: Eye damage  
Eye Irrit.: Eye irritation  
IATA: International Air Transport Association  
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
IMO: International Maritime Organization  
LD50: Lethal dose 50%  
LEL: Lower Explosion Limit  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
OECD: Organisation for Economic Co-operation and Development  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
Repr.: Reproductive toxicity  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
Skin Irrit.: Skin irritation  
Skin Sens.: Skin sensitisation  
TRGS: Technical Rules for Hazardous Substances  
VOC: Volatile Organic Compounds  
vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.



# AUTOL AGROTECH 10W-30

Material number 14110

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)  
2020/878

Revision date: 25.6.2026  
Version: 14.0  
Replaces version: 13.2  
Language: en-DE  
Date of print: 29.6.2026

Page: 12 of 12

Most recent product information is available at:  
<https://sumdat.net/c7yadbnn>

