

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Eni Rotra SX/S 75W-90

UFI: 3NFQ-U2CS-Q009-VYVQ

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Gearbox oil.

### 1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@enilive.com

### 1.4 Emergency telephone number

**GIZ-Nord, Göttingen**

**Telephone: +49 (0)551-19240**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

Skin Sens. 1; H317 May cause an allergic skin reaction.

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (CLP)



Signal word:

**Warning**

Hazard statements:

H317

May cause an allergic skin reaction.

H412

Harmful to aquatic life with long lasting effects.



# Eni Rotra SX/S 75W-90

Material number 305

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 2 of 17

### Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261	Avoid breathing mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container to hazardous or special waste collection point.

### Special labelling

Text for labelling:

Contains:  
Polysulfides, di-tert-Bu  
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl  
Magnesium metaborate  
Amines, C10-C14-tert-alkyl.

### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

The product does not contain any substances classified as PBT or vPvB.

CAS No.	Designation	PBT/vPvB	ED Human	ED Environment
74499-35-7	Phenol, (tetrapropenyl) derivatives (SVHC)		List I	List I

## SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable



# Eni Rotra SX/S 75W-90

Material number 305

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 3 of 17

### 3.2 Mixtures

Hazardous ingredients:

Identifiers	Designation Classification	Content
list no. 613-162-8 CAS 63150-07-2	2-Methyl-2-propenoic acid dodecyl ester polymer with eicosyl 2-methyl-2-propenoate, hexadecyl 2-methyl-2-propenoate, methyl 2-methyl-2-propenoate, octadecyl 2-methyl-2-propenoate, pentadecyl 2-methyl-2-propenoate, tetradecyl 2-methyl-2-propenoate and tridecyl 2-methyl-2-propenoate Eye Irrit. 2; H319.	< 10 %
REACH 01-2119540515-43-xxxx EC No. 273-103-3 CAS 68937-96-2	Polysulfides, di-tert-Bu Skin Sens. 1B; H317. Aquatic Chronic 3; H412.  Specific concentration limits (SCL): Skin Sens. 1B; H317: C ≥ 46 %	< 5 %
REACH 01-2119474878-16-xxxx EC No. 276-737-9 CAS 72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified Asp. Tox. 1; H304.	< 2,5 %
REACH 01-2119493620-38-xxxx list no. 931-384-6	Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14-tert-alkyl Acute Tox. 4; H302. Eye Irrit. 2; H319. Skin Sens. 1; H317. Aquatic Chronic 2; H411. Specific concentration limits (SCL): Eye Irrit. 2; H319: C > 50 % / Skin Sens. 1; H317: C > 9,39 %	< 2,5 %
REACH 01-2119484627-25-xxxx EC No. 265-157-1 CAS 64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic Asp. Tox. 1; H304.	< 2,5 %
REACH 01-2120769073-53-xxxx EC No. 237-235-5 CAS 13703-82-7	Magnesium metaborate Skin Sens. 1B; H317.  Specific concentration limits (SCL): Skin Sens. 1B; H317: C > 15 %	< 1 %
REACH 01-2119456798-18-xxxx list no. 701-175-2	Amines, C10-C14-tert-alkyl Acute Tox. 4; H302. Acute Tox. 3; H311. Acute Tox. 2; H330. Skin Corr. 1B; H314. Eye Dam. 1; H318. Skin Sens. 1A; H317. Aquatic Acute 1; H400. Aquatic Chronic 1; H410.	< 1 %
list no. 616-100-8 CAS 74499-35-7	Phenol, (tetrapropenyl) derivatives (SVHC) Skin Corr. 1C; H314. Eye Dam. 1; H318. Repr. 1B; H360F. Aquatic Acute 1; H400. Aquatic Chronic 1; H410. M-factors: Aquatic Acute 1: M = 10. Aquatic Chronic 1: M = 10.	< 0,1 %



# Eni Rotra SX/S 75W-90

Material number 305

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

Page: 4 of 17

**Additional information:** Contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: Phenol, (tetrapropenyl) derivatives (Toxic for reproduction (Article 57c); Endocrine disrupting properties (Article 57(f) - environment); Endocrine disrupting properties (Article 57(f) - human health))  
The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**General information:** If medical advice is needed, have product container or label at hand.

**In case of inhalation:** If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.

**Following skin contact:** Immediately clean with water and soap followed by thorough rinsing. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

**After eye contact:** Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

**After swallowing:** Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media:**  
Use extinguishing material as appropriate for the surrounding area.  
Water spray jet, foam, extinguishing powder, carbon dioxide.

**Extinguishing media which must not be used for safety reasons:**  
Full water jet.

### 5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.  
Furthermore, there may develop: Nitrogen oxides (NO<sub>x</sub>), sulphur oxides, phosphorus oxides, carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

**Special protective equipment for firefighters:**  
Wear a self-contained breathing apparatus and chemical protective clothing.



# Eni Rotra SX/S 75W-90

Material number 305

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

Page: 5 of 17

Additional information: Cool endangered containers with water jetspray.  
Do not allow fire water to penetrate into surface or ground water.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing mist/vapours/spray. Avoid contact with the substance.  
If possible, eliminate leakage. Provide adequate ventilation.  
Wear appropriate protective equipment. Keep unprotected people away.  
Take off contaminated clothing and wash it before reuse.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.  
If necessary notify appropriate authorities.

### 6.3 Methods and material for containment and cleaning up

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment.  
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.  
When handling large quantities, supply emergency spray.

Precautions against fire and explosion:

Keep away from heat.  
When handling larger quantities, take precautionary measures against electrostatic charging.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.  
Keep container dry. Keep only in the original container.  
Protect from heat and direct sunlight.  
Store containers in upright position.



# Eni Rotra SX/S 75W-90

Material number 305

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 6 of 17

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values:

Type	Limit value
Germany: TRGS 900 Kurzzeit	100 mg/m <sup>3</sup> (hydrocarbons, aromatic, C9-C14)
Germany: TRGS 900 Kurzzeit	600 mg/m <sup>3</sup> (hydrocarbons, aliphatic, C9-C14)
Germany: TRGS 900 Langzeit	300 mg/m <sup>3</sup> (hydrocarbons, aliphatic, C9-C14)
Germany: TRGS 900 Langzeit	50 mg/m <sup>3</sup> (hydrocarbons, aromatic, C9-C14)



# Eni Rotra SX/S 75W-90

Material number 305

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

Page: 7 of 17

### DNEL/DMEL:

Information about Polysulfides, di-tert-Bu (CAS 68937-96-2):

DNEL, workers, inhalative, systemic, long-term: 3,29 mg/m<sup>3</sup>

DNEL, workers, dermal, systemic, long-term: 4,67 mg/kg bw/d

DNEL, consumers, inhalative, systemic, long-term: 0,58 mg/m<sup>3</sup>

DNEL, consumers, dermal, systemic, long-term: 1,67 mg/kg bw/d

DNEL, consumers, oral, systemic, long-term: 0,167 mg/kg bw/d

Information about Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (CAS 72623-86-0):

DNEL, workers, inhalative, systemic, long-term: 2,73 mg/m<sup>3</sup>

DNEL, workers, inhalative, local, long-term: 5,58 mg/m<sup>3</sup>

DNEL, workers, dermal, systemic, long-term: 0,97 mg/kg bw/d

DNEL, consumers, oral, systemic, long-term: 0,74 mg/kg bw/d

Information about Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl (List no. 931-384-6):

DNEL, workers, inhalative, systemic, long-term: 4,28 mg/m<sup>3</sup>

DNEL, workers, dermal, systemic, long-term: 12,5 mg/kg bw/d

DNEL, workers, dermal, local, long-term: 160 µg/cm<sup>2</sup>

DNEL, workers, dermal, local, short-term: 160 µg/cm<sup>2</sup>

DNEL, consumers, inhalative, systemic, long-term: 1,09 mg/m<sup>3</sup>

DNEL, consumers, dermal, systemic, long-term: 6,25 mg/kg bw/d

DNEL, consumers, dermal, local, long-term: 160 µg/cm<sup>2</sup>

DNEL, consumers, dermal, local, short-term: 160 µg/cm<sup>2</sup>

DNEL, consumers, oral, systemic, long-term: 0,25 mg/kg bw/d

Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7):

DNEL, workers, inhalative, systemic, long-term: 2,73 mg/m<sup>3</sup>

DNEL, workers, inhalative, local, long-term: 5,58 mg/m<sup>3</sup>

DNEL, workers, dermal, systemic, long-term: 0,97 mg/kg bw/d

DNEL, consumers, oral, systemic, long-term: 0,74 mg/kg bw/d

Information about Magnesium metaborate (CAS 13703-82-7):

DNEL, workers, inhalative, systemic, long-term: 5,49 mg/m<sup>3</sup>

DNEL, workers, dermal, systemic, long-term: 7,78 mg/kg bw/d

DNEL, consumers, inhalative, systemic, long-term: 0,82 mg/m<sup>3</sup>

DNEL, consumers, dermal, systemic, long-term: 0,278 mg/kg bw/d

DNEL, consumers, oral, systemic, long-term: 0,28 mg/kg bw/d

Information about Amines, C10-C14-tert-alkyl (List no. 701-175-2):

DNEL, workers, inhalative, systemic, long-term: 12,5 mg/m<sup>3</sup>

DNEL, workers, inhalative, local, long-term: 12,1 mg/m<sup>3</sup>

DNEL, consumers, inhalative, systemic, long-term: 2,5 mg/m<sup>3</sup>

DNEL, consumers, inhalative, local, long-term: 1,2 mg/m<sup>3</sup>

DNEL, consumers, oral, systemic, long-term: 0,35 mg/kg bw/d

Information about Phenol, (tetrapropenyl) derivatives (CAS 74499-35-7):

DNEL, workers, inhalative, systemic, long-term: 0,053 mg/m<sup>3</sup>

DNEL, workers, dermal, systemic, long-term: 0,25 mg/kg bw/d



# Eni Rotra SX/S 75W-90

Material number 305

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

Page: 8 of 17

PNEC:

Information about Polysulfides, di-tert-Bu (CAS 68937-96-2):

PNEC, water (freshwater): 0,00024 mg/L  
PNEC, water (marine water): 0,000024 mg/L  
PNEC, sewage treatment plant: 4,51 mg/L  
PNEC, sediment (freshwater): 0,94 mg/kg dw  
PNEC, sediment (marine water): 0,094 mg/kg dw  
PNEC, soil: 0,0181 mg/kg dw  
PNEC, Secondary Poisoning: 6,66 mg/kg Food

Information about Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (CAS 72623-86-0):

PNEC, Secondary Poisoning: 9,33 mg/kg Food

Information about Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl (List no. 931-384-6):

PNEC, water (freshwater): 2,4 µg/L  
PNEC, water (freshwater, intermittent release): 150 µg/L  
PNEC, water (marine water): 0,24 µg/L  
PNEC, water (marine water intermittent release): 15 µg/L  
PNEC, sewage treatment plant: 24,33 mg/L  
PNEC, sediment (freshwater): 12,9 µg/kg dw  
PNEC, sediment (marine water): 1,29 µg/kg dw  
PNEC, soil: 1,17 µg/kg dw  
PNEC, Secondary Poisoning: 10 mg/kg Food

Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7):

PNEC, Secondary Poisoning: 9,33 mg/kg Food

Information about Magnesium metaborate (CAS 13703-82-7):

PNEC, water (freshwater): 0,05 mg/L  
PNEC, water (freshwater, intermittent release): 0,5 mg/L  
PNEC, water (marine water): 0,05 mg/L  
PNEC, water (marine water intermittent release): 0,5 mg/L  
PNEC, sewage treatment plant: 100 mg/L  
PNEC, sediment (freshwater): 1,38 mg/kg dw  
PNEC, sediment (marine water): 1,38 mg/kg dw  
PNEC, soil: 0,247 mg/kg dw  
PNEC, Secondary Poisoning: 1,67 mg/kg Food

Information about Amines, C10-C14-tert-alkyl (List no. 701-175-2):

PNEC, water (freshwater): 0,001 mg/L  
PNEC, water (freshwater, intermittent release): 0,004 mg/L  
PNEC, water (marine water): 0 mg/L  
PNEC, sewage treatment plant: 0,635 mg/L  
PNEC, sediment (freshwater): 2,14 mg/kg dw  
PNEC, sediment (marine water): 0,214 mg/kg dw  
PNEC, soil: 0,428 mg/kg dw  
PNEC, Secondary Poisoning: 4,71 mg/kg Food

## 8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.





# Eni Rotra SX/S 75W-90

Material number 305

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

Page: 9 of 17

### Personal protection equipment

#### Occupational exposure controls

- Respiratory protection: In case of inadequate ventilation wear respiratory protection. Respiratory protection must be worn whenever the WEL levels have been exceeded.  
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.
- Hand protection: Protective gloves according to DIN EN ISO 374:1.  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022.
- Body protection: Wear suitable protective clothing.
- General protection and hygiene measures:  
Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing.  
Take off contaminated clothing and wash it before reuse.  
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. When handling large quantities, supply emergency spray.

#### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow
Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	Not determined
Flammability:	No data available
Upper/lower flammability or explosive limits:	LEL (Lower Explosion Limit): Not determined UEL (Upper Explosive Limit): Not determined
Flash point/flash point range:	> 200 °C (ISO 2592)
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
pH:	Not applicable
Viscosity, kinematic:	at 100 °C: approx. 17,2 mm <sup>2</sup> /s (DIN 51562)
Solubility:	Soluble in hydrocarbons
Water solubility:	at 20 °C: Practically insoluble



# Eni Rotra SX/S 75W-90

Material number 305

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 10 of 17

Partition coefficient: n-octanol/water:	5,6 log P(o/w) (Polysulfides, di-tert-Bu (CAS 68937-96-2)) Based on the n-octanol/water partition coefficient accumulation in organisms is possible. 2,9 log P(o/w) (Amines, C10-C14-tert-alkyl (List no. 701-175-2)) Based on the n-octanol/water partition coefficient significant accumulation in organisms is not expected. < 0,3 log P(o/w) (Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl (List no. 931-384-6)) Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.
Vapour pressure:	at 20 °C: < 0,1 hPa (calculated)
Density:	at 15 °C: approx. 0,868 g/mL (DIN 51757)
Vapour density:	Not determined
Particle characteristics:	Not applicable

### 9.2 Other information

Explosive properties:	Not explosive
Oxidizing characteristics:	Not oxidising
Auto-ignition temperature:	No data available
Evaporation rate:	No data available
Additional information:	Pour point: approx. -38 °C (DIN ISO 3016)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.  
Protect from direct sunlight.

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

Thermal decomposition:	No known hazardous decomposition products. Not determined
------------------------	--



# Eni Rotra SX/S 75W-90

Material number 305

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

Page: 11 of 17

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.  
ATEmix (calculated): > 5.000 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met.  
ATEmix (calculated): > 5.000 mg/kg

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.  
ATEmix (calculated): > 20 mg/L/4h (vapour)  
ATEmix (calculated): > 5 mg/L/4h (dusts/mist)

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Skin Sens. 1; H317 = May cause an allergic skin reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.



# Eni Rotra SX/S 75W-90

Material number 305

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

Page: 12 of 17

### 11.2 Information on other hazards

Endocrine disrupting properties:

This product contains a substance that has endocrine disrupting properties with respect to humans.

Other information:

Information about Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (CAS 72623-86-0):

LD50 Rat, oral: > 5.000 mg/kg (OECD 401)

LD50 Rabbit, dermal: > 5.000 mg/kg (OECD 402)

Information about Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl (List no. 931-384-6):

LD50 Rat, oral: 2.000 mg/kg (OECD 401)

Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7):

LD50 Rat, oral: > 5.000 mg/kg (OECD 401)

LD50 Rabbit, dermal: > 5.000 mg/kg (OECD 402)

Information about Magnesium metaborate (CAS 13703-82-7):

LD50 Rat, oral: > 2.000 mg/kg (OECD 420)

LD50 Rat, dermal: > 2.000 mg/kg (OECD 402)

Information about Amines, C10-C14-tert-alkyl (List no. 701-175-2):

LD50 Rat, oral: 612 mg/kg (OECD 401)

LD50 Rat, dermal: 251 mg/kg bw (OECD 402)

LC50 Rat, inhalative (vapour):  $\geq$  157 ppm/4h (OECD 403)

Information about Phenol, (tetrapropenyl) derivatives (CAS 74499-35-7):

LD50 Rat, oral: 2.200 mg/kg (OECD 401)

LD50 Rabbit, dermal: 15.000 mg/kg (OECD 402)



# Eni Rotra SX/S 75W-90

Material number 305

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

Page: 13 of 17

## SECTION 12: Ecological information

### 12.1 Toxicity

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

Information about Polysulfides, di-tert-Bu (CAS 68937-96-2):

Algae toxicity:

EL50 Pseudokirchneriella subcapitata (green algae): > 100 mg/L/72h (OECD 201)

Information about Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (CAS 72623-86-0):

Fish toxicity:

LL50 Pimephales promelas (fathead minnow): > 100 mg/L/96h (OECD 203)

NOELR Oncorhynchus mykiss:  $\geq 1.000$  mg/L/14d (QSAR)

Daphnia toxicity:

EL50 Daphnia magna (Big water flea): > 10.000 mg/L/48h (OECD 202)

NOEL Daphnia magna (Big water flea): 10 mg/L/21d (OECD 211)

Algae toxicity:

NOEL Pseudokirchneriella subcapitata (green algae):  $\geq 100$  mg/L/72h (OECD 201)

Information about Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl (List no. 931-384-6):

Fish toxicity:

LL50 Oncorhynchus mykiss: approx. 24 mg/L/96h (OECD 203)

Daphnia toxicity:

EL50 Daphnia magna (Big water flea): approx. 91,4 mg/L/48h (OECD 202)

EL50 Daphnia magna (Big water flea): 0,66 - 0,91 mg/L/21d (OECD 211)

Algae toxicity:

EC50 Pseudokirchneriella subcapitata (green algae): 6,4 mg/L/96h (OECD 201)

Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7):

Fish toxicity:

LL50 Pimephales promelas (fathead minnow): > 100 mg/L/96h (OECD 203)

NOELR Oncorhynchus mykiss:  $\geq 1.000$  mg/L/14d (QSAR)

Daphnia toxicity:

EL50 Daphnia magna (Big water flea): > 10.000 mg/L/48h (OECD 202)

NOEL Daphnia magna (Big water flea): 10 mg/L/21d (OECD 211)

Algae toxicity:

NOEL Pseudokirchneriella subcapitata (green algae):  $\geq 100$  mg/L/72h (OECD 201)

Information about Amines, C10-C14-tert-alkyl (List no. 701-175-2):

Fish toxicity:

LC50 Oncorhynchus mykiss: 1,3 mg/L/96h (OECD 203)

NOEC Oncorhynchus mykiss: 0,078 mg/L/96d (OECD 210)

Daphnia toxicity:

EC50 Daphnia magna (Big water flea): 0,24 - 6 mg/L/48h

Algae toxicity:

EC50 Pseudokirchneriella subcapitata (green algae): 0,44 mg/L/72h (OECD 201)

Information about Phenol, (tetrapropenyl) derivatives (CAS 74499-35-7):

Daphnia toxicity:

EL50 Daphnia magna (Big water flea): 0,037 mg/L/48h

NOEC Daphnia magna (Big water flea): 0,0037 mg/L/21d

Water Hazard Class:

2 = obviously hazardous to water (Self-classification (mixture).)



# Eni Rotra SX/S 75W-90

Material number 305

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

Page: 14 of 17

### 12.2 Persistence and degradability

Further details:

Information about Polysulfides, di-tert-Bu (CAS 68937-96-2):

13%/28d (OECD 301 B). Not readily biodegradable (according to OECD criteria).

Information about Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (CAS 72623-86-0):

31%/28d (OECD 301 F). Not readily biodegradable (according to OECD criteria).

Information about Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl (List no. 931-384-6):

7,4%/28d (OECD 301 B). Not readily biodegradable (according to OECD criteria).

Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7):

31%/28d (OECD 301 F). Not readily biodegradable (according to OECD criteria).

Information about Phenol, (tetrapropenyl) derivatives (CAS 74499-35-7):

6 - 25%/28d (OECD 301 B). Not readily biodegradable (according to OECD criteria).

### 12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

Information about Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl (List no. 931-384-6):

436 (Oncorhynchus mykiss)

Information about Phenol, (tetrapropenyl) derivatives (CAS 74499-35-7):

289 - 1.601

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

### 12.6 Endocrine disrupting properties

This product contains a substance that has endocrine disrupting properties with respect to non-target organisms.

### 12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 13 02 06\* = Synthetic engine, gear and lubricating oils  
\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.  
Do not dispose of with household waste.



# Eni Rotra SX/S 75W-90

Material number 305

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

Page: 15 of 17

### Package

Recommendation: Dispose of waste according to applicable legislation.  
Handle contaminated packages in the same way as the substance itself.  
Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR:

not applicable

ADN:

ID 9006

### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

ADN:

ID 9006, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

ADN:

Class 9, Code: M12

### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

### 14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

no

### 14.6 Special precautions for user

#### Inland waterway craft (ADN)

Hazard label:

-

Transport permitted:

T

Equipment necessary:

PP

### 14.7 Maritime transport in bulk according to IMO instruments

No data available



# Eni Rotra SX/S 75W-90

Material number 305

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

Page: 16 of 17

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Germany

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 2 = obviously hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Information on working limitations:

Observe employment restrictions for young people.

Further regulations, limitations and legal requirements:

No data available

#### National regulations - EC member states

Further regulations, limitations and legal requirements:

Contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH:

Phenol, (tetrapropenyl) derivatives (Toxic for reproduction (Article 57c); Endocrine disrupting properties (Article 57(f) - environment); Endocrine disrupting properties (Article 57(f) - human health)).

Use restriction according to REACH annex XVII, no.: 3, 75

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.

H304 = May be fatal if swallowed and enters airways.

H311 = Toxic in contact with skin.

H314 = Causes severe skin burns and eye damage.

H317 = May cause an allergic skin reaction.

H318 = Causes serious eye damage.

H319 = Causes serious eye irritation.

H330 = Fatal if inhaled.

H360F = May damage fertility.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

H411 = Toxic to aquatic life with long lasting effects.

H412 = Harmful to aquatic life with long lasting effects.

Reason of change: Changes in section 3: Composition / Information on ingredients  
Changes in section 8: Occupational exposure limit values  
General revision

Date of first version: 24.2.2022

Department issuing data sheet:

see section 1: Department responsible for information





# Eni Rotra SX/S 75W-90

Material number 305

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 22.4.2024  
Version: 11.0  
Replaces version: 10.0  
Language: en-DE  
Date of print: 13.11.2024

Page: 17 of 17

### Abbreviations and acronyms:

Acute Tox.: Acute toxicity  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
Aquatic Acute: Hazardous to the aquatic environment - acute  
Aquatic Chronic: Hazardous to the aquatic environment - chronic  
AS/NZS: Australian Standards/New Zealand Standards  
Asp. Tox.: Aspiration toxicity  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EC50: Effective Concentration 50%  
EL50: Effective loading rate 50%  
EN: European Standard  
EQ: Excepted quantities  
EU: European Union  
Eye Dam.: Eye damage  
Eye Irrit.: Eye irritation  
IATA: International Air Transport Association  
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
LC50: Median lethal concentration  
LD50: Lethal dose 50%  
LEL: Lower Explosion Limit  
log P(o/w): Partition coefficient: octanol/water  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
M-factor: Multiplication factor  
NOEC: No Observed Effect Concentration  
NOEL: No Observed Effect Level  
OECD: Organisation for Economic Co-operation and Development  
OEL: Occupational Exposure Limit Value  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
Repr.: Reproductive toxicity  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
Skin Corr.: Skin corrosion  
Skin Sens.: Skin sensitisation  
SVHC: Substance of very high concern  
TLV: Threshold Limit Value  
TRGS: Technical Rules for Hazardous Substances  
vPvB: Very persistent and very bioaccumulative  
WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:  
<http://sumdat.net/1bh0evxg>

