



# AUTOL GETRIEBEÖL LS

Material number 14240

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: AUTOL GETRIEBEÖL LS

UFI: SSCQ-GDJH-500R-E6Y2

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Transmission oil

### 1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg  
Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@enilive.com

### 1.4 Emergency telephone number

**GIZ-Nord, Göttingen**  
**Telephone: +49 (0)551-19240**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

Skin Sens. 1; H317 May cause an allergic skin reaction.

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (CLP)



Signal word: **Warning**

Hazard statements: H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.



# AUTOL GETRIEBEÖL LS

Material number 14240

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 2 of 11

### Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261	Avoid breathing mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection.
P302+P352	IF ON SKIN: Wash with plenty of water/soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container to hazardous or special waste collection point.

### Special labelling

Text for labelling: Contains: Amines, C10-C14-tert-alkyl

## 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

CAS No.	Designation	PBT/vPvB	ED Human	ED Environment
74499-35-7	Phenol, (tetrapropenyl) derivatives (SVHC)		List I	List I

## SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

### 3.2 Mixtures

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119456798-18-xxxx list no. 701-175-2	Amines, C10-C14-tert-alkyl Acute Tox. 4; H302. Acute Tox. 3; H311. Acute Tox. 2; H330. Skin Corr. 1B; H314. Eye Dam. 1; H318. Skin Sens. 1A; H317. STOT SE 3; H335. Aquatic Acute 1; H400. Aquatic Chronic 1; H410.	< 1 %
REACH 01-2119473797-19-xxxx list no. 627-034-4 CAS 1213789-63-9	(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines Acute Tox. 4; H302. Skin Corr. 1B; H314. Eye Dam. 1; H318. STOT SE 3; H335. STOT RE 2; H373. Asp. Tox. 1; H304. Aquatic Acute 1; H400. Aquatic Chronic 1; H410.	< 0,5 %
list no. 616-100-8 CAS 74499-35-7	Phenol, (tetrapropenyl) derivatives (SVHC) Skin Corr. 1C; H314. Eye Dam. 1; H318. Repr. 1B; H360F. Aquatic Acute 1; H400. Aquatic Chronic 1; H410. M-factors: Aquatic Acute 1: M = 10. Aquatic Chronic 1: M = 10.	< 0,1 %

Full text of H- and EUH-statements: see section 16.



# AUTOL GETRIEBEÖL LS

Material number 14240

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 3.0  
Replaces version: 2.2  
Language: en-DE  
Date of print: 3.4.2024

Page: 3 of 11

**Additional information:** Contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: Phenol, (tetrapropenyl) derivatives (Toxic for reproduction (Article 57c); Endocrine disrupting properties (Article 57(f) - environment); Endocrine disrupting properties (Article 57(f) - human health))  
Information about Distillates (petroleum), hydrotreated heavy paraffinic:  
The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**General information:** If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.

**In case of inhalation:** If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.

**Following skin contact:** After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Consult doctor afterwards.

**After eye contact:** Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

**After swallowing:** Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media:** Co-ordinate fire-fighting measures to the fire surroundings.

**Extinguishing media which must not be used for safety reasons:**  
Full water jet

### 5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.  
Furthermore, there may develop: Carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

**Special protective equipment for firefighters:**  
Wear a self-contained breathing apparatus and chemical protective clothing. full protection suit.

**Additional information:** Cool exposed containers with water spray, but avoid contact of the substance with water. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.



# AUTOL GETRIEBEÖL LS

Material number 14240

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 4 of 11

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Provide adequate ventilation. Remove all sources of ignition. Wear appropriate protective equipment.

Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing. Keep unprotected people away.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains. If necessary notify appropriate authorities.

If product enters soil, it will be mobile and may contaminate groundwater.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

Never return spills in original containers for re-use.

Clean contaminated articles and floor according to the environmental legislation.

Additional information: Special danger of slipping by leaking/spilling product.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Wear appropriate protective equipment.  
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.  
Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing.  
Have eye wash bottle or eye rinse ready at work place.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed in a cool, well-ventilated place.

Store only in original container.

Protect from heat and direct sunlight.

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

Storage class: 10 = Combustible liquids, unless storage class 3

### 7.3 Specific end use(s)

No information available.



# AUTOL GETRIEBEÖL LS

Material number 14240

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 5 of 11

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

DNEL/DMEL: Information about Amines, C10-C14-tert-alkyl:  
DNEL workers, inhalative, systemic, long-term: 12,5 mg/m<sup>3</sup>  
DNEL workers, inhalative, local, long-term: 12,1 mg/m<sup>3</sup>  
DNEL consumers, systemic, long-term: 2,5 mg/m<sup>3</sup>  
DNEL consumers, inhalative, local, long-term: 1,2 mg/m<sup>3</sup>  
Information about (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:  
DNEL workers, inhalative, systemic, long-term: 0,38 mg/m<sup>3</sup>  
DNEL workers, inhalative, local, long-term: 1 mg/m<sup>3</sup>  
DNEL consumers, inhalative, systemic, long-term: 0,035 mg/m<sup>3</sup>  
DNEL consumers, oral, systemic, long-term: 40 µg/kg bw/d

PNEC: Information about Amines, C10-C14-tert-alkyl:  
PNEC water (freshwater): 0,001 mg/L  
PNEC water (marine water): 0 mg/L  
PNEC sewage treatment plant: 0,635 mg/L  
PNEC sediment (freshwater): 2,14 mg/kg dw  
PNEC sediment (marine water): 0,214 mg/kg dw  
PNEC soil: 0,428 mg/kg dw  
PNEC Secondary poisoning: 4,71 mg/kg food  
Information about (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:  
PNEC water (freshwater): 0,26 µg/L  
PNEC water (marine water): 0,026 µg/L  
PNEC sewage treatment plant: 550 µg/L  
PNEC sediment (freshwater): 3,76 mg/kg dw  
PNEC sediment (marine water): 0,346 mg/kg dw  
PNEC soil: 10 mg/kg dw

### 8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

### Personal protection equipment

#### Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection.

Hand protection: Protective gloves according to DIN EN 374.  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022.

Body protection: Wear suitable protective clothing.



# AUTOL GETRIEBEÖL LS

Material number 14240

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 6 of 11

General protection and hygiene measures:

Do not breathe mist/vapours/spray.

Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Have eye wash bottle or eye rinse ready at work place.

### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	brown
Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	Not determined
Flammability:	Not applicable
Upper/lower flammability or explosive limits:	LEL (Lower Explosion Limit): Not determined UEL (Upper Explosive Limit): Not determined
Flash point/flash point range:	> 190 °C (ISO 2592)
Decomposition temperature:	> 120 °C
pH:	Not determined
Viscosity, kinematic:	at 100 °C: approx. 15,1 mm <sup>2</sup> /s (DIN 51562)
Solubility:	Not determined
Water solubility:	Insoluble
Partition coefficient: n-octanol/water:	Not determined
Vapour pressure:	Not determined
Density:	at 15 °C: approx. 0,901 g/cm <sup>3</sup> (DIN 51757)
Vapour density:	No data available
Particle characteristics:	Not applicable

### 9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	Product has no oxidizing effect.
Auto-ignition temperature:	Not applicable
Evaporation rate:	No data available
Additional information:	Pour point: approx.-21 °C (DIN ISO 3016)



# AUTOL GETRIEBEÖL LS

Material number 14240

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 7 of 11

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Protect against heat /sun rays.

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: > 120 °C

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Skin Sens. 1; H317 = May cause an allergic skin reaction.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.



# AUTOL GETRIEBEÖL LS

Material number 14240

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 8 of 11

## 11.2 Information on other hazards

Endocrine disrupting properties:

This product contains a substance that has endocrine disrupting properties with respect to humans.

Other information:

Information about Amines, C10-C14-tert-alkyl:

LD50 Rat, oral: 1.177 mg/kg bw (OECD 401)

LC50 Rat, inhalative: > 231 ppm/4 h (OECD 403 (vapors))

LD50 Rat, dermal: 251 mg/kg bw (OECD 402)

Information about (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

LD50 Rat, oral: 1.200 mg/kg bw (OECD 401)

LD50 Rat, dermal: > 2.000 mg/kg bw (OECD 402)

## SECTION 12: Ecological information

### 12.1 Toxicity

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

Information about Amines, C10-C14-tert-alkyl:

Fish toxicity:

LC50 Oncorhynchus mykiss: 1,3 mg/L/96 h (OECD 203)

NOEC Oncorhynchus mykiss: 0,078 mg/L / 96 d (OECD 210)

Daphnia toxicity:

EC50 Daphnia magna (Big water flea): 0,24 - 6 mg/L/48 h

Algae toxicity:

EC50 Pseudokirchneriella subcapitata (green algae): 0,44 mg/L/72 h (OECD 201)

Information about (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Fish toxicity:

LC50 Danio rerio (zebrafish): 4,21 mg/L/96 h (OECD 203)

Daphnia toxicity:

EC50 Daphnia magna (Big water flea): 0,32 mg/L/48 h (OECD 202)

Daphnia magna (Big water flea): 0,013 mg/L/21 d" (OECD 211)

Algae toxicity:

EC50 Desmodesmus subspicatus (green algae): 0,39 mg/L/72 h (OECD 201)

Water Hazard Class:

2 = obviously hazardous to water (Self-classification (mixture).)

### 12.2 Persistence and degradability

Further details:

No data available

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

Not determined

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available



# AUTOL GETRIEBEÖL LS

Material number 14240

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 9 of 11

### 12.6 Endocrine disrupting properties

This product contains a substance that has endocrine disrupting properties with respect to non-target organisms.

### 12.7 Other adverse effects

General information: Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 13 02 06\* = synthetic engine, gear and lubricating oils  
\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation. Do not allow to enter into ground-water, surface water or drains.

#### Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:  
not applicable

### 14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:  
Not restricted

### 14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:  
not applicable

### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:  
not applicable

### 14.5 Environmental hazards

Dangerous for the environment:  
Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.



# AUTOL GETRIEBEÖL LS

Material number 14240

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 3.0  
Replaces version: 2.2  
Language: en-DE  
Date of print: 3.4.2024

Page: 10 of 11

### 14.7 Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 2 = obviously hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Information on working limitations:

Observe employment restrictions for young people.

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

#### National regulations - EC member states

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.

H304 = May be fatal if swallowed and enters airways.

H311 = Toxic in contact with skin.

H314 = Causes severe skin burns and eye damage.

H317 = May cause an allergic skin reaction.

H318 = Causes serious eye damage.

H330 = Fatal if inhaled.

H335 = May cause respiratory irritation.

H360F = May damage fertility.

H373 = May cause damage to organs through prolonged or repeated exposure.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

H412 = Harmful to aquatic life with long lasting effects.

Reason of change: Changes in section 1: Details of the supplier of the safety data sheet  
General revision

Date of first version: 9.12.2021

Department issuing data sheet:

see section 1: Department responsible for information



# AUTOL GETRIEBEÖL LS

Material number 14240

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 11 of 11

### Abbreviations and acronyms:

Acute Tox.: Acute toxicity  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
Aquatic Acute: Hazardous to the aquatic environment - acute  
Aquatic Chronic: Hazardous to the aquatic environment - chronic  
AS/NZS: Australian Standards/New Zealand Standards  
Asp. Tox.: Aspiration toxicity  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EC50: Effective Concentration 50%  
EN: European Standard  
EQ: Excepted quantities  
EU: European Union  
Eye Dam.: Eye damage  
IATA: International Air Transport Association  
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
LC50: Median lethal concentration  
LD50: Lethal dose 50%  
LEL: Lower Explosion Limit  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
M-factor: Multiplication factor  
NOEC: No Observed Effect Concentration  
OECD: Organisation for Economic Co-operation and Development  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
Repr.: Reproductive toxicity  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
Skin Corr.: Skin corrosion  
Skin Sens.: Skin sensitisation  
STOT RE: Specific target organ toxicity - repeated exposure  
STOT SE: Specific target organ toxicity - single exposure  
SVHC: Substance of very high concern  
TRGS: Technical Rules for Hazardous Substances  
vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:  
<http://sumdat.net/w8fpy55d>

