



AUTOL GETRIEBEÖL VSL-5

Material number 14670

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: AUTOL GETRIEBEÖL VSL-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Gearbox oil

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

Special labelling

EUH208 Contains Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Text for labelling: Contains Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14-tert-alkyl.



AUTOL GETRIEBEÖL VSL-5

Material number 14670

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 2 of 12

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Hazardous ingredients:

Identifiers	Designation Classification	Content
EC No. 265-157-1 CAS 64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic Asp. Tox. 1; H304.	< 50 %
EC No. 253-249-4 CAS 36878-20-3	Bis(nonylphenyl)amine Aquatic Chronic 4; H413.	< 3 %
REACH 01-2119493620-38-xxxx list no. 931-384-6	Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl Acute Tox. 4; H302. Eye Irrit. 2; H319. Skin Sens. 1; H317. Aquatic Chronic 2; H411.	< 1 %

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:	Remove victim out of the danger area. When in doubt or if symptoms are observed, get medical advice.
In case of inhalation:	Remove casualty to fresh air and keep warm and at rest. Where appropriate artificial ventilation. Seek medical attention if problems persist.
Following skin contact:	Immediately clean with water and soap followed by thorough rinsing. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an ophthalmologist.
After swallowing:	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause allergic reactions in already sensitized persons.



AUTOL GETRIEBEÖL VSL-5

Material number 14670

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 3 of 12

4.3 Indication of any immediate medical attention and special treatment needed

In case of inhalation: Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Atomized water, water mist, foam, Extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Nitrogen oxides (NO_x), carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

Use fine water spray to cool endangered containers.

Do not allow water used to extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing mist/vapours/spray. Provide adequate ventilation. Wear appropriate protective equipment.

Avoid contact with the substance. Take off contaminated clothing and wash it before reuse. Keep unprotected people away.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

Never return spills in original containers for re-use.

Additional information:

Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.



AUTOL GETRIEBEÖL VSL-5

Material number 14670

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 4 of 12

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid breathing mist/vapours/spray. Wear appropriate protective equipment.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Do not get in eyes, on skin, or on clothing. Take off contaminated clothing and wash it before reuse. Have eye wash bottle or eye rinse ready at work place.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.
Keep container dry. Keep only in the original container.
Protect from heat and direct sunlight.
Store containers in upright position.

Hints on joint storage:

Do not store together with: Strong oxidizing agents.
Keep away from food, drink and animal feedingstuffs.

Storage class:

10 = Combustible liquids, unless storage class 3

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

DNEL/DMEL:

Information about Distillates (petroleum), hydrotreated heavy paraffinic:

DNEL, long-term, consumer, oral, systemic: 0,74 mg/kg
DNEL, long-term, workers, dermal, systemic: 0,97 mg/kg
DNEL, long-term, workers, inhalative, systemic: 2,73 mg/m³
DNEL, long-term, workers, inhalative, local: 5,58 mg/m³
DNEL, long-term, consumer, inhalative, local: 1,19 mg/m³

Information about Bis(nonylphenyl)amine:

DNEL, long-term, consumer, oral, systemic: 0,25 mg/kg
DNEL, long-term, consumer, dermal, systemic: 2,5 mg/kg
DNEL, long-term, workers, dermal, systemic: 5 mg/kg
DNEL, long-term, workers, inhalative, systemic: 4,37 mg/m³

Information about Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl

DNEL, long-term, consumer, oral, systemic: 0,25 mg/kg
DNEL, long-term, consumer, dermal, systemic: 6,25 mg/kg
DNEL, long-term, workers, dermal, systemic: 12,5 mg/kg
DNEL, long-term, workers, inhalative, systemic: 8,56 mg/m³
DNEL, long-term, consumer, inhalative, systemic: 2,2 mg/m³



AUTOL GETRIEBEÖL VSL-5

Material number 14670

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 5 of 12

PNEC: Information about Bis(nonylphenyl)amine:
PNEC, water (freshwater): 0,1 mg/L
PNEC, water (marine water): 0,01 mg/L
PNEC, sediment (freshwater): 13.200 mg/kg
PNEC, sediment (marine water): 263.000 mg/kg/dw
PNEC, soil: 0,246 mg/kg/dw
PNEC sewage treatment plant: 1 mg/L

Information about Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl
PNEC, water (freshwater): 2,4 µg/L
PNEC, water (marine water): 0,24 µg/L
PNEC, sediment (freshwater): 12,9 µg/kg
PNEC, sediment (marine water): 1,29 µg/kg/dw
PNEC, soil: 1,17 µg/kg/dw
PNEC sewage treatment plant: 24,33 mg/L

8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

Personal protection equipment

Occupational exposure controls

Respiratory protection: Respiratory protection in case of aerosol or vapour formation. Use combination filter type A/P according to EN 14387.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to DIN EN 374.

permanent contact:

Glove material: Nitrile rubber, fluoro rubber.

Breakthrough time: > 480 min.

Layer thickness: 0,38 mm

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Take off contaminated clothing and wash it before reuse. Have eye wash bottle or eye rinse ready at work place.

Environmental exposure controls

Refer to "6.2 Environmental precautions".



AUTOL GETRIEBEÖL VSL-5

Material number 14670

Revision date: 20.3.2024
Version: 3.0
Replaces version: 2.2
Language: en-DE
Date of print: 3.4.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 6 of 12

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	Form: Clear yellow
Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	cup, open 200 °C (ASTM D 92)
Decomposition temperature:	No data available
pH:	No data available
Viscosity, kinematic:	at 40 °C: 0,54 mm ² /s (ASTM D 445)
Water solubility:	insoluble
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	at 15 °C: 0,855 - 0,861 g/mL (DIN 51757)
Vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	Product is not explosive.
Oxidizing characteristics:	Not oxidising.
Auto-ignition temperature:	No data available
Evaporation rate:	No data available
Additional information:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.
Protect from direct sunlight.
Protect from frost.



AUTOL GETRIEBEÖL VSL-5

Material number 14670

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 7 of 12

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

No decomposition when used properly.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Contains Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14-tert-alkyl. May produce an allergic reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.
Distillates (petroleum), hydrotreated heavy paraffinic



AUTOL GETRIEBEÖL VSL-5

Material number 14670

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 8 of 12

11.2 Information on other hazards

Endocrine disrupting properties:

No data available

Other information:

Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic:

LD50, Rat, oral: 5.000 mg/kg (OECD 420)

LD50, Rabbit, dermal: 2.000 (OECD 402)

LC50, Rat, inhalative: 2,18 mg/L/4h (OECD 403)

Information about Bis(nonylphenyl)amine:

LD50, Rat, oral: >5.000 mg/kg

LD50, Rabbit, dermal: > 2.000 (OECD 402)

LC50, Rat, inhalative: 5,1 mg/L/4h (OECD 401)

Information about Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl: Dusts mist vapour

LD50, Rat, oral: 2.000 mg/kg (OECD 401)

LD50, Rabbit, dermal: 2.201

LC50, Rat, inhalative, vapour: 20,1 mg/L/4h

LC50, Rat, inhalative, vapour: 80,4 mg/L/1h

LC50, Rat, inhalative, Dusts, mist: 5,1 mg/L/4h

Symptoms

After contact with skin: Dry skin, Irritation and redness may occur.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Information about Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl:

Algae toxicity:

EC50 algae-Pseudokirchneriella subcapitata (green algae): 6,4 mg/L/96h (OECD 201)

Information about Bis(nonylphenyl)amine:

Bacterial toxicity:

EC50 microorganisms: > 100 mg/L/0,1 d .

Daphnia toxicity:

EC50 Daphnia magna (Big water flea) 100 mg/L/48h.

Algae toxicity:

EC50 algae-Selenastrum capricornutum (green algae): 600 mg/L/72h

Information about Distillates (petroleum), hydrotreated heavy paraffinic:

Fish toxicity: NOEL Oncorhynchus mykiss \geq 100 mg/L/96h Algae toxicity:

EC50 algae-Pseudokirchneriella subcapitata (green algae): > 100 mg/L/48h (OECD 201)

Daphnia toxicity:

EC50 Daphnia magna (Big water flea) > 10.000 mg/L/48h.

Daphnia toxicity:

NOEL Daphnia magna (Big water flea) > 10.000 mg/L/48h.

Water Hazard Class:

2 = obviously hazardous to water (Self-classification (mixture).)



AUTOL GETRIEBEÖL VSL-5

Material number 14670

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 9 of 12

12.2 Persistence and degradability

Further details: Information about Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl: Not easily degradable
Information about Bis(nonylphenyl)amine: Not easily degradable

12.3 Bioaccumulative potential

Bioconcentration factor (BCF): Information about Distillates (petroleum), hydrotreated heavy paraffinic: LogKow > 4
Information about Bis(nonylphenyl)amine: LogKow 7,7. BCF 1584,89
Information about Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl: LogKow 0,3 - 7,1

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 13 02 05* = mineral-based non-chlorinated engine, gear and lubricating oils
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.
Do not dispose of with household waste.

Package

Recommendation: Dispose of waste according to applicable legislation.
Handle contaminated packages in the same way as the substance itself.
Non-contaminated packages may be recycled.



AUTOL GETRIEBEÖL VSL-5

Material number 14670

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 3.0

Replaces version: 2.2

Language: en-DE

Date of print: 3.4.2024

Page: 10 of 12

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 2 = obviously hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5 : 95,9%
Class I: 5.2.5 : 95,9%

Information on working limitations:

Observe employment restrictions for young people. Observe employment restrictions for expectant or nursing mothers.

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).



AUTOL GETRIEBEÖL VSL-5

Material number 14670

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 3.0
Replaces version: 2.2
Language: en-DE
Date of print: 3.4.2024

Page: 11 of 12

National regulations - EC member states

Labelling of packaging with <= 125mL content

Hazard statements: EUH208 Contains Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl. May produce an allergic reaction.
EUH210 Safety data sheet available on request.

Precautionary statements: not applicable

Further regulations, limitations and legal requirements:
No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.
H304 = May be fatal if swallowed and enters airways.
H317 = May cause an allergic skin reaction.
H319 = Causes serious eye irritation.
H411 = Toxic to aquatic life with long lasting effects.
H413 = May cause long lasting harmful effects to aquatic life.
EUH208 = Contains Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14- tert-alkyl. May produce an allergic reaction.
EUH210 = Safety data sheet available on request.

Reason of change: Changes in section 1: Details of the supplier of the safety data sheet
General revision

Date of first version: 25.8.2022

Department issuing data sheet:
see section 1: Department responsible for information



AUTOL GETRIEBEÖL VSL-5

Material number 14670

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 3.0
Replaces version: 2.2
Language: en-DE
Date of print: 3.4.2024

Page: 12 of 12

Abbreviations and acronyms:

Acute Tox.: Acute toxicity
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
Aquatic Chronic: Hazardous to the aquatic environment - chronic
AS/NZS: Australian Standards/New Zealand Standards
Asp. Tox.: Aspiration toxicity
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EC50: Effective Concentration 50%
EN: European Standard
EQ: Excepted quantities
EU: European Union
Eye Irrit.: Eye irritation
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
LC50: Median lethal concentration
LD50: Lethal dose 50%
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
NOEL: No Observed Effect Level
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
Skin Sens.: Skin sensitisation
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<http://sumdat.net/wgiysttv>

