

Material number 7551

 Revision date:
 13.3.2025

 Version:
 6.0

 Replaces version:
 5.0

 Language:
 en-DE

 Date of print:
 24.4.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni Arnica P 46

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Hvdraulic oil

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14
Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0 Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0 E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable
Precautionary statements: not applicable

Special labelling

EUH210 Safety data sheet available on request.



Material number 7551

 Revision date:
 13.3.2025

 Version:
 6.0

 Replaces version:
 5.0

 Language:
 en-DE

 Date of print:
 24.4.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 2 of 10

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of hydrocarbons, acrylic resin and additives.

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119487077-29-xxxx EC No. 265-158-7 CAS 64742-55-8	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1; H304.	< 2 %

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation: Remove person to fresh air and keep comfortable for breathing. In the event of discomfort

seek medical treatment.

Following skin contact: Remove residues with soap and water. Following fire: Apply bandage with sterile gauze.

Take off contaminated clothing and wash it before reuse. In case of skin reactions,

consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of

troubles or persistent symptoms, consult an opthalmologist.

After swallowing: Rinse mouth. Never give anything by mouth to an unconscious person. Do not induce

vomiting. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation: Irritation to respiratory tract, nausea, dizziness.

In case of ingestion: Irritation, nausea, discomfort, gastrointestinal irritation.

After contact with skin: The hot material can cause burns.

After eye contact: Direct contact with eyes may cause temporary irritation.



Material number 7551

Revision date: 13.3.2025
Version: 6.0
Replaces version: 5.0
Language: en-DE
Date of print: 24.4.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 3 of 10

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Injection through the skin due to contact with a high pressure product is a major medical emergency.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet.

5.2 Special hazards arising from the substance or mixture

Combustible.

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Metallic oxides, phosphorus oxides, aldehydes, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective

clothing.

Additional information:

Cool endangered containers with water jetspray. Do not allow water used to extinguish fire to enter drains, ground or waterways. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Provide adequate ventilation.

Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. Wear appropriate protective equipment. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

If necessary, notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Larger quantities to be stemmed and pumped into tanks.

Stop leak if safe to do so.

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal

binding agents) and place in closed containers for disposal.

Treat the recovered material as prescribed in the section on waste disposal.

Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.



Material number 7551

Revision date: 13.3.2025
Version: 6.0
Replaces version: 5.0
Language: en-DE
Date of print: 24.4.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 4 of 10

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid oil mist formation. Do

not breathe mist/vapours/spray.

Avoid contact with skin and eyes. Take off contaminated clothing and wash it before

reuse. Wear appropriate protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

When handling larger quantities, take precautionary measures against electrostatic

charging.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place. Keep container dry. Keep only in the original container.

Protect from heat and direct sunlight. Store containers in upright position.

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

Do not store together with: Strong oxidizing agents, alkali metals.

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

DNEL/DMEL: Information about Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8):

DNEL, workers, inhalative, systemic, long-term: 2,73 mg/m³ DNEL, workers, inhalative, local, long-term: 5,58 mg/m³ DNEL, workers, dermal, systemic, long-term: 0,97 mg/kg bw/d DNEL, consumers, oral, systemic, long-term: 0,74 mg/kg bw/d

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area. Avoid generation of vapours/aerosols.

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection.

Recommendation: Use combination filter type A2/P2 according to EN 14387. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

printed by Eni Schmiertechnik GmbH

with Qualisys SUMDAT



Material number 7551

 Revision date:
 13.3.2025

 Version:
 6.0

 Replaces version:
 5.0

 Language:
 en-DE

 Date of print:
 24.4.2025

5 of 10

Page:

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

2020/878

Hand protection: Protective gloves according to DIN EN ISO 374-1.

Glove material: Nitrile rubber, PVC Breakthrough time: ≥ 240 min

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Avoid oil mist formation. Do not breathe mist/vapours/spray.

Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Wash hands thoroughly after

handling.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa liquid
Colour: blue

Odour: Petroleum (weak) Not determined Odour threshold: Melting point/freezing point: No data available Initial boiling point and boiling range: Not determined Flammability: Not determined Upper/lower flammability or explosive limits: No data available Flash point/flash point range: approx. 224 °C Decomposition temperature: No data available Not applicable

Viscosity, kinematic: at 40 °C: 46 mm²/s (ASTM D 445)

Solubility:

Water solubility:

Partition coefficient: n-octanol/water:

Vapour pressure:

Density:

Not determined

Not determined

at 15 °C: 0,877 g/mL

Vapour density: Not determined
Particle characteristics: Not applicable

9.2 Other information

Explosive properties:

Oxidizing characteristics:

No data available

No data available

Auto-ignition temperature: Not determined

Evaporation rate: Negligible (Butyl acetate = 1)
Additional information: Solidification point: -39 °C



Material number 7551

Revision date: 13.3.2025
Version: 6.0
Replaces version: 5.0
Language: en-DE
Date of print: 24.4.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 6 of 10

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents, alkali metals. Risk of fire!

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames. Protect from direct sunlight.

10.5 Incompatible materials

Strong oxidizing agents, alkali metals.

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are

observed.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data. Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Based on available data, the classification criteria are not met.



Material number 7551

Revision date: 13.3.2025
Version: 6.0
Replaces version: 5.0
Language: en-DE
Date of print: 24.4.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 7 of 10

11.2 Information on other hazards

Endocrine disrupting properties:

None

Symptoms

In case of inhalation: Irritation to respiratory tract, nausea, dizziness.

In case of ingestion: Irritation, nausea, discomfort, gastrointestinal irritation.

After contact with skin: The hot material can cause burns.

After eye contact: Direct contact with eyes may cause temporary irritation.

SECTION 12: Ecological information

12.1 Toxicity

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture; calculation rule).)

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

Not applicable

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

12.6 Endocrine disrupting properties

None

12.7 Other adverse effects

General information: Do not allow to penetrate into soil, waterbodies or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 13 02 05* = Mineral-based non-chlorinated engine, gear and lubricating oils

* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Do not allow to enter into ground-water, surface water or drains.



Material number 7551

Revision date: 13.3.2025
Version: 6.0
Replaces version: 5.0
Language: en-DE
Date of print: 24.4.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 8 of 10

Package

Recommendation: 15 01 02 = Plastic packaging

15 01 04 = Metallic packaging

Empty carefully and completely, if possible. Dispose of waste according to applicable

legislation. Non-contaminated packages may be recycled.

Handle contaminated packages in the same way as the substance itself.

Section 14. Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN

model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture; calculation rule).)

Technical guidance air: 5.2.5



Material number 7551

 Revision date:
 13.3.2025

 Version:
 6.0

 Replaces version:
 5.0

 Language:
 en-DE

 Date of print:
 24.4.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 9 of 10

Further regulations, limitations and legal requirements:

No data available

National regulations - EC member states

Labelling of packaging with <= 125mL content

Hazard statements: EUH210 Safety data sheet available on request.

Precautionary statements: not applicable
Further regulations, limitations and legal requirements:
No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H304 = May be fatal if swallowed and enters airways. EUH210 = Safety data sheet available on request.

Reason of change: Changes in section 8: Exposure controls/personal protection

Changes in section 9: Physical and chemical properties

General revision

Date of first version: 16.12.2020

Department issuing data sheet:

see section 1: Department responsible for information

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AS/NZS: Australian Standards/New Zealand Standards

Asp. Tox.: Aspiration toxicity
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging DMEL: Derived minimal effect level

DNEL: Derived no-effect level EC: European Community

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

EN: European Standard EQ: Excepted quantities EU: European Union

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

IMO: International Maritime Organization

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OSHA: Occupational Safety and Health Administration PBT: Persistent, bioaccumulative and toxic

PNEC: Predicted no-effect concentration

PVC: Polyvinyl chloride

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.



Material number 7551

Revision date: 13.3.2025 Version: Replaces version: 5.0 Language: en-DE Date of print: 24.4.2025

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 10 of 10

Most recent product information is available at: http://sumdat.net/nkp9h6wx

