



# AUTOL HYDRAULIKÖL HYS 32

Material number 15220

Revision date: 6.8.2024  
Version: 20.0  
Replaces version: 19.0  
Language: en-DE  
Date of print: 8.8.2024

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: AUTOL HYDRAULIKÖL HYS 32

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Hydraulic oil

### 1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@enilive.com

### 1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

### 2.2 Label elements

#### Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

#### Special labelling

EUH210

Safety data sheet available on request.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

In case of warming/With exposure to water, product will release hydrogen sulfide.

Information about hydrogen sulfide: Extremely flammable gas. Fatal if inhaled. Very toxic to aquatic life.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher.

## SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

### 3.2 Mixtures

Chemical characterisation: A mixture of hydrocarbons and additives.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346. In case of warming/With exposure to water, product will release hydrogen sulfide. The maximum workplace exposure limits are, where necessary, listed in section 8.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.

Following skin contact: After contact with skin, wash immediately with soap and plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation: Irritation to respiratory tract.

In case of ingestion: Nausea, diarrhoea.

After contact with skin:

Frequently or prolonged contact with skin may cause dermal irritation.

The hot material can cause burns.

After eye contact: Irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

In case of inhalation (hydrogen sulfide): Take to a hospital immediately.

Injection through the skin is a major medical emergency due to contact with a high pressure product.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, foam, extinguishing powder, sand, earth, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours can form explosive mixtures with air.

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Hydrogen sulfide, carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Use fine water spray to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

Do not allow water used to extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing mist/vapours/spray. Avoid oil mist formation. Provide adequate ventilation.

Avoid contact with the substance. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal. Prevent spread over a wide area (e.g. by containment or oil barriers). Never return spills in original containers for re-use.

Additional information:

Special danger of slipping by leaking/spilling product.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.



# AUTOL HYDRAULIKÖL HYS 32

Material number 15220

Revision date: 6.8.2024  
Version: 20.0  
Replaces version: 19.0  
Language: en-DE  
Date of print: 8.8.2024

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 4 of 9

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid breathing mist/vapours/spray. Avoid oil mist formation. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment.  
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

Precautions against fire and explosion:

Keep away from heat. Keep away from sources of ignition - No smoking.  
When handling larger quantities, take precautionary measures against electrostatic charging.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.  
Keep container dry. Keep only in the original container.  
Protect from heat and direct sunlight. Protect from moisture contamination.  
Store containers in upright position.

Hints on joint storage:

Do not store together with: Oxidizing agents.  
Keep away from food, drink and animal feedingstuffs.

Storage class:

10 = Combustible liquids that cannot be assigned to any of the above storage classes

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
7783-06-4	Hydrogen sulphide	Europe: IOELV: STEL	14 mg/m <sup>3</sup> ; 10 ppm
		Europe: IOELV: TWA	7 mg/m <sup>3</sup> ; 5 ppm
		Germany: TRGS 900 Kurzzeit	14,2 mg/m <sup>3</sup> ; 10 ppm
		Germany: TRGS 900 Langzeit	7,1 mg/m <sup>3</sup> ; 5 ppm

### 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

### Personal protection equipment

#### Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection. Respiratory protection must be worn whenever the WEL levels have been exceeded.  
Recommendation: Use filter type A (= against vapours of organic substances).  
In case of release of hydrogen sulfide: Wear a full face respirator conforming to EN 136/140/145 with Type B filter or better.  
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.



# AUTOL HYDRAULIKÖL HYS 32

Material number 15220

Revision date: 6.8.2024  
Version: 20.0  
Replaces version: 19.0  
Language: en-DE  
Date of print: 8.8.2024

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 5 of 9

Hand protection:	Protective gloves according to DIN EN ISO 374:1. Glove material: Nitrile rubber, PVA, PVC Breakthrough time: > 240 min Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Tightly sealed goggles according to DIN EN ISO 16321-1:2022.
Body protection:	Wear suitable protective clothing.
General protection and hygiene measures:	Avoid breathing mist/vapours/spray. Avoid oil mist formation. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow-brown, clear
Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	218 °C (ASTM D 92)
Decomposition temperature:	No data available
pH:	No data available
Viscosity, kinematic:	at 40 °C: 32 mm <sup>2</sup> /s (ASTM D 445)
Water solubility:	Insoluble
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	at 15 °C: 0,8533 g/mL (ASTM D 4052)
Vapour density:	No data available
Particle characteristics:	Not applicable

### 9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available
Evaporation rate:	No data available
Additional information:	Pour point: -33 °C (ASTM D 5950)



# AUTOL HYDRAULIKÖL HYS 32

Material number 15220

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 6.8.2024  
Version: 20.0  
Replaces version: 19.0  
Language: en-DE  
Date of print: 8.8.2024

Page: 6 of 9

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

In case of warming/With exposure to water, product will release hydrogen sulfide.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

When in contact with: Nitrates, strong oxidizing agents. Explosion risk!

### 10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.  
Protect from direct sunlight. Protect from moisture contamination.

### 10.5 Incompatible materials

Oxidizing agents.

### 10.6 Hazardous decomposition products

Hydrogen sulfide.

Thermal decomposition: No data available

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

- Acute toxicity (oral): Lack of data.
- Acute toxicity (dermal): Lack of data.
- Acute toxicity (inhalative): Lack of data.
- Skin corrosion/irritation: Lack of data.
- Serious eye damage/irritation: Lack of data.
- Sensitisation to the respiratory tract: Lack of data.
- Skin sensitisation: Lack of data.
- Germ cell mutagenicity/Genotoxicity: Lack of data.
- Carcinogenicity: Lack of data.
- Reproductive toxicity: Lack of data.
- Effects on or via lactation: Lack of data.
- Specific target organ toxicity (single exposure): Lack of data.
- Specific target organ toxicity (repeated exposure): Lack of data.
- Aspiration hazard: Lack of data.

### 11.2 Information on other hazards

Endocrine disrupting properties:  
None



# AUTOL HYDRAULIKÖL HYS 32

Material number 15220

Revision date: 6.8.2024  
Version: 20.0  
Replaces version: 19.0  
Language: en-DE  
Date of print: 8.8.2024

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 7 of 9

### Symptoms

In case of inhalation: Irritation to respiratory tract.  
In case of ingestion: Nausea, diarrhoea.  
After contact with skin:  
Frequently or prolonged contact with skin may cause dermal irritation.  
The hot material can cause burns.  
After eye contact: Irritation.

## SECTION 12: Ecological information

### 12.1 Toxicity

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture; calculation rule).)

### 12.2 Persistence and degradability

Further details: No data available

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:  
No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Endocrine disrupting properties

None

### 12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 13 02 05\* = Mineral-based non-chlorinated engine, gear and lubricating oils  
\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

#### Package

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.



# AUTOL HYDRAULIKÖL HYS 32

Material number 15220

Revision date: 6.8.2024  
Version: 20.0  
Replaces version: 19.0  
Language: en-DE  
Date of print: 8.8.2024

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 8 of 9

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

#### 14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

#### 14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

#### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

#### 14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

no

#### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

No data available

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulations - Germany

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture; calculation rule).)

Technical guidance air: 5.2.5

Further regulations, limitations and legal requirements:

No data available

##### National regulations - EC member states

##### Labelling of packaging with <= 125mL content

Hazard statements: EUH210 Safety data sheet available on request.

Precautionary statements: not applicable

Further regulations, limitations and legal requirements:

No data available





# AUTOL HYDRAULIKÖL HYS 32

Material number 15220

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 6.8.2024

Version: 20.0

Replaces version: 19.0

Language: en-DE

Date of print: 8.8.2024

Page: 9 of 9

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

Reason of change: Changes in section 3: Composition / Information on ingredients  
Changes in section 9: Physical and chemical properties  
General revision

Date of first version: 31.3.2022

Department issuing data sheet:  
see section 1: Department responsible for information

#### Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
AS/NZS: Australian Standards/New Zealand Standards  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EN: European Standard  
EQ: Excepted quantities  
EU: European Union  
IATA: International Air Transport Association  
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
OEL: Occupational Exposure Limit Value  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
PVC: Polyvinyl chloride  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
TLV: Threshold Limit Value  
TRGS: Technical Rules for Hazardous Substances  
vPvB: Very persistent and very bioaccumulative  
WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:  
<http://sumdat.net/2rb9k4va>

