



# Eni Grease 30 DE

Material number 373

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 30.6.2025  
Version: 11.2  
Replaces version: 11.1  
Language: en-DE  
Date of print: 7.7.2025

Page: 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Eni Grease 30 DE

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Lubricants, greases, release products (fat).

### 1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@enilive.com

### 1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

### 2.2 Label elements

#### Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

#### Special labelling

EUH208

Contains Naphthenic acids, zinc salts. May produce an allergic reaction.

EUH210

Safety data sheet available on request.



# Eni Grease 30 DE

Material number 373

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 30.6.2025  
Version: 11.2  
Replaces version: 11.1  
Language: en-DE  
Date of print: 7.7.2025

Page: 2 of 10

### 2.3 Other hazards

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

### 3.2 Mixtures

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2120783834-41-xxxx EC No. 234-409-2 CAS 12001-85-3	Naphthenic acids, zinc salts Eye Irrit. 2; H319. Skin Sens. 1B; H317. Aquatic Chronic 2; H411.	< 1 %

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General information:	If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse. In the event of cardiac arrest immediately perform cardiopulmonary resuscitation.
In case of inhalation:	Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Seek medical attention if problems persist.
Following skin contact:	Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.
After swallowing:	Rinse mouth with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Danger of aspiration! Immediately get medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause allergic reactions in already sensitized persons.  
Respiratory complaints, headache, dizziness, discomfort.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Symptoms can occur only after several hours.



# Eni Grease 30 DE

Material number 373

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 30.6.2025  
Version: 11.2  
Replaces version: 11.1  
Language: en-DE  
Date of print: 7.7.2025

Page: 3 of 10

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.  
Foam, extinguishing powder, sand, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Water.

### 5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.  
Furthermore, there may develop: Carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

Do not inhale explosion and combustion gases.  
Cool exposed containers with water spray, but avoid contact of the substance with water.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid generation of dust.  
Do not breathe dust/gas/mist/vapours/spray. Avoid contact with the substance.  
If possible, eliminate leakage. Provide adequate ventilation.  
Wear appropriate protective equipment. Keep unprotected people away.  
Take off contaminated clothing and wash it before reuse. Remove all sources of ignition.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.  
If necessary, notify appropriate authorities.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Never return spills in original containers for re-use.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.



# Eni Grease 30 DE

Material number 373

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 30.6.2025  
Version: 11.2  
Replaces version: 11.1  
Language: en-DE  
Date of print: 7.7.2025

Page: 4 of 10

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid generation of dust. Do not breathe dust/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. When handling large quantities, supply emergency spray.

Precautions against fire and explosion:

Keep away from heat.  
When handling larger quantities, take precautionary measures against electrostatic charging.  
The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.  
Keep container dry. Keep only in the original container.  
Protect against heat, sun rays and frost. Store containers in upright position.  
Storage temperature: 5 - 40 °C

Hints on joint storage:

Do not store together with: Oxidizing agents, acids.  
Keep away from food, drink and animal feedingstuffs.

Storage class:

11 = Combustible solids that cannot be assigned to any of the above storage classes

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values:

Type	Limit value
Germany: DFG Kurzzeit	2,4 mg/m <sup>3</sup> (Dust limit value, respirable fraction)
Germany: DFG Langzeit	0,3 mg/m <sup>3</sup> (Dust limit value, respirable fraction)
Germany: DFG Langzeit	4 mg/m <sup>3</sup> (Dust limit value, inhalable fraction)
Germany: TRGS 900 Kurzzeit	2,5 mg/m <sup>3</sup> (Dust limit value, respirable fraction)
Germany: TRGS 900 Kurzzeit	20 mg/m <sup>3</sup> (Dust limit value, inhalable fraction)
Germany: TRGS 900 Langzeit	1,25 mg/m <sup>3</sup> (Dust limit value, respirable fraction)
Germany: TRGS 900 Langzeit	10 mg/m <sup>3</sup> (Dust limit value, inhalable fraction)

DNEL/DMEL:

Information about Naphthenic acids, zinc salts (CAS 12001-85-3):  
DNEL, workers, inhalative, systemic, long-term: 1,18 mg/m<sup>3</sup>  
DNEL, workers, dermal, systemic, long-term: 3,3 mg/kg bw/d  
DNEL, consumers, inhalative, systemic, long-term: 0,29 mg/m<sup>3</sup>  
DNEL, consumers, dermal, systemic, long-term: 1,7 mg/kg bw/d  
DNEL, consumers, oral, systemic, long-term: 0,17 mg/kg bw/d



# Eni Grease 30 DE

Material number 373

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 30.6.2025  
Version: 11.2  
Replaces version: 11.1  
Language: en-DE  
Date of print: 7.7.2025

Page: 5 of 10

## 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

In the case of the formation of dust: Dust should be exhausted directly at the point of origin.

## Personal protection equipment

### Occupational exposure controls

Respiratory protection:	In case of inadequate ventilation wear respiratory protection. Respiratory protection must be worn whenever the WEL levels have been exceeded. In case of dust formation: Particulates filter (EN 143). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.
Hand protection:	Protective gloves according to DIN EN ISO 374-1. Glove material: Nitrile rubber Layer thickness: 0,12 mm Breakthrough time: 4 h Observe glove manufacturer's instructions concerning penetrability and breakthrough time. Unsuitable glove material: Butyl caoutchouc (butyl rubber), NR (natural rubber (Caoutchouc), natural latex), CR (polychloroprene, chloroprene rubber)
Eye protection:	Tightly sealed goggles according to DIN EN ISO 16321-1.
Body protection:	Wear suitable protective clothing.
General protection and hygiene measures:	Avoid generation of dust. Do not breathe dust/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. When handling large quantities, supply emergency spray.

### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	solid
Colour:	brown
Odour:	Characteristic
Melting point/freezing point:	> 180 °C
Boiling point or initial boiling point and boiling range:	> 250 °C
Flammability:	This material is combustible, but will not ignite readily.
Lower and upper explosion limit:	LEL (Lower Explosion Limit): Not determined UEL (Upper Explosive Limit): Not determined
Flash point:	> 200 °C
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not relevant
pH:	Not applicable
Kinematic viscosity:	Not relevant
Solubility:	Not determined



# Eni Grease 30 DE

Material number 373

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 30.6.2025  
Version: 11.2  
Replaces version: 11.1  
Language: en-DE  
Date of print: 7.7.2025

Page: 6 of 10

Partition coefficient n-octanol/water (log value):

No data available

Vapour pressure:

Not determined

Density:

at 25 °C: approx. 0,91 g/cm<sup>3</sup>

Relative vapour density:

Not applicable

Particle characteristics:

No data available

### 9.2 Other information

Explosive properties:

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Oxidizing characteristics:

No data available

Auto-ignition temperature:

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Protect against heat, sun rays and frost.

### 10.5 Incompatible materials

Oxidizing agents, acids.

### 10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition:

Not relevant



# Eni Grease 30 DE

Material number 373

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 30.6.2025  
Version: 11.2  
Replaces version: 11.1  
Language: en-DE  
Date of print: 7.7.2025

Page: 7 of 10

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.  
May be harmful if inhaled.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Contains Naphthenic acids, zinc salts. May produce an allergic reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

Endocrine disrupting properties:

None

Other information:

No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

### 12.2 Persistence and degradability

Further details: No data available

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

### 12.4 Mobility in soil

No data available



# Eni Grease 30 DE

Material number 373

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 30.6.2025  
Version: 11.2  
Replaces version: 11.1  
Language: en-DE  
Date of print: 7.7.2025

Page: 8 of 10

### 12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

### 12.6 Endocrine disrupting properties

None

### 12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 12 01 12\* = Spent waxes and fats  
\* = Evidence for disposal must be provided.  
Recommendation: Dispose of waste according to applicable legislation.

#### Package

Waste key number: 15 01 10\* = Packaging containing residues of or contaminated by dangerous substances  
\* = Evidence for disposal must be provided.  
Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## Section 14. Transport information

### 14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:  
not applicable

### 14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:  
Not restricted

### 14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:  
not applicable

### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:  
not applicable

### 14.5 Environmental hazards

Dangerous for the environment:  
Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no



# Eni Grease 30 DE

Material number 373

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 30.6.2025  
Version: 11.2  
Replaces version: 11.1  
Language: en-DE  
Date of print: 7.7.2025

Page: 9 of 10

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Germany

Storage class: 11 = Combustible solids that cannot be assigned to any of the above storage classes  
Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)  
Technical guidance air: 5.2.1, 5.2.5  
Further regulations, limitations and legal requirements:  
No data available

#### National regulations - EC member states

Volatile organic compounds (VOC):  
< 3 % by weight

#### Labelling of packaging with ≤ 125mL content

Hazard statements: EUH208 Contains Naphthenic acids, zinc salts. May produce an allergic reaction.  
EUH210 Safety data sheet available on request.  
Precautionary statements: not applicable  
Further regulations, limitations and legal requirements:  
Use restriction according to REACH annex XVII, no.: 75

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H317 = May cause an allergic skin reaction.  
H319 = Causes serious eye irritation.  
H411 = Toxic to aquatic life with long lasting effects.  
EUH208 = Contains Naphthenic acids, zinc salts. May produce an allergic reaction.  
EUH210 = Safety data sheet available on request.

Reason of change: Changes in section 3: Composition / Information on ingredients  
Changes in section 12: Results of PBT and vPvB assessment  
Date of first version: 14.4.2022  
Department issuing data sheet:  
see section 1: Department responsible for information



# Eni Grease 30 DE

Material number 373

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 30.6.2025  
Version: 11.2  
Replaces version: 11.1  
Language: en-DE  
Date of print: 7.7.2025

Page: 10 of 10

### Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
Aquatic Chronic: Hazardous to the aquatic environment - chronic  
AS/NZS: Australian Standards/New Zealand Standards  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods  
EN: European Standard  
EQ: Exempted quantities  
EU: European Union  
Eye Irrit.: Eye irritation  
IATA: International Air Transport Association  
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
IMO: International Maritime Organization  
LEL: Lower Explosion Limit  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
OEL: Occupational Exposure Limit Value  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
Skin Sens.: Skin sensitisation  
TLV: Threshold Limit Value  
TRGS: Technical Rules for Hazardous Substances  
vPvB: Very persistent and very bioaccumulative  
WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:  
<https://sumdat.net/35q344r9>

