



AUTOL TOP 2000 HIGH TEMP

Material number 16180

Revision date: 13.3.2025
Version: 13.0
Replaces version: 12.0
Language: en-DE
Date of print: 19.3.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: AUTOL TOP 2000 HIGH TEMP

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Lubricants, greases, release products (fat)

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

Special labelling

EUH208 Contains Naphthenic acids, zinc salts and Dipentylammonium dipentylidithiocarbamate. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2120119814-57-xxxx EC No. 254-184-4 CAS 38900-29-7	Dilithium azelate Acute Tox. 4; H302.	< 5 %
REACH 01-2119493635-27-xxxx EC No. 224-235-5 CAS 4259-15-8	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) Eye Dam. 1; H318. Aquatic Chronic 2; H411. Specific concentration limits (SCL): Eye Dam. 1; H318: C ≥ 50 %	< 5 %
REACH 01-2120783834-41-xxxx EC No. 234-409-2 CAS 12001-85-3	Naphthenic acids, zinc salts Eye Irrit. 2; H319. Skin Sens. 1B; H317. Aquatic Chronic 2; H411.	< 1 %
REACH 01-2120772309-47-xxxx list no. 701-475-3 CAS -	Reaction products of boric acid and lithium hydroxide Acute Tox. 4; H302. Eye Dam. 1; H318. Repr. 2; H361d. Specific concentration limits (SCL): Repr. 2; H361d: C ≥ 7,9 %	< 1 %
REACH 01-2120793078-43-xxxx EC No. 276-172-8 CAS 71902-20-0	Dipentylammonium dipentylidithiocarbamate Acute Tox. 4; H302. Skin Sens. 1B; H317. Aquatic Acute 1; H400. Aquatic Chronic 1; H410. M-factors: Aquatic Acute 1: M = 1. Aquatic Chronic 1: M = 1.	< 1 %

Full text of H- and EUH-statements: see section 16.



AUTOL TOP 2000 HIGH TEMP

Material number 16180

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 13.3.2025
Version: 13.0
Replaces version: 12.0
Language: en-DE
Date of print: 19.3.2025

Page: 3 of 12

SECTION 4: First aid measures

4.1 Description of first aid measures

- General information: If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.
- In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.
- Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.
- After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an ophthalmologist.
- After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause allergic reactions in already sensitized persons.
Respiratory complaints, headache, discomfort, dizziness.
Symptoms can occur only after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Extinguishing powder, foam, sand, carbon dioxide.
Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons:

Water.

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.
Furthermore, there may develop: Nitrogen oxides (NO_x), carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Do not inhale explosion and combustion gases. Cool exposed containers with water spray, but avoid contact of the substance with water.
Move undamaged containers from immediate hazard area if it can be done safely.
Contaminated fire-fighting water must be collected separately. Do not allow water used to extinguish fire to enter drains, ground or waterways.
Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.



AUTOL TOP 2000 HIGH TEMP

Material number 16180

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 13.3.2025
Version: 13.0
Replaces version: 12.0
Language: en-DE
Date of print: 19.3.2025

Page: 4 of 12

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing mist/vapours/spray. Avoid contact with the substance.
If possible, eliminate leakage. Provide adequate ventilation.
Keep unprotected people away. Wear appropriate protective equipment.
Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.
If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.
Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.
Work place should be equipped with a shower and an eye rinsing apparatus.

Precautions against fire and explosion:

Keep away from heat.
When handling larger quantities, take precautionary measures against electrostatic charging.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.
Keep container dry. Keep only in the original container.
Protect against heat, sun rays and frost. Store containers in upright position.
Recommended storage temperature: 5 - 40 °C

Hints on joint storage: Do not store together with: Acids, oxidizing agents.
Keep away from food, drink and animal feedingstuffs.

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

7.3 Specific end use(s)

No information available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection
8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
4259-15-8	Zinc bis[O,O-bis(2-ethylhexyl)] bis (dithiophosphate)	Germany: DFG Kurzzeit	0,4 mg/m ³ (compounds, inorganic; respirable fraction)
		Germany: DFG Kurzzeit	4 mg/m ³ (compounds, inorganic; inhalable fraction)
		Germany: DFG Langzeit	0,1 mg/m ³ (compounds, inorganic; respirable fraction)
		Germany: DFG Langzeit	2 mg/m ³ (compounds, inorganic; inhalable fraction)

DNEL/DMEL:

Information about Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (CAS 4259-15-8):

 DNEL workers, Long-term, systemic, inhalative: 6,6 mg/m³

DNEL workers, Long-term, systemic, dermal: 9,6 mg/kg bw/d

 DNEL consumer, Long-term, systemic, inhalative: 1,67 mg/m³

DNEL consumer, Long-term, systemic, dermal: 4,8 mg/kg bw/d

DNEL consumer, Long-term, systemic, oral: 0,19 mg/kg bw/d

Information about Naphthenic acids, zinc salts (CAS 12001-85-3):

 DNEL workers, Long-term, systemic, inhalative: 1,18 mg/m³

DNEL workers, Long-term, systemic, dermal: 3,3 mg/kg bw/d

 DNEL consumer, Long-term, systemic, inhalative: 0,29 mg/m³

DNEL consumer, Long-term, systemic, dermal: 1,7 mg/kg bw/d

DNEL consumer, Long-term, systemic, oral: 0,17 mg/kg bw/d

Information about Reaction products of boric acid and lithium hydroxide (List no. 701-475-3):

 DNEL workers, Long-term, systemic, inhalative: 7,1 mg/m³

 DNEL workers, Short-term, systemic, inhalative: 7,1 mg/m³

DNEL workers, Long-term, systemic, dermal: 1,67 mg/kg bw/d

 DNEL consumer, Long-term, systemic, inhalative: 1,74 mg/m³

 DNEL consumer, Short-term, systemic, inhalative: 1,74 mg/m³

DNEL consumer, Long-term, systemic, dermal: 0,83 mg/kg bw/d

DNEL consumer, Long-term, systemic, oral: 0,83 mg/kg bw/d



AUTOL TOP 2000 HIGH TEMP

Material number 16180

Revision date: 13.3.2025
Version: 13.0
Replaces version: 12.0
Language: en-DE
Date of print: 19.3.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 6 of 12

PNEC: Information about Dilithium azelate (CAS 38900-29-7):
PNEC water (freshwater): 0,023 mg/L
PNEC water (marine water): 0,002 mg/L
Information about Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (CAS 4259-15-8):
PNEC water (freshwater): 4 µg/L
PNEC water (marine water): 4,6 µg/L
PNEC sewage treatment plant: 3,8 mg/L
PNEC sediment (freshwater): 0,322 mg/kg dw
PNEC sediment (marine water): 0,032 mg/kg dw
PNEC soil: 0,062 mg/kg dw
Information about Reaction products of boric acid and lithium hydroxide (List no. 701-475-3):
PNEC sewage treatment plant: 44 mg/L

8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection. Respiratory protection must be worn whenever the WEL levels have been exceeded.
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to DIN EN ISO 374:1.
Qualified glove material: Acrylonitrile-butadiene-rubber (NBR)
Breakthrough time: 240 min
Layer thickness: 0,12 mm
Unsuitable glove material: Butyl caoutchouc (butyl rubber), natural rubber (Caoutchouc), chloroprene rubber
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:
Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
Take off contaminated clothing and wash it before reuse.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Work place should be equipped with a shower and an eye rinsing apparatus.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa liquid
Form: Paste
Colour: brown

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	> 260 °C
Initial boiling point and boiling range:	> 250 °C
Flammability:	This material is combustible, but will not ignite readily.
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	> 200 °C
Decomposition temperature:	Not relevant
pH:	No data available
Viscosity, kinematic:	No data available
Solubility:	No data available
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	at 25 °C: approx. 0,93 g/mL
Vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available
Evaporation rate:	No data available
Additional information:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.
Protect from direct sunlight. Protect from frost.

10.5 Incompatible materials

Acids, oxidizing agents.

10.6 Hazardous decomposition products

	No decomposition when used properly.
Thermal decomposition:	Not relevant



AUTOL TOP 2000 HIGH TEMP

Material number 16180

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 13.3.2025
Version: 13.0
Replaces version: 12.0
Language: en-DE
Date of print: 19.3.2025

Page: 8 of 12

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met. May be harmful if inhaled.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Based on available data, the classification criteria are not met. Contains Naphthenic acids, zinc salts and Dipentylammonium dipentylidithiocarbamate. May produce an allergic reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties:

None

Other information:

Information about Dilithium azelate (CAS 38900-29-7):
LD50 Rat, oral: > 300 mg/kg (read-across)

Information about Reaction products of boric acid and lithium hydroxide (List no. 701-475-3):

LD50 Rat, oral: 500 mg/kg (read-across)

Information about Dipentylammonium dipentylidithiocarbamate (CAS 71902-20-0):
LD50 Rat, oral: 300 - 2.000 mg/kg (OECD 420)

Symptoms

Respiratory complaints, headache, discomfort, dizziness.
Symptoms can occur only after several hours.



AUTOL TOP 2000 HIGH TEMP

Material number 16180

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 13.3.2025
Version: 13.0
Replaces version: 12.0
Language: en-DE
Date of print: 19.3.2025

Page: 9 of 12

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Based on available data, the classification criteria are not met.

Data refer to product:

Fish toxicity:

LC50 Danio rerio (zebrafish): > 100 mg/L/96h

Daphnia toxicity:

EC50 Daphnia magna (Big water flea): > 100 mg/L/48h

Algae toxicity:

EC50 Algae: > 100 mg/L/72h

NOEC Algae: > 100 mg/L/72h

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

12.6 Endocrine disrupting properties

None

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 12 01 12* = Spent waxes and fats
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.
Do not dispose of with household waste.

Package

Waste key number: 15 01 10* = Packaging containing residues of or contaminated by dangerous substances
* = Evidence for disposal must be provided.



AUTOL TOP 2000 HIGH TEMP

Material number 16180

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 13.3.2025
Version: 13.0
Replaces version: 12.0
Language: en-DE
Date of print: 19.3.2025

Page: 10 of 12

Recommendation: Dispose of waste according to applicable legislation.
Handle contaminated packages in the same way as the substance itself.
Non-contaminated packages may be recycled.

Section 14. Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:
not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:
Not restricted

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:
not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:
not applicable

14.5 Environmental hazards

Dangerous for the environment:
Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.
Marine pollutant - IMDG: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Information on working limitations:
Observe employment restrictions for young people.

Further regulations, limitations and legal requirements:
No data available



AUTOL TOP 2000 HIGH TEMP

Material number 16180

Revision date: 13.3.2025
Version: 13.0
Replaces version: 12.0
Language: en-DE
Date of print: 19.3.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 11 of 12

National regulations - EC member states

Volatile organic compounds (VOC):

< 3 % by weight

Labelling of packaging with <= 125mL content

Hazard statements: EUH208 Contains Naphthenic acids, zinc salts and Dipentylammonium dipentylidithiocarbamate. May produce an allergic reaction.
EUH210 Safety data sheet available on request.

Precautionary statements: not applicable

Further regulations, limitations and legal requirements:

No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.

H317 = May cause an allergic skin reaction.

H318 = Causes serious eye damage.

H319 = Causes serious eye irritation.

H361d = Suspected of damaging the unborn child.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

H411 = Toxic to aquatic life with long lasting effects.

EUH208 = Contains Naphthenic acids, zinc salts and Dipentylammonium dipentylidithiocarbamate. May produce an allergic reaction.

EUH210 = Safety data sheet available on request.

Reason of change:

Changes in section 3: Composition / Information on ingredients

Changes in section 8: DNEL, PNEC

Changes in section 9: Physical and chemical properties

Changes in section 11, 12: Endocrine disrupting properties, results of PBT and vPvB assessment

General revision

Date of first version:

29.3.2022

Department issuing data sheet:

see section 1: Department responsible for information



AUTOL TOP 2000 HIGH TEMP

Material number 16180

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 13.3.2025
Version: 13.0
Replaces version: 12.0
Language: en-DE
Date of print: 19.3.2025

Page: 12 of 12

Abbreviations and acronyms:

Acute Tox.: Acute toxicity
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
Aquatic Acute: Hazardous to the aquatic environment - acute
Aquatic Chronic: Hazardous to the aquatic environment - chronic
AS/NZS: Australian Standards/New Zealand Standards
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EC50: Effective Concentration 50%
EN: European Standard
EQ: Excepted quantities
EU: European Union
Eye Dam.: Eye damage
Eye Irrit.: Eye irritation
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
LC50: Median lethal concentration
LD50: Lethal dose 50%
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
M-factor: Multiplication factor
NOEC: No Observed Effect Concentration
OECD: Organisation for Economic Co-operation and Development
OEL: Occupational Exposure Limit Value
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.: Reproductive toxicity
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
Skin Sens.: Skin sensitisation
TLV: Threshold Limit Value
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative
WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<http://sumdat.net/7ptpaqfx>

