



AUTOL DESOLITE B

Material number 11310

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 10.0
Replaces version: 9.2
Language: en-DE
Date of print: 2.4.2024

Page: 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: AUTOL DESOLITE B
UFI: RG91-U81Y-2307-QS6Q

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: System cleaner for vehicle fuel units (petrol engines).

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH
Street/POB-No.: Paradiesstraße 14
Postal Code, city: 97080 Würzburg
Germany
E-mail: info.wuerzburg@enilive.com
Telephone: +49 (0)931-90098-0
Telefax: +49 (0)931-98442
Department responsible for information:
Application Engineering & Product Management (AEPM)
Telephone: +49 (0)931-90098-0
E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen
Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Asp. Tox. 1; H304 May be fatal if swallowed and enters airways.
Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.
(EUH066) Repeated exposure may cause skin dryness or cracking.

2.2 Label elements

Labelling (CLP)



Signal word: **Danger**
Hazard statements: H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.
EUH066 Repeated exposure may cause skin dryness or cracking.



AUTOL DESOLITE B

Material number 11310

Revision date: 20.3.2024

Version: 10.0

Replaces version: 9.2

Language: en-DE

Date of print: 2.4.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 2 of 12

Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P273	Avoid release to the environment.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of contents/container to hazardous or special waste collection point.

Special labelling

Text for labelling:

Contains:

Hydrocarbons, C11- C13, isoalkanes, <2% aromatics

Hydrocarbons, C10, aromatics, >1% naphthalene

2.3 Other hazards

Potentially explosive mixtures may form if adequate ventilation is not provided.

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119456810-40-xxxx list no. 920-901-0 CAS 90622-58-5	Hydrocarbons, C11-C13, isoalkanes, aromatic contents: < 2% Asp. Tox. 1; H304. (EUH066).	80 - 100 %
REACH 01-2119463588-24-xxxx list no. 919-284-0 CAS 64742-94-5	Hydrocarbons, C10, aromatics, >1% naphthalene Carc. 2; H351. STOT SE 3; H336. Asp. Tox. 1; H304. Aquatic Chronic 2; H411. (EUH066).	1 - 5 %
list no. 937-027-0	Phenol, (dimethylamino)methyl-, polyisobutylene derivs. Aquatic Chronic 3; H412.	1 - 5 %

Full text of H- and EUH-statements: see section 16.

Additional information:

Information about product:

< 1 % 1,2,4-Trimethylbenzene

< 0,5 % Naphthalene

< 0,5 % 1,2,3-Trimethylbenzene

< 0,5 % 1,3,5-Trimethylbenzene

Information about 1,3,5-Trimethylbenzene,

Specific concentration limits (SCL):

H335: c >= 25%



AUTOL DESOLITE B

Material number 11310

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 10.0

Replaces version: 9.2

Language: en-DE

Date of print: 2.4.2024

Page: 3 of 12

SECTION 4: First aid measures

4.1 Description of first aid measures

- General information: If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.
- In case of inhalation: Move victim to fresh air. In the event of discomfort seek medical treatment.
- Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.
- After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.
- After swallowing: Rinse mouth with water. Never give anything by mouth to an unconscious person. Caution if victim vomits: Risk of aspiration! Keep airway open. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Extinguishing powder, alcohol resistant foam and carbon dioxide

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

Potentially explosive mixtures may form if adequate ventilation is not provided. May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: sulphur oxides, calcium compounds, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

Move undamaged containers from immediate hazard area if it can be done safely. Cool endangered containers with water jetspray. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.



AUTOL DESOLITE B

Material number 11310

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 10.0
Replaces version: 9.2
Language: en-DE
Date of print: 2.4.2024

Page: 4 of 12

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid breathing mist/vapours/spray. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Keep unprotected people away.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid the formation of aerosol. Avoid breathing mist/vapours/spray. Wear appropriate protective equipment. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Do not put any product-impregnated cleaning rags into your trouser pockets. Guarantee sufficient ventilation during and after use, in order to prevent vapour accumulation. Have eye wash bottle or eye rinse ready at work place.

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.
Keep container dry. Keep only in the original container.
Protect from heat and direct sunlight.
Store containers in upright position.

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.
Do not store together with: strong oxidizing agents, strong acids, strong bases

Storage class: 10 = Combustible liquids, unless storage class 3

7.3 Specific end use(s)

No information available.



AUTOL DESOLITE B

Material number 11310

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 10.0

Replaces version: 9.2

Language: en-DE

Date of print: 2.4.2024

Page: 5 of 12

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
90622-58-5	Hydrocarbons, C11-C13, isoalkanes, aromatic contents: < 2%	Germany: TRGS 900 Kurzzeit	600 mg/m ³ (hydrocarbons, aliphatic, C9-C14)
		Germany: TRGS 900 Langzeit	300 mg/m ³ (hydrocarbons, aliphatic, C9-C14)
64742-94-5	Hydrocarbons, C10, aromatics, >1% naphthalene	Germany: TRGS 900 Kurzzeit	100 mg/m ³ (hydrocarbons, aromatic, C9-C14)
		Germany: TRGS 900 Langzeit	50 mg/m ³ (hydrocarbons, aromatic, C9-C14)
95-63-6	1,2,4-Trimethylbenzene	Germany: TRGS 900 Kurzzeit	200 mg/m ³ ; 40 ppm
91-20-3	Naphthalene	Germany: TRGS 900 Langzeit	100 mg/m ³ ; 20 ppm
		Europe: IOELV: TWA	50 mg/m ³ ; 10 ppm
		Germany: TRGS 900 Kurzzeit	8 mg/m ³ ; 1,6 ppm (Aerosol and vapour, may be absorbed through the skin)
526-73-8	1,2,3-Trimethylbenzene	Germany: TRGS 900 Langzeit	2 mg/m ³ ; 0,4 ppm (Aerosol and vapour, may be absorbed through the skin)
		Germany: TRGS 900 Kurzzeit	200 mg/m ³ ; 40 ppm
108-67-8	1,3,5-Trimethylbenzene	Germany: TRGS 900 Langzeit	100 mg/m ³ ; 20 ppm
		Germany: TRGS 900 Kurzzeit	200 mg/m ³ ; 40 ppm
		Germany: TRGS 900 Langzeit	100 mg/m ³ ; 20 ppm



AUTOL DESOLITE B

Material number 11310

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 10.0
Replaces version: 9.2
Language: en-DE
Date of print: 2.4.2024

Page: 6 of 12

Biological limit values:

CAS No.	Designation	Type	Limit value	Parameter	Sampling
95-63-6	1,2,4-Trimethylbenzene	Germany: TRGS 903, urine	400 mg/g creatinine	Dimethybenzoesäure, Following hydrolysis:	at long term exposure, end of exposure or end of shift
526-73-8	1,2,3-Trimethylbenzene	Germany: TRGS 903, urine	400 mg/g creatinine	Dimethybenzoesäure, Following hydrolysis:	at long term exposure, end of exposure or end of shift
108-67-8	1,3,5-Trimethylbenzene	Germany: TRGS 903, urine	400 mg/g creatinine	Dimethybenzoesäure, Following hydrolysis:	at long term exposure, end of exposure or end of shift

DNEL/DMEL: Information about Hydrocarbons, C10, aromatics, >1% naphthalene:
DNEL workers, inhalative, systemic, long-term: 151 mg/m³
DNEL workers, dermal, systemic, long-term: 12,5 mg/kg bw/d
DNEL consumers, inhalative, systemic, long-term: 32 mg/m³
DNEL consumers, dermal, systemic, long-term: 7,5 mg/kg bw/d
DNEL consumers, oral, systemic, long-term: 7,5 mg/kg bw/d

8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection. Respiratory protection must be worn whenever the WEL levels have been exceeded.
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to DIN EN 374.
Glove material: NBR (nitrile rubber)
Layer thickness: ≥ 0,4 mm; Breakthrough time: ≥ 480
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
Take off contaminated clothing and wash it before reuse.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Do not put any product-impregnated cleaning rags into your trouser pockets.
Have eye wash bottle or eye rinse ready at work place.

Environmental exposure controls

Refer to "6.2 Environmental precautions".



AUTOL DESOLITE B

Material number 11310

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 10.0

Replaces version: 9.2

Language: en-DE

Date of print: 2.4.2024

Page: 7 of 12

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow
Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	187 - 206 °C (Hydrocarbons, C11- C13, isoalkanes, <2% aromatics)
Flammability:	No data available
Upper/lower flammability or explosive limits:	LEL (Lower Explosion Limit): 0,60 Vol-% (Hydrocarbons, C11- C13, isoalkanes, <2% aromatics) UEL (Upper Explosive Limit): 6,50 Vol-% (Hydrocarbons, C11- C13, isoalkanes, <2% aromatics)
Flash point/flash point range:	63 °C (c.c.)
Decomposition temperature:	No data available
pH:	No data available
Viscosity, kinematic:	at 20 °C: 2,48 mm ² /s at 40 °C: 1,60 mm ² /s
Water solubility:	Insoluble
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	at 15 °C: 0,7753 g/mL
Vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	Product is not explosive. Potentially explosive mixtures may form if adequate ventilation is not provided.
Oxidizing characteristics:	none
Auto-ignition temperature:	> 230 °C (Hydrocarbons, C11- C13, isoalkanes, <2% aromatics)
Evaporation rate:	No data available
Additional information:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.



AUTOL DESOLITE B

Material number 11310

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 10.0

Replaces version: 9.2

Language: en-DE

Date of print: 2.4.2024

Page: 8 of 12

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents, strong acids, strong bases.

10.6 Hazardous decomposition products

No dangerous reactions with proper and specified storage and handling

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

ATEmix (calculated): > 5.000 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

ATEmix (calculated): > 2.000 mg/kg

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

ATEmix (calculated): >20 mg/L

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Based on available data, the classification criteria are not met.

Naphthalene-Content: < 0,5 %

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Asp. Tox. 1; H304 = May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties:

No data available

Other information:

Information about Hydrocarbons, C11- C13, isoalkanes, <2% aromatics:

LD50 Rat, oral: > 5.000 mg/kg bw

LD50 Rabbit, dermal: > 3,16 mL/kg bw

LC50 Rat, inhalative: > 5.000 mg/L

Information about Hydrocarbons, C10, aromatics, >1% naphthalene:

LD50 Rat, oral: 6.318 mg/kg bw (OECD 401)

LD50 Rabbit, dermal: > 2,0 mL/kg bw (OECD 402)

LC50 Rat, inhalative: > 4.688 mg/L (OECD 403)



AUTOL DESOLITE B

Material number 11310

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 10.0

Replaces version: 9.2

Language: en-DE

Date of print: 2.4.2024

Page: 9 of 12

Symptoms

In case of ingestion:

When swallowed and vomited immediately, aspiration into the lungs may occur resulting in chemical pneumonia or suffocation.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

Information about Hydrocarbons, C11- C13, isoalkanes, <2% aromatics:

Fish toxicity:

LL50 Oncorhynchus mykiss: > 1.000 mg/L/96h (OECD 203)

NOELR Oncorhynchus mykiss: 0,316 mg/L/28d

Daphnia toxicity:

LL50 Daphnia magna (Big water flea): > 1.000 mg/L/48h (OECD 202)

NOELR Daphnia magna (Big water flea): 1,0 mg/L/21d (OECD 211)

Algae toxicity:

EL50 Pseudokirchneriella subcapitata (green algae), growth rate: > 1.000 mg/L/72h (OECD 201)

Information about Hydrocarbons, C10, aromatics, >1% naphthalene:

Fish toxicity:

LL50 Oncorhynchus mykiss: 2 - 5 mg/L/96h (OECD 203)

NOELR Oncorhynchus mykiss: 0,487 mg/L/28d

Daphnia toxicity:

LL50 Daphnia magna (Big water flea): 3 - 10 mg/L/48h

NOELR Daphnia magna (Big water flea): 0,851 mg/L/21d

Algae toxicity:

EL50 Pseudokirchneriella subcapitata (green algae), growth rate: 1 - 3 mg/L/72h (OECD 201)

NOELR Pseudokirchneriella subcapitata (green algae), growth rate: approx. 1 mg/L/72h (OECD 201)

Water Hazard Class:

2 = obviously hazardous to water (Self-classification (mixture).)

12.2 Persistence and degradability

Further details:

No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available



AUTOL DESOLITE B

Material number 11310

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 10.0

Replaces version: 9.2

Language: en-DE

Date of print: 2.4.2024

Page: 10 of 12

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 13 02 05* = mineral-based non-chlorinated engine, gear and lubricating oils
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Package

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR:

not applicable

ADN:

ID 9003

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

ADN:

ID 9003,

SUBSTANCES WITH A FLASH-POINT ABOVE 60 °C AND NOT MORE THAN 100 °C

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

ADN:

Class 9, Code: M12

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

no



AUTOL DESOLITE B

Material number 11310

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 10.0
Replaces version: 9.2
Language: en-DE
Date of print: 2.4.2024

Page: 11 of 12

14.6 Special precautions for user

Inland waterway craft (ADN)

Hazard label: -
Transport permitted: T
Equipment necessary: PP

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3
Water Hazard Class: 2 = obviously hazardous to water (Self-classification (mixture).)
Technical guidance air: 5.2.5
Information on working limitations:
Observe employment restrictions for young people.
Observe employment restrictions for expectant or nursing mothers.
Further regulations, limitations and legal requirements:
The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

National regulations - EC member states

Volatile organic compounds (VOC):
> 96 % by weight = 744,5 g/L
Further regulations, limitations and legal requirements:
Use restriction according to REACH annex XVII, no.: 3, 75

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H227 = Combustible liquid.
H304 = May be fatal if swallowed and enters airways.
H336 = May cause drowsiness or dizziness.
H351 = Suspected of causing cancer.
H411 = Toxic to aquatic life with long lasting effects.
H412 = Harmful to aquatic life with long lasting effects.
EUH066 = Repeated exposure may cause skin dryness or cracking.

Reason of change: Changes in section 1: Details of the supplier of the safety data sheet
General revision

Date of first version: 11.3.2022

Department issuing data sheet:
see section 1: Department responsible for information



AUTOL DESOLITE B

Material number 11310

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 10.0
Replaces version: 9.2
Language: en-DE
Date of print: 2.4.2024

Page: 12 of 12

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
Aquatic Chronic: Hazardous to the aquatic environment - chronic
AS/NZS: Australian Standards/New Zealand Standards
Asp. Tox.: Aspiration toxicity
Carc.: Carcinogenicity
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EL50: Effective loading rate 50%
EN: European Standard
EQ: Excepted quantities
EU: European Union
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
LC50: Median lethal concentration
LD50: Lethal dose 50%
LEL: Lower Explosion Limit
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD: Organisation for Economic Co-operation and Development
OEL: Occupational Exposure Limit Value
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
STOT SE: Specific target organ toxicity - single exposure
TLV: Threshold Limit Value
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative
WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<http://sumdat.net/3durmm4f>

