



Eni PRECIS CGLP 68

Material number 574

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 2.7.2026
Version: 9.0
Replaces version: 8.0
Language: en-DE
Date of print: 11.8.2026

Page: 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni PRECIS CGLP 68

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Lubricant

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postcode, city: 97080 Würzburg

Germany

Email: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

Email: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

Special labelling

EUH210

Safety data sheet available on request.



2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of Mixture of hydrocarbons, fatty acids, tackifier, polymers, additives.

Hazardous ingredients:

Identifiers	Designation Classification	Content
EC No. 406-940-1 CAS 126019-82-7	O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate Repr. 2; H361d. Aquatic Chronic 2; H411.	0,1 - 0,3 %

Full text of H- and EUH-statements: see section 16.

Additional information: Contains Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0). The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:	Take off contaminated clothing and wash it before reuse.
In case of inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.
Following skin contact:	After contact with skin, wash immediately with soap and plenty of water. In case of skin reactions, consult a physician. If the product penetrates the skin under high pressure, call a physician immediately. Following fire: Apply bandage with sterile gauze.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.
After swallowing:	Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation: Irritation to respiratory tract, nausea, dizziness.

In case of ingestion: Irritation, nausea, discomfort, gastrointestinal irritation.

After contact with skin: The hot material can cause burns.

After eye contact: Direct contact with eyes may cause temporary irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, foam, extinguishing powder, earth, sand, carbon dioxide.

In case of large fires: Water spray jet, foam.

Extinguishing media which must not be used for safety reasons:

Full water jet.

5.2 Special hazards arising from the substance or mixture

Combustible. Air combined with vapours may form potentially explosive mixtures that are heavier than air.

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Aldehydes, nitrogen oxides (NO_x), phosphorus oxides, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Use fine water spray to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

In case of major fire and large quantities: Evacuate area.

Contaminated fire-fighting water must be collected separately. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid oil mist formation. Avoid contact with the substance. Keep persons away and stay on the side facing the wind.

If possible, eliminate leakage. Provide adequate ventilation.

Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.
If necessary, notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Avoid oil mist formation.
Wear appropriate protective equipment. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing.

Precautions against fire and explosion:
Keep away from heat. Keep away from sources of ignition - No smoking.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:
Keep container tightly closed and in a well-ventilated place.
Keep container dry. Keep only in the original container.
Protect from heat and direct sunlight. Store containers in upright position.

Hints on joint storage: Do not store together with: Strong oxidizing agents, alkali metals.
Keep away from food, drink and animal feedingstuffs.

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.



Eni PRECIS CGLP 68

Material number 574

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 2.7.2026
Version: 9.0
Replaces version: 8.0
Language: en-DE
Date of print: 11.8.2026

Page: 5 of 11

DNEL/DMEL:	Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0): DNEL, workers, inhalative, systemic, long-term: 2,73 mg/m³ DNEL, workers, inhalative, local, long-term: 5,58 mg/m³ DNEL, workers, dermal, systemic, long-term: 0,97 mg/kg bw/d DNEL, consumers, oral, systemic, long-term: 0,74 mg/kg bw/d Information about O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate (CAS 126019-82-7): DNEL, workers, inhalative, systemic, long-term: 1,76 mg/m³ DNEL, workers, dermal, systemic, long-term: 0,5 mg/kg bw/d DNEL, consumers, inhalative, systemic, long-term: 0,43 mg/m³ DNEL, consumers, dermal, systemic, long-term: 0,25 mg/kg bw/d DNEL, consumers, oral, systemic, long-term: 0,25 mg/kg bw/d
PNEC:	Information about O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate (CAS 126019-82-7): PNEC, sediment (freshwater): 0,1 mg/kg dw PNEC, sediment (marine water): 0,01 mg/kg dw

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection:	In case of inadequate ventilation wear respiratory protection. Recommended: Use combination filter type A/P according to EN 14387. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.
Hand protection:	Protective gloves according to DIN EN ISO 374-1. Glove material: Nitrile rubber (NBR), PVC Breakthrough time: ≥ 240 min Protective gloves have to be replaced at the first sign of deterioration. Use skin cleaning and skin care products after using the gloves. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Tightly sealed goggles according to DIN EN ISO 16321-1.
Body protection:	Wear suitable protective clothing.
General protection and hygiene measures:	Do not breathe mist/vapours/spray. Avoid oil mist formation. Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Protect skin by using skin protective cream.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

Safety Data Sheetaccording to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)
2020/878

Page: 6 of 11

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	Form: clear yellow - brown
Odour:	petroleum (slight smell)
Odour threshold:	No data available
Melting point/freezing point:	No data available
Boiling point:	No data available
Flammability:	This product is non-flammable.
Lower and upper explosion limit:	LEL (Lower Explosion Limit): No data available UEL (Upper Explosive Limit): No data available
Flash point:	> 200 °C
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH:	No data available
Kinematic viscosity:	at 40 °C: 68 mm ² /s
Water solubility:	Insoluble
Partition coefficient n-octanol/water (log value):	1,99 - 18,02 log P(o/w) (Distillates (petroleum), solvent-dewaxed heavy paraffinic) Based on the n-octanol/water partition coefficient accumulation in organisms is possible.
Vapour pressure:	No data available
Density:	at 15 °C: 0,886 g/mL (ASTM D 4052)
Relative vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Exothermic reactions with strong oxidizing agents or alkali metals. Risk of fire.

10.4 Conditions to avoid

Protect from heat and direct sunlight.



10.5 Incompatible materials

Strong oxidizing agents, alkali metals.

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties:

None

Other information:

Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0):

LD50 Rat, oral: > 5.000 mg/kg (OECD 401)

LD50 Rabbit, dermal: 2.000 - 5.000 mg/kg (OECD 402)

LC50 Rat, inhalative: 3,9 - 5,3 mg/L/4 h (OECD 403)

Information about O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate (CAS 126019-82-7):

LD50 Rat, oral: > 2.000 mg/kg (OECD 401, no mortality occurred)

LD50 Rat, dermal: > 2.000 mg/kg (OECD 402, no mortality occurred)

**Safety Data Sheet**according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)
2020/878

Page: 8 of 11

Symptoms

In case of inhalation: Irritation to respiratory tract, nausea, dizziness.

In case of ingestion: Irritation, nausea, discomfort, gastrointestinal irritation.

After contact with skin: The hot material can cause burns.

After eye contact: Direct contact with eyes may cause temporary irritation.

SECTION 12: Ecological information**12.1 Toxicity**

Aquatic toxicity:	Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0): Fish toxicity: LL50 Pimephales promelas (fathead minnow): > 100 mg/L/96h (OECD 203) Daphnia toxicity: EL50 Daphnia magna (Big water flea): > 10.000 mg/L/48h (OECD 202) Algae toxicity: NOEL Pseudokirchneriella subcapitata (green algae): ≥ 100 mg/L/72h (OECD 201) Information about O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate (CAS 126019-82-7): Fish toxicity: LC50 Danio rerio (zebrafish): > 25 mg/L/96h (OECD 203) Daphnia toxicity: NOEC Daphnia magna (Big water flea): ≥ 10 mg/L/21d (OECD 211) Algae toxicity: EC50 Desmodesmus subspicatus (green algae): > 100 mg/L/72h (OECD 201)
Water Hazard Class:	1 = slightly hazardous to water (Self-classification (mixture).)
Further details:	Product is not soluble in water, and floats on water. Formation of an oil film on water impairs the oxygen exchange and may cause significant adverse effects in the aquatic environment.

12.2 Persistence and degradability

Further details:	According to OECD criteria the product is not readily biodegradable but inherently biodegradable. Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0): Oxygen consumption: 31%/28d (OECD 301 F), inherently biodegradable. Information about O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate (CAS 126019-82-7): Formation of carbon dioxide: 2 - 4%/28d (OECD 301 B), not easily bio-degradable.
------------------	---

12.3 Bioaccumulative potential

	Bioconcentration factor (BCF): Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0): fish 1: 0,4 - 6.280 L/kg fish 2: 3,16 - 71.100 L/kg
Partition coefficient: n-octanol/water:	1,99 - 18,02 log P(o/w) (Distillates (petroleum), solvent-dewaxed heavy paraffinic) Based on the n-octanol/water partition coefficient accumulation in organisms is possible.



Eni PRECIS CGLP 68

Material number 574

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 2.7.2026
Version: 9.0
Replaces version: 8.0
Language: en-DE
Date of print: 11.8.2026

Page: 9 of 11

12.4 Mobility in soil

Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0):
log Koc: 1,71 - 14,7

12.5 Results of PBT and vPvB assessment

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

12.6 Endocrine disrupting properties

None

12.7 Other adverse effects

General information: Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 13 02 05* = Mineral-based non-chlorinated engine, gear and lubricating oils
* = Evidence for disposal must be provided.

Recommendation: Evidence for disposal must be provided. Send to a hazardous waste incinerator facility under observation of official regulations.

Package

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Section 14. Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:
not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:
Not restricted

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:
not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:
not applicable



Eni PRECIS CGLP 68

Material number 574

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 2.7.2026
Version: 9.0
Replaces version: 8.0
Language: en-DE
Date of print: 11.8.2026

Page: 10 of 11

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Further regulations, limitations and legal requirements:

No data available

National regulations - EC member states

Labelling of packaging with <= 125mL content

Hazard statements: EUH210 Safety data sheet available on request.

Precautionary statements: not applicable

Further regulations, limitations and legal requirements:

No data available

15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out: O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H361d = Suspected of damaging the unborn child.

H411 = Toxic to aquatic life with long lasting effects.

EUH210 = Safety data sheet available on request.

Reason of change:

Changes in section 2: Labelling

Changes in section 3: Composition / Information on ingredients

Changes in section 8: Exposure controls/personal protection

Changes in section 9: Physical and chemical properties

General revision

Date of first version: 29.6.2022



Eni PRECIS CGLP 68

Material number 574

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 2.7.2026
Version: 9.0
Replaces version: 8.0
Language: en-DE
Date of print: 11.8.2026

Page: 11 of 11

Department issuing data sheet:

see section 1: Department responsible for information

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
Aquatic Chronic: Hazardous to the aquatic environment - chronic
AS/NZS: Australian Standards/New Zealand Standards
BCF: Bioconcentration Factor
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EC50: Effective Concentration 50%
EL50: Effective loading rate 50%
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods
EN: European Standard
EQ: Excepted quantities
EU: European Union
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
IMO: International Maritime Organization
LC50: Median lethal concentration
LD50: Lethal dose 50%
LEL: Lower Explosion Limit
log P(o/w): Partition coefficient: octanol/water
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
NOEC: No Observed Effect Concentration
NOEL: No Observed Effect Level
OECD: Organisation for Economic Co-operation and Development
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
PVC: Polyvinyl chloride
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.: Reproductive toxicity
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<https://sumdat.net/mav2hg5x>

