

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni metalCut ERF 14
UFI: Y830-E01P-900P-YK9C

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Metalworking fluid

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH
Street/POB-No.: Paradiesstraße 14
Postal Code, city: 97080 Würzburg
Germany
E-mail: info.wuerzburg@enilive.com
Telephone: +49 (0)931-90098-0
Telefax: +49 (0)931-98442
Department responsible for information:
Application Engineering & Product Management (AEPM)
Telephone: +49 (0)931-90098-0
E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen
Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Asp. Tox. 1; H304 May be fatal if swallowed and enters airways.
(EUH066) Repeated exposure may cause skin dryness or cracking.

2.2 Label elements

Labelling (CLP)



Signal word: **Danger**

Hazard statements: H304 May be fatal if swallowed and enters airways.
EUH066 Repeated exposure may cause skin dryness or cracking.



Eni metalCut ERF 14

Material number 861

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.1

Language: en-DE

Date of print: 5.4.2024

Page: 2 of 10

Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of contents/container to hazardous or special waste collection point.

Special labelling

Text for labelling: Hydrocarbons, C12-C15, n-alkanes, isoalkanes < 2% aromatics.

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of base oil and additives.

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119453414-43-xxxx list no. 920-107-4	Hydrocarbons, C12-C15, n-alkanes, isoalkanes < 2% aromatics Asp. Tox. 1; H304. (EUH066).	90 - 100 %

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:	In all cases of doubt, or when symptoms persist, seek medical advice. If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.
In case of inhalation:	Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.
Following skin contact:	Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.
After swallowing:	Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person. Seek medical attention. Observe risk of aspiration if vomiting occurs.



Eni metalCut ERF 14

Material number 861

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 6.0
Replaces version: 5.1
Language: en-DE
Date of print: 5.4.2024

Page: 3 of 10

4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Cough, respiratory complaints, shortage of breath, fever, Symptoms can occur only after several hours.
May be fatal if swallowed and enters airways.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, water mist, foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Nitrogen oxides (NO_x), traces of incompletely burned carbon compounds, Carbon dioxide, Carbon monoxide

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. Cool endangered containers with water jetspray.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment. Provide adequate ventilation. Use a breathing protection against vapours/aerosol. Avoid contact with skin, eyes and clothes.

Vapours can form explosive mixtures with air. Remove all sources of ignition. Keep unprotected people away.

Stop leak if safe to do so.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal. Ventilate affected area. Clean contaminated objects and areas thoroughly observing environmental regulations.

Additional information:

Special danger of slipping by leaking/spilling product.



Eni metalCut ERF 14

Material number 861

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 6.0
Replaces version: 5.1
Language: en-DE
Date of print: 5.4.2024

Page: 4 of 10

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Put lids on containers immediately after use. Wear appropriate protective equipment. Avoid breathing mist/vapours/spray.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

Have eye wash bottle or eye rinse ready at work place.

Use only antistatically equipped (spark-free) tools.

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store container tightly closed in a dry and cool place. Store container tightly closed in a dry and cool place. Keep only in the original container.

Protect against: frost, heat, UV-radiation/sunlight, humidity and Water
storage temperature: 5 - 40 °C

storage stability: Average shelf life of 24 months.

Hints on joint storage:

Do not store together with Oxidising agent.

Keep away from food, drink and animal feedingstuffs.

Storage class:

10 = Combustible liquids, unless storage class 3

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
-	Hydrocarbons, C12-C15, n-alkanes, isoalkanes < 2% aromatics	Germany: TRGS 900 Kurzzeit	100 mg/m ³ (hydrocarbons, aromatic, C9-C14)
		Germany: TRGS 900 Langzeit	50 mg/m ³ (hydrocarbons, aromatic, C9-C14)

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.



Eni metalCut ERF 14

Material number 861

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.1

Language: en-DE

Date of print: 5.4.2024

Page: 5 of 10

Personal protection equipment

Occupational exposure controls

- Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. Use filter type A/P2 according to EN 14387.
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.
- Hand protection: Protective gloves according to DIN EN 374
permanent contact: Glove material: Nitrile rubber, Chloroprene rubber, Polychloroprene or polyvinyl chloride: (0,7 mm),
Layer thickness layer thickness penetration time >480 min.
During splash contact: Glove material: Nitrile rubber, Chloroprene rubber, Polychloroprene or polyvinyl chloride: (0,4 mm),
Layer thickness layer thickness penetration time >30 min.
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022
- Body protection: Wear suitable protective clothing.
- General protection and hygiene measures:
Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
Take off contaminated clothing and wash it before reuse.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Have eye wash bottle or eye rinse ready at work place.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	colourless
Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	230 °C (1013 hPa)
Flammability:	No data available
Upper/lower flammability or explosive limits:	LEL (Lower Explosion Limit): 0,50 Vol-% UEL (Upper Explosive Limit): 5,00 Vol-%
Flash point/flash point range:	102 °C (DIN EN ISO 2592)
Decomposition temperature:	No data available
pH:	No data available
Viscosity, kinematic:	at 40 °C: 2,3 mm ² /s (DIN EN ISO 3104)
Water solubility:	at 20 °C: Insoluble
Partition coefficient: n-octanol/water:	Not applicable
Vapour pressure:	No data available
Density:	at 15 °C: 0,817 g/mL (DIN EN ISO 12185)
Vapour density:	No data available
Particle characteristics:	Not applicable



Eni metalCut ERF 14

Material number 861

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.1

Language: en-DE

Date of print: 5.4.2024

Page: 6 of 10

9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	Not oxidising
Auto-ignition temperature:	> 220 °C
Evaporation rate:	No data available
Additional information:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Protect from frost, heat and sunlight.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available



Eni metalCut ERF 14

Material number 861

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 6.0
Replaces version: 5.1
Language: en-DE
Date of print: 5.4.2024

Page: 7 of 10

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.
ATEmix (calculated): $2.000 \text{ mg/kg} < ATE \leq 5.000 \text{ mg/kg}$

Acute toxicity (dermal): Based on available data, the classification criteria are not met.
ATEmix (calculated): $2.000 \text{ mg/kg} < ATE \leq 5.000 \text{ mg/kg}$

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.
ATEmix (calculated): $> 5 \text{ mg/L (mist)}$

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Asp. Tox. 1; H304 = May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties:

No data available

Other information:

Information about Hydrocarbons, C12-C15, n-alkanes, isoalkanes < 2% aromatics:

Acute oral toxicity:

LD50, Rat: $> 5.000 \text{ mg/kg}$

Acute dermal toxicity:

LD50, Rabbit: $> 5.000 \text{ mg/kg}$

acute inhalation toxicity

LC50, Rat: $> 5 \text{ mg/L/4h}$

Symptoms

After contact with skin: Repeated exposure may cause skin dryness or cracking.



Eni metalCut ERF 14

Material number 861

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.1

Language: en-DE

Date of print: 5.4.2024

Page: 8 of 10

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Information about Hydrocarbons, C12-C15, n-alkanes, isoalkanes < 2% aromatics:
Acute (short-term) fish toxicity, LL50 *Oncorhynchus mykiss*: >1.000 mg/L/96h
Acute (short-term) toxicity to crustacea, EC50 *Daphnia magna* (Big water flea): > 100 mg/L/48h
Acute (short-term) toxicity to algae and cyanobacteria, IC50 algae: >1.000 mg/L/72h

Water Hazard Class: 1 = slightly hazardous to water

Further details: The single components are biodegradable.

12.2 Persistence and degradability

Degree of elimination: The insoluble part can be precipitated mechanically in suitable sewage treatment plants.

12.3 Bioaccumulative potential

Bioconcentration factor (BCF):
No indication of bioaccumulation potential.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 12 01 07* = mineral-based machining oils free of halogens (except emulsions and solutions)

* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.



Eni metalCut ERF 14

Material number 861

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.1

Language: en-DE

Date of print: 5.4.2024

Page: 9 of 10

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 1 = slightly hazardous to water

Technical guidance air: 5.2.5

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

National regulations - EC member states

Volatile organic compounds (VOC):

0 % by weight

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3



Eni metalCut ERF 14

Material number 861

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 6.0
Replaces version: 5.1
Language: en-DE
Date of print: 5.4.2024

Page: 10 of 10

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H304 = May be fatal if swallowed and enters airways.

EUH066 = Repeated exposure may cause skin dryness or cracking.

Reason of change: Changes in section 1: Details of the supplier of the safety data sheet
General revision

Date of first version: 15.3.2022

Department issuing data sheet:
see section 1: Department responsible for information

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
AS/NZS: Australian Standards/New Zealand Standards
Asp. Tox.: Aspiration toxicity
ATE: Acute toxicity estimate
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EC50: Effective Concentration 50%
EN: European Standard
EQ: Excepted quantities
EU: European Union
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50: Inhibition Concentration 50%
IMDG Code: International Maritime Dangerous Goods Code
LC50: Median lethal concentration
LD50: Lethal dose 50%
LEL: Lower Explosion Limit
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OEL: Occupational Exposure Limit Value
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
TLV: Threshold Limit Value
TRGS: Technical Rules for Hazardous Substances
UV: Ultraviolet
vPvB: Very persistent and very bioaccumulative
WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<http://sumdat.net/7b6s9e4t>

