



Eni metalCut S 3000

Material number 725

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 21.5.2025
Version: 7.4
Replaces version: 7.3
Language: en-DE
Date of print: 3.6.2025

Page: 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni metalCut S 3000
REACH registration No.: 01-2119496071-40-xxxx

Chemical name:
Fatty acids, C18-unsatd., diesters and triesters with trimethylolpropane
(Alternatively: 2-Ethyl-2-[[[(1-oxooleyloxy)methyl]-1,3-propanediyl dioleate (CAS 57675-44-2))

CAS-Number: 1335202-94-2
List number: 701-042-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Cutting oil
For lubricants and lubricant additives

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH
Street/POB-No.: Paradiesstraße 14
Postal Code, city: 97080 Würzburg
Germany
E-mail: info.wuerzburg@enilive.com
Telephone: +49 (0)931-90098-0
Telefax: +49 (0)931-98442

Department responsible for information:
Application Engineering & Product Management (AEPM)
Telephone: +49 (0)931-90098-0
E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen
Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This substance is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable
Precautionary statements: not applicable



Eni metalCut S 3000

Material number 725

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 21.5.2025
Version: 7.4
Replaces version: 7.3
Language: en-DE
Date of print: 3.6.2025

Page: 2 of 9

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical characterisation: Fatty acids, C18-unsatd., diesters and triesters with trimethylolpropane

CAS-Number: 1335202-94-2

List number: 701-042-9

Additional information: Alternate CAS No.: 57675-44-2

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take off contaminated clothing and wash it before reuse. When in doubt or if symptoms are observed, get medical advice.

In case of inhalation: Remove casualty to fresh air and keep warm and at rest. When in doubt or if symptoms are observed, get medical advice.

Following skin contact: After contact with skin, wash immediately with soap and plenty of water. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After swallowing: Rinse mouth. Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Extinguishing powder, atomized water, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet.



Eni metalCut S 3000

Material number 725

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 21.5.2025
Version: 7.4
Replaces version: 7.3
Language: en-DE
Date of print: 3.6.2025

Page: 3 of 9

5.2 Special hazards arising from the substance or mixture

Combustible.
May form dangerous gases and vapours in case of fire.
Furthermore, there may develop: carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Cool endangered containers with water jetspray. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Provide good ventilation and/or an exhaust system in the work area. Do not breathe mist/vapours/spray.

Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. Wear appropriate protective equipment. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.
If necessary, notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Larger quantities to be stemmed and pumped into tanks.
Stop leak if safe to do so.
Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.
Treat the recovered material as prescribed in the section on waste disposal.

Additional information:

Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide good ventilation and/or an exhaust system in the work area. Avoid generation of vapours/aerosols. Avoid oil mist formation. Avoid breathing mist/vapours/spray.
Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. Wear appropriate protective equipment.
When using do not eat, drink or smoke. Wash hands before breaks and after work.

Precautions against fire and explosion:

Keep away from sources of ignition - No smoking. Take action to prevent static discharges.



Eni metalCut S 3000

Material number 725

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 21.5.2025
Version: 7.4
Replaces version: 7.3
Language: en-DE
Date of print: 3.6.2025

Page: 4 of 9

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store only in original container. Store container tightly closed in a dry and cool place.
Provide good ventilation.
Protect against heat /sun rays.

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.
Do not store with strong oxidizing agents.

Storage class:

10 = Combustible liquids that cannot be assigned to any of the above storage classes

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area. Avoid generation of vapours/aerosols.

Personal protection equipment

Occupational exposure controls

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.
Wear a respirator conforming to EN 140 with Type A filter or better.

Hand protection:

Protective gloves according to DIN EN ISO 374-1. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection:

Tightly sealed goggles according to DIN EN ISO 16321-1.

Body protection:

Wear suitable protective clothing.

General protection and hygiene measures:

Avoid breathing mist/vapours/spray. Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. When using do not eat, drink or smoke.
Wash hands before breaks and after work.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa

liquid

Colour:

yellow

Odour:

Characteristic



Eni metalCut S 3000

Material number 725

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 21.5.2025
Version: 7.4
Replaces version: 7.3
Language: en-DE
Date of print: 3.6.2025

Page: 5 of 9

Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	> 300 °C
Flammability:	No data available
Lower and upper explosion limit:	No data available
Flash point:	> 300 °C
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH:	No data available
Kinematic viscosity:	at 40 °C: 46,0 mm ² /s
Water solubility:	< 1 mg/L
Partition coefficient n-octanol/water (log value):	14,4728 log K(o/w) Based on the n-octanol/water partition coefficient accumulation in organisms is possible.
Vapour pressure:	No data available
Density:	at 20 °C: 921 kg/m ³
Relative vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions with proper and specified storage and handling.

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames. Take action to prevent static discharges.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition:	No data available
------------------------	-------------------



Eni metalCut S 3000

Material number 725

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 21.5.2025
Version: 7.4
Replaces version: 7.3
Language: en-DE
Date of print: 3.6.2025

Page: 6 of 9

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: LD50 Rat, oral: > 2.000 mg/kg (OECD 401)
LC50 Rat, inhalative: > 5 mg/L/4h (Aerosol, OECD 403)
LD50 Rabbit, dermal: > 2.000 mg/kg (OECD 402)

Toxicological effects: Acute toxicity (oral): Based on available data, the classification criteria are not met.
Acute toxicity (dermal): Based on available data, the classification criteria are not met.
Acute toxicity (inhalative): Based on available data, the classification criteria are not met.
Skin corrosion/irritation: Based on available data, the classification criteria are not met.
Rabbit: Negative (OECD 404)
Serious eye damage/irritation: Based on available data, the classification criteria are not met.
Rabbit: Negative (OECD 405)
Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.
Skin sensitisation: Based on available data, the classification criteria are not met.
Guinea pig: not sensitising
Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.
Negative in the Ames test. (OECD 471)
Carcinogenicity: Based on available data, the classification criteria are not met.
Reproductive toxicity: Based on available data, the classification criteria are not met.
NOAEL, Rat: 2.000 mg/kg bw/d (OECD 414)
Effects on or via lactation: Lack of data.
Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.
NOAEL, Rat: 12.500 ppm (OECD 407)
Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.
Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties:

None

Other information:

No data available

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Fish toxicity:
LC50 Danio rerio (zebrafish): > 10.000 mg/L/96h
Daphnia toxicity:
EL50 Daphnia magna (Big water flea): > 100 mg/L/48h
Algae toxicity:
EL50 Desmodesmus subspicatus (green algae): > 100 mg/L/72h

Water Hazard Class: 1 = slightly hazardous to water (WGK catalog number 2075)



Eni metalCut S 3000

Material number 725

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 21.5.2025
Version: 7.4
Replaces version: 7.3
Language: en-DE
Date of print: 3.6.2025

Page: 7 of 9

12.2 Persistence and degradability

Further details: Biodegradability: 79,9%/ 28 d (OECD 301 B)
Easily bio-degradable.

12.3 Bioaccumulative potential

Bioconcentration factor (BCF):
3,162

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 Endocrine disrupting properties

None

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 13 01 12* = Readily biodegradable hydraulic oils
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.
Do not allow to enter into ground-water, surface water or drains.

Package

Recommendation: Empty carefully and completely, if possible. Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled.
Handle contaminated packages in the same way as the substance itself.

Section 14. Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:
not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:
Not restricted



Eni metalCut S 3000

Material number 725

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 21.5.2025
Version: 7.4
Replaces version: 7.3
Language: en-DE
Date of print: 3.6.2025

Page: 8 of 9

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 1 = slightly hazardous to water (WGK catalog number 2075)

Technical guidance air: 5.2.5

Further regulations, limitations and legal requirements:

No data available

National regulations - EC member states

Further regulations, limitations and legal requirements:

No data available

15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Reason of change: Changes in section 1: General use

Date of first version: 21.6.2022

Department issuing data sheet:

see section 1: Department responsible for information



Eni metalCut S 3000

Material number 725

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)
2020/878

Revision date: 21.5.2025
Version: 7.4
Replaces version: 7.3
Language: en-DE
Date of print: 3.6.2025

Page: 9 of 9

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
AS/NZS: Australian Standards/New Zealand Standards
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods
EN: European Standard
EQ: Excepted quantities
EU: European Union
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
IMO: International Maritime Organization
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD: Organisation for Economic Co-operation and Development
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<https://sumdat.net/s7giutw1>

