

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 32 UNI PLUS, Art.-no. 0754  
**Revision date :** 01.04.2015  
**Print date :** 24.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Agip metalCut 32 UNI PLUS

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**

Metal working fluid for industrial use

### 1.3 Details of the supplier of the safety data sheet

**Supplier (manufacturer/importer/downstream user/distributor)**

Eni Schmiertechnik GmbH

**Street :** Paradiesstraße 14

**Postal code/city :** 97080 Würzburg

**Telephone :** (+49) 931-90098-0

**Telefax :** (+49) 931-98442

**Information contact :** Technical Department, Tel. (+49) 931 900 98-142

**email:** [technik.wuerzburg@agip.de](mailto:technik.wuerzburg@agip.de), [www.enischmiertechnik-datenblaetter.de](http://www.enischmiertechnik-datenblaetter.de)

### 1.4 Emergency Telephone Number

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

None

### 2.2 Label elements

None

### 2.3 Other hazards

None

## SECTION 3: Composition / information on ingredients

### 3.2 Mixtures

**Description**

Preparation of solvent refined mineral oils with low content of aromatic hydrocarbons and additives.

**Hazardous ingredients**

Distillates (petroleum), hydrotreated heavy paraffinic ; REACH registration No. : 01-2119471299-27 ; EC No. : 265-169-7; CAS No. : 64742-65-0

Weight fraction : < 75 %

Classification 1272/2008 [CLP] : Asp. Tox. 1 ; H304

**Additional information**

Full text of R-, H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**In case of inhalation**

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 32 UNI PLUS, Art.-no. 0754  
**Revision date :** 01.04.2015  
**Print date :** 24.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

Remove casualty to fresh air and keep warm and at rest. Where appropriate artificial ventilation. When in doubt or if symptoms are observed, get medical advice.

### **In case of skin contact**

Change contaminated, saturated clothing. After contact with skin, wash with plenty of water and soap. In case of skin irritation, consult a physician.

### **After eye contact**

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

### **After ingestion**

Do NOT induce vomiting. Call a physician immediately. Rinse mouth thoroughly with water.

### **Self-protection of the first aider**

Protect your self against exposure to chemicals or blood-borne diseases by wearing gloves and eye protection. After providing first aid wash your exposed skin with soap and water.

## **4.2 Most important symptoms and effects, both acute and delayed**

No information available.

## **4.3 Indication of any immediate medical attention and special treatment needed**

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Foam, Extinguishing powder, Carbon dioxide (CO<sub>2</sub>), Water mist

#### **Unsuitable extinguishing media**

Strong water jet

### **5.2 Special hazards arising from the substance or mixture**

#### **Hazardous combustion products**

In case of fire may be liberated: Carbon dioxide (CO<sub>2</sub>), Carbon monoxide, Nitrogen oxides (NO<sub>x</sub>), Smoke and other incomplete combustion products.

### **5.3 Advice for firefighters**

#### **Special protective equipment for firefighters**

In case of fire: Wear self-contained breathing apparatus.

### **5.4 Additional information**

Do not inhale explosion and combustion gases. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Wear breathing apparatus if exposed to vapours/aerosols.

### **6.2 Environmental precautions**

Cover drains. Do not allow to enter into surface water or drains.

In case of entry into waterways, soil or drains, inform the responsible authorities.

### **6.3 Methods and material for containment and cleaning up**

#### **For containment**

Cover drains. Stop and contain spill/release if it can be done safely. Prevent spread over a wide area (e.g. by containment or oil barriers).

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 32 UNI PLUS, Art.-no. 0754  
**Revision date :** 01.04.2015  
**Print date :** 24.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

### For cleaning up

Wipe up with absorbent material (eg. cloth, fleece).  
Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

See Section 8 for information on appropriate personal protective equipment.  
See Section 12 for environmental precautions.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Wear personal protection equipment (see chapter 8). Use only in well-ventilated areas. Put lids on containers immediately after use. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### Protective measures

##### Measures to prevent fire

Usual measures for fire prevention.

##### Environmental precautions

Do not allow to enter into surface water or drains.

#### Advices on general occupational hygiene

When using do not eat, drink, smoke. Wash hands before breaks and after work.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container.  
Suitable container/equipment material: Steel PE (polyethylene)

#### Hints on joint storage

Keep away from: Oxidising agent

**Storage class :** 10

#### Do not store together with

Food and feedingstuffs

#### Further information on storage conditions

**Storage stability :** Product may be stored for up to 24 months under described conditions.

### 7.3 Specific end use(s)

None

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### DNEL/DMEL and PNEC values

##### DNEL/DMEL

No DNEL / DMEL-values available.

##### PNEC

No DNEL-values available.

### 8.2 Exposure controls

#### Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### Personal protection equipment

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 32 UNI PLUS, Art.-no. 0754  
**Revision date :** 01.04.2015  
**Print date :** 24.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

### Eye/face protection

Eye glasses with side protection (DIN EN 166)

### Skin protection

#### Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Tested protective gloves must be worn: DIN EN 374

#### Suitable material :

full contact: glove material: polyvinyl alcohol; break through time: > 480 min, .

splash contact: glove material: polyvinyl alcohol, chloroplene rubber (0,4 mm), break through time: > 30 min.

**Breakthrough time (maximum wearing time):** : For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Body protection

Body protection: not required.

### Respiratory protection

Usually no personal respirative protection necessary. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Respiratory protection necessary at: exceeding exposure limit values insufficient ventilation aerosol or mist formation. high concentrations

#### Suitable respiratory protection apparatus

Select a filter suitable for organic gases and vapours [boiling point >65 °C meeting EN14387 Typ A.

### General health and safety measures

When using do not eat, drink, smoke. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Apply skin care products after work.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance :** liquid

**Colour :** yellow

**Odour :** characteristic

#### Safety relevant basis data

<b>pH value :</b>				not applicable	
<b>Boiling temperature :</b>	( 1013 hPa )	>	200	°C	
<b>Flash point :</b>		>	220	°C	DIN EN ISO 2592
<b>Pour Point:</b>		<	-20	°C	
<b>Flammability (Solid, Gas):</b>				not applicable	
<b>Lower explosion limit :</b>			0,6	Vol-%	
<b>Upper explosion limit :</b>			6,5	Vol-%	
<b>Vapour pressure :</b>	( 20 °C )			No data available	
<b>Vapour Density (Air = 1):</b>				no data available	
<b>Evaporation Rate :</b>				no data available	
<b>Density :</b>	( 15 °C )		0,87	g/cm <sup>3</sup>	DIN EN ISO 12185
<b>Water solubility :</b>	( 20 °C )			non miscible	
<b>Partition Coefficient (n-octanol/water):</b>	( log Pow )			not applicable	
<b>Ignition temperature :</b>		>	240	°C	
<b>Cinematic viscosity :</b>	( 40 °C )	ca.	32	mm <sup>2</sup> /s	DIN EN ISO 3104
<b>Decomposition temperature :</b>				No data available	
<b>Odour threshold :</b>				No data available	

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 32 UNI PLUS, Art.-no. 0754  
**Revision date :** 01.04.2015  
**Print date :** 24.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

**Oxidizing Properties:** not oxidising  
**Explosive Properties:** not explosive

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Dangerous reactions are not expected handling the product according to its intended use.

### 10.2 Chemical stability

Stable at intended use.

### 10.3 Possibility of hazardous reactions

No information available.

### 10.4 Conditions to avoid

Heat, UV-radiation/sunlight, Frost,

### 10.5 Incompatible materials

Oxidising agent, strong.

### 10.6 Hazardous decomposition products

Thermal decomposition is highly dependent on conditions. A complex mixture of airborne solids, liquids and gases, including carbon monoxide, carbon dioxide and other organic compounds will be evolved when this material undergoes combustion or thermal or oxidative degradation.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Toxicological data are not available. The statement is derived from the properties of the single components. Data apply to the main component.

#### Acute effects

No data available to indicate product may be an acute toxic oral, dermal or inhalation hazard.

#### Acute oral toxicity

Parameter : LD50 ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )  
Exposure route : Oral  
Species : Rat  
Effective dose : > 5000 mg/kg

#### Acute dermal toxicity

Parameter : LD50 ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : > 5000 mg/kg

#### Acute inhalation toxicity

Parameter : LD50 ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 5,53 mg/l  
Exposure time : 4 h

#### Irritant and corrosive effects

##### Primary irritation to the skin

Parameter : Primary irritation to the skin ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )  
Species : Rabbit

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 32 UNI PLUS, Art.-no. 0754  
**Revision date :** 01.04.2015  
**Print date :** 24.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

Result : Mild effects but not relevant for classification.

Not an irritant.

### Irritation to eyes

Parameter : Irritation to eyes ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )

Species : Rabbit

Result : Mild effects but not relevant for classification.

Not an irritant.

### Sensitisation

There is no evidence of a skin-sensitizing potential.

### In case of skin contact

Parameter : Skin sensitisation ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )

Parameter : guinea pig

Result : not sensitizing

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

#### Carcinogenicity

The highly refined mineral oil contains less than 3% (w/w) DMSO-extract, according to IP 346 and is not considered to be carcinogenic.

#### Germ cell mutagenicity/Genotoxicity

no known significant effects or critical hazards.

#### Reproductive toxicity

no known significant effects or critical hazards.

### Specific target organ toxicity (single exposure)

#### STOT SE 1 and 2

Not expected to cause organ damage from a single exposure.

### Specific target organ toxicity (repeated exposure)

#### STOT RE 1 and 2

Not expected to cause organ damage from prolonged or repeated exposure.

### Aspiration hazard

Based on the available data the classification criteria for aspiration toxicity are not met.

## SECTION 12: Ecological information

### 12.1 Toxicity

For the product ecotoxicological data are not available. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see chapter 3).

#### Aquatic toxicity

Harmless to aquatic organisms up to the tested concentration

#### Acute (short-term) fish toxicity

Parameter : LC50 ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )

Species : Oncorhynchus mykiss (Rainbow trout)

Effective dose : > 100 mg/l

Exposure time : 96 h

#### Acute (short-term) daphnia toxicity

Parameter : EC50 ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )

Species : Daphnia magna (Big water flea)

Effective dose : > 1000 mg/l

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 32 UNI PLUS, Art.-no. 0754  
**Revision date :** 01.04.2015  
**Print date :** 24.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

Exposure time : 48 h

### Acute (short-term) algae toxicity

Parameter : EC50 ( Distillates (petroleum), hydrotreated heavy paraffinic ; CAS No. : 64742-65-0 )  
Species : Pseudokirchneriella subcapitata  
Effective dose : > 100 mg/l  
Exposure time : 72 h

### 12.2 Persistence and degradability

Moderately/partially biodegradable.

### 12.3 Bioaccumulative potential

Contains components with the potential to bioaccumulate.

### 12.4 Mobility in soil

Floats on water.  
Adsorbs to soil and has low mobility.

### 12.5 Results of PBT and vPvB assessment

The substance does not fulfill the screening criteria for persistence, bioaccumulation and toxicity and hence is not considered to be PBT or vPvB.

### 12.6 Other adverse effects

Poorly soluble mixture. May cause physical fouling of aquatic organisms.

### 12.7 Further ecological information

Do not allow uncontrolled discharge of product into the environment.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product/Packaging disposal

##### Waste codes/waste designations according to EWC/AVV

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

##### Waste code product

12 01 07\*

##### Waste name

Mineral-based machining oils free of halogens (except emulsions and solutions).

##### Waste treatment options

##### Appropriate disposal / Product

Delivery to an approved waste disposal company. Dispose of waste according to applicable legislation.

##### Appropriate disposal / Package

Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Dispose of waste according to applicable legislation.

## SECTION 14: Transport information

### 14.1 UN number

No dangerous goods in sense of this transport regulation.

### 14.2 UN proper shipping name

No dangerous goods in sense of this transport regulation.

### 14.3 Transport hazard class(es)

No dangerous goods in sense of this transport regulation.

### 14.4 Packing group

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 32 UNI PLUS, Art.-no. 0754  
**Revision date :** 01.04.2015  
**Print date :** 24.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

No dangerous goods in sense of this transport regulation.

### 14.5 Environmental hazards

No dangerous goods in sense of this transport regulation.

### 14.6 Special precautions for user

None

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to VwVwS

### 15.2 Chemical Safety Assessment

No information available.

## SECTION 16: Other information

### 16.1 Indication of changes

None

### 16.2 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Regulation for Classification, Labelling and Packaging

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

### 16.3 Key literature references and sources for data

Sources of information used in preparing this SDS included one or more of the following: Product Dossiers and SDS from suppliers, complemented by public sources, as appropriate (GESTIS, the EU IUCLID Data Base, U.S. NTP publications, e.g.).

### 16.4 Relevant H- and EUH-phrases (Number and full text)

H304 May be fatal if swallowed and enters airways.

### 16.5 Training advice

Provide adequate information, instruction and training for operators.

### 16.6 Additional information

None



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Agip metalCut 32 UNI PLUS, Art.-no. 0754  
**Revision date :** 01.04.2015  
**Print date :** 24.04.2015

**Version (Revision) :** 3.0.0 (1.0.0)

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---