



Eni metalCut 22 UNI

Material number 384

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 6.0
Replaces version: 5.2
Language: en-DE
Date of print: 4.4.2024

Page: 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni metalCut 22 UNI

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Metalworking fluid

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (CLP)

Hazard statements: H412 Harmful to aquatic life with long lasting effects.

Precautionary statements: P273 Avoid release to the environment.

P501 Dispose of contents/container to hazardous or special waste collection point.

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

The product does not contain any substances classified as PBT or vPvB.

| CAS No. | Designation | PBT/vPvB | ED Human | ED Environment |
|----------|------------------------------------|----------|----------|----------------|
| 128-37-0 | 3,5-Di-tert-butyl-4-hydroxytoluene | | List II | |



Eni metalCut 22 UNI

Material number 384

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.2

Language: en-DE

Date of print: 4.4.2024

Page: 2 of 11

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of base oils and additives.

Hazardous ingredients:

| Identifiers | Designation Classification | Content |
|---|---|--------------|
| REACH 01-2119565113-46-xxxx EC No. 204-881-4 CAS 128-37-0 | 3,5-Di-tert-butyl-4-hydroxytoluene Aquatic Acute 1; H400. Aquatic Chronic 1; H410. | 0,25 - 0,5 % |

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4: First aid measures

4.1 Description of first aid measures

| | |
|-------------------------|---|
| General information: | If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse. If unconscious place in recovery position and seek medical advice. |
| In case of inhalation: | If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Where appropriate artificial ventilation. Seek medical treatment in case of troubles. |
| Following skin contact: | Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician. |
| After eye contact: | Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist. |
| After swallowing: | Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately get medical attention. |

4.2 Most important symptoms and effects, both acute and delayed

The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Observe risk of aspiration if vomiting occurs.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet



Eni metalCut 22 UNI

Material number 384

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 6.0
Replaces version: 5.2
Language: en-DE
Date of print: 4.4.2024

Page: 3 of 11

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.
Furthermore, there may develop: smoke, nitrogen oxides (NOx), carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Do not inhale explosion and combustion gases. Cool endangered containers with water jetspray. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with skin, eyes and clothes.
If possible, eliminate leakage. Provide adequate ventilation.
Wear appropriate protective equipment. Keep unprotected people away.
Take off contaminated clothing and wash it before reuse.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.
If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. cover drains.
Wipe up with absorbent material (eg. cloth, fleece). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Never return spills in original containers for re-use.
Clean contaminated articles and floor according to the environmental legislation.

Additional information:

Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Avoid contact with skin, eyes and clothes. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Have eye wash bottle or eye rinse ready at work place. When handling large quantities, supply emergency spray.



Eni metalCut 22 UNI

Material number 384

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.2

Language: en-DE

Date of print: 4.4.2024

Page: 4 of 11

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take action to prevent static discharges.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.

Keep container dry. Keep only in the original container.

Protect from heat and direct sunlight. Protect from frost.

Store containers in upright position.

Recommended storage temperature: 5-40 °C. Maximum storage period (time): 24 months.

Provide earthing of containers, equipment, pumps and ventilation facilities.

Hints on joint storage:

keep away from oxidizing agents.

Keep away from food, drink and animal feedingstuffs..

Storage class:

10 = Combustible liquids, unless storage class 3

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

| CAS No. | Designation | Type | Limit value |
|----------|------------------------------------|----------------------------|--|
| 128-37-0 | 3,5-Di-tert-butyl-4-hydroxytoluene | Germany: TRGS 900 Kurzzeit | 40 mg/m ³ (Aerosol and vapour, inhalable fraction) |
| | | Germany: TRGS 900 Langzeit | 10 mg/m ³ (Aerosol and vapour, inhalable fraction) |

DNEL/DMEL:

Information about 3,5-Di-tert-butyl-4-hydroxytoluene:

DNEL workers, long-term, systemic, inhalative: 1,76 mg/m³

DNEL workers, long-term, systemic, dermal: 0,5 mg/kg bw/d

DNEL consumers, long-term, systemic, inhalative: 0,435 mg/m³

DNEL consumers, long-term, systemic, dermal: 0,25 mg/kg bw/d

DNEL consumers, long-term, systemic, oral: 0,25 mg/kg bw/d

PNEC:

Information about 3,5-Di-tert-butyl-4-hydroxytoluene:

PNEC water (freshwater): 0,199 µg/L

PNEC water (marine water): 0,02 µg/L

PNEC sediment (freshwater): 0,458 mg/kg dw

PNEC sediment (marine water): 0,046 mg/kg dw

PNEC sewage treatment plant: 0,017 mg/L

PNEC soil: 0,054 mg/kg dw

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.



Eni metalCut 22 UNI

Material number 384

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 6.0
Replaces version: 5.2
Language: en-DE
Date of print: 4.4.2024

Page: 5 of 11

Personal protection equipment

Occupational exposure controls

- Respiratory protection: Usually no personal respirative protection necessary. Respiratory protection necessary at: insufficient ventilation, exceeding exposure limit values, aerosol or mist formation
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.
- Hand protection: Protective gloves according to DIN EN 374.
Glove material: Nitrile rubber, polychloroprene, polyvinyl alcohol
Layer thickness: 0,7 mm. Breakthrough time: > 480 min
During splash contact:
Layer thickness: 0,4 mm. Breakthrough time: > 30 min
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022.
- Body protection: Wear suitable protective clothing.
- General protection and hygiene measures:
Do not breathe mist/vapours/spray. Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes and clothes.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Have eye wash bottle or eye rinse ready at work place. When handling large quantities, supply emergency spray.
Don't put cleaning rags fouled by oil into trousers pockets.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|--|
| Physical state at 20 °C and 101.3 kPa | liquid |
| Colour: | Light yellow |
| Odour: | Characteristic |
| Odour threshold: | No data available |
| Melting point/freezing point: | < -10 °C |
| Initial boiling point and boiling range: | > 250 °C (1013 hPa) |
| Flammability: | No data available |
| Upper/lower flammability or explosive limits: | LEL (Lower Explosion Limit): 0,60 Vol-% UEL (Upper Explosive Limit): 6,50 Vol-% |
| Flash point/flash point range: | 206 °C (DIN EN ISO 2592) |
| Auto-ignition temperature: | > 200 °C |
| Decomposition temperature: | No data available |
| pH: | Not applicable |
| Viscosity, kinematic: | at 40 °C: approx. 21 mm ² /s (DIN EN ISO 3104) |
| Water solubility: | at 20 °C: Practically insoluble |
| Partition coefficient: n-octanol/water: | Not applicable |
| Vapour pressure: | No data available |
| Density: | at 15 °C: 0,864 g/mL (DIN EN ISO 12185) |
| Vapour density: | No data available |



Eni metalCut 22 UNI

Material number 384

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.2

Language: en-DE

Date of print: 4.4.2024

Page: 6 of 11

Particle characteristics:

Not applicable

9.2 Other information

Explosive properties:

No data available

Oxidizing characteristics:

No data available

Auto-ignition temperature:

No data available

Evaporation rate:

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.

Protect from direct sunlight.

Protect from moisture contamination. Protect from frost.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available



Eni metalCut 22 UNI

Material number 384

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 6.0
Replaces version: 5.2
Language: en-DE
Date of print: 4.4.2024

Page: 7 of 11

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties: This product contains a substance that has endocrine disrupting properties with respect to humans.

Other information: Information about 3,5-Di-tert-butyl-4-hydroxytoluene:
LD50, Rat, oral: > 6.000 mg/kg (OECD 401)
LD50, Rat, dermal: > 2.000 (OECD 402)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects. Information about 3,5-Di-tert-butyl-4-hydroxytoluene:
Fish toxicity:
LC50 Danio rerio (zebrafish): > 0,57 mg/L/96h
Daphnia toxicity:
EC50 Daphnia magna (Big water flea): > 0,17 mg/L/48h
Algae toxicity:
IC50 Desmodesmus subspicatus (green algae): > 0,42 mg/L/72h

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)



Eni metalCut 22 UNI

Material number 384

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.2

Language: en-DE

Date of print: 4.4.2024

Page: 8 of 11

12.2 Persistence and degradability

Further details: Physico-chemical elimination:
Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.
Biodegradability:
Part of the components is biodegradable.

12.3 Bioaccumulative potential

No indication of bioaccumulation potential.
Partition coefficient: n-octanol/water:
Not applicable

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information: Mechanical action of the product (e.g. unwanted adherence) may cause damages.
Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 12 01 07* = Mineral-based machining oils free of halogens (except emulsions and solutions)

* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.
Can be incinerated together with household waste in compliance with applicable technical regulations following consultation with approved waste disposal management companies and authorities in charge.
Do not allow to enter into ground-water, surface water or drains.

Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.



Eni metalCut 22 UNI

Material number 384

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 6.0
Replaces version: 5.2
Language: en-DE
Date of print: 4.4.2024

Page: 9 of 11

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR:

not applicable

ADN:

ID 9006

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

ADN:

ID 9006, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

ADN:

Class 9, Code: M12

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

no

14.6 Special precautions for user

Inland waterway craft (ADN)

Hazard label:

-

Transport permitted:

T

Equipment necessary:

PP

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Information on working limitations:

Observe employment restrictions for young people.



Eni metalCut 22 UNI

Material number 384

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.2

Language: en-DE

Date of print: 4.4.2024

Page: 10 of 11

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

National regulations - EC member states

Volatile organic compounds (VOC):

0 % by weight

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

H412 = Harmful to aquatic life with long lasting effects.

Reason of change: Changes in section 1: Details of the supplier of the safety data sheet
General revision

Date of first version: 28.3.2022

Department issuing data sheet:
see section 1: Department responsible for information

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
Aquatic Acute: Hazardous to the aquatic environment - acute
Aquatic Chronic: Hazardous to the aquatic environment - chronic
AS/NZS: Australian Standards/New Zealand Standards
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EC50: Effective Concentration 50%
EN: European Standard
EQ: Excepted quantities
EU: European Union
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50: Inhibition Concentration 50%
IMDG Code: International Maritime Dangerous Goods Code
LC50: Median lethal concentration
LD50: Lethal dose 50%
LEL: Lower Explosion Limit
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.



Eni metalCut 22 UNI

Material number 384

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 6.0

Replaces version: 5.2

Language: en-DE

Date of print: 4.4.2024

Page: 11 of 11

Most recent product information is available at:
<http://sumdat.net/wkq5pnhd>

