

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni metalGrind S 10 CBN

UFI: C550-J07E-100K-H33S

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Lubricants, greases, release products

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Asp. Tox. 1; H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (CLP)



Signal word: **Danger**

Hazard statements: H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.



Eni metalGrind S 10 CBN

Material number 961

Revision date: 25.10.2024
Version: 7.0
Replaces version: 6.0
Language: en-DE
Date of print: 6.11.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 2 of 12

Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P273	Avoid release to the environment.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of contents/container to hazardous or special waste collection point.

Special labelling

Text for labelling: Distillates (petroleum), hydrotreated light paraffinic

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

CAS No.	Designation	PBT/vPvB	ED Human	ED Environment
128-37-0	2,6-di-tert-Butyl-p-cresol		List II	

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Mixture of the substances listed below with non-hazardous additions

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119487077-29-xxxx EC No. 265-158-7 CAS 64742-55-8	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1; H304.	75 - 90 %
REACH 01-2119519251-50-xxxx list no. 700-990-0 CAS -	Reaction mass of p-t-butylphenyldiphenyl phosphate and bis(p-t-butylphenyl)phenyl phosphate and triphenyl phosphate Aquatic Chronic 3; H412.	< 5 %
EC No. 263-141-9 CAS 61790-49-6	Oils, lard, sulfurized Eye Irrit. 2; H319.	< 5 %
REACH 01-2119555270-46-xxxx EC No. 204-881-4 CAS 128-37-0	2,6-di-tert-Butyl-p-cresol Aquatic Acute 1; H400. Aquatic Chronic 1; H410.	< 1 %

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.



Eni metalGrind S 10 CBN

Material number 961

Revision date: 25.10.2024

Version: 7.0

Replaces version: 6.0

Language: en-DE

Date of print: 6.11.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 3 of 12

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:	In all cases of doubt, or when symptoms persist, seek medical advice. If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.
In case of inhalation:	Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.
Following skin contact:	Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.
After swallowing:	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Caution if victim vomits: Risk of aspiration! Keep airway open. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

Aspiration hazard: in case of swallowing or vomiting danger of penetration into the lungs.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Sand, extinguishing powder, foam and carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Excess water, full water jet, atomized water

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Nitrogen oxides (NO_x), carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. Cool endangered containers with water jetspray.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.



Eni metalGrind S 10 CBN

Material number 961

Revision date: 25.10.2024
Version: 7.0
Replaces version: 6.0
Language: en-DE
Date of print: 6.11.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 4 of 12

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing mist/vapours/spray. Avoid contact with the substance.
If possible, eliminate leakage. Provide adequate ventilation.
Wear appropriate protective equipment. Keep unprotected people away.
Take off contaminated clothing and wash it before reuse. Remove all sources of ignition.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.
If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal. Ventilate affected area. Clean contaminated objects and areas thoroughly observing environmental regulations.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Put lids on containers immediately after use. Wear appropriate protective equipment. Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.
Have eye wash bottle or eye rinse ready at work place.
Use only antistatically equipped (spark-free) tools.

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store container tightly closed in a dry and cool place. Keep only in the original container.
Protect from frost, heat and sunlight.
Storage temperature: 5 - 40 °C
Storage stability: Average shelf life of 24 months.

Hints on joint storage: Do not store together with acids or oxidizing agents.
Keep away from food, drink and animal feedingstuffs.

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

7.3 Specific end use(s)

No information available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
128-37-0	2,6-di-tert-Butyl-p-cresol	Germany: TRGS 900 Kurzzeit	40 mg/m ³ (Aerosol and vapour, inhalable fraction)
		Germany: TRGS 900 Langzeit	10 mg/m ³ (Aerosol and vapour, inhalable fraction)

DNEL/DMEL:

Information about Reaction mass of p-t-butylphenyldiphenyl phosphate and bis(p-t-butylphenyl)phenyl phosphate and triphenyl phosphate (List no. 700-990-0):
 DNEL, workers, inhalative, systemic, long-term: 7,58 mg/m³
 DNEL, workers, dermal, systemic, long-term: 10,75 mg/kg bw/d
 DNEL, consumers, inhalative, systemic, long-term: 1,87 mg/m³
 DNEL, consumers, dermal, systemic, long-term: 5,375 mg/kg bw/d
 DNEL, consumers, oral, systemic, long-term: 5,375 mg/kg bw/d

Information about 2,6-di-tert-Butyl-p-cresol (CAS 128-37-0):
 DNEL, workers, inhalative, systemic, long-term: 1,76 mg/m³
 DNEL, workers, dermal, systemic, long-term: 0,5 mg/kg bw/d
 DNEL, consumers, inhalative, systemic, long-term: 0,435 mg/m³
 DNEL, consumers, dermal, systemic, long-term: 0,25 mg/kg bw/d
 DNEL, consumers, oral, systemic, long-term: 0,25 mg/kg bw/d

PNEC:

Information about Reaction mass of p-t-butylphenyldiphenyl phosphate and bis(p-t-butylphenyl)phenyl phosphate and triphenyl phosphate (List no. 700-990-0):
 PNEC, water (freshwater): 0,004 mg/L
 PNEC, water (marine water): 0 mg/L
 PNEC, sediment (freshwater): 3,12 mg/kg dw
 PNEC, sediment (marine water): 0,312 mg/kg dw
 PNEC, soil: 0,246 mg/kg dw
 PNEC, Secondary Poisoning: 23,89 mg/kg Food

Information about 2,6-di-tert-Butyl-p-cresol (CAS 128-37-0):
 PNEC, water (freshwater): 0,000199 mg/L
 PNEC, water (marine water): 0,00002 mg/L
 PNEC, sewage treatment plant: 0,017 mg/L
 PNEC, sediment (freshwater): 0,458 mg/kg dw
 PNEC, sediment (marine water): 0,046 mg/kg dw
 PNEC, soil: 0,054 mg/kg dw

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.



Eni metalGrind S 10 CBN

Material number 961

Revision date: 25.10.2024
Version: 7.0
Replaces version: 6.0
Language: en-DE
Date of print: 6.11.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 6 of 12

Personal protection equipment

Occupational exposure controls

- Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. Use filter type A/P3 according to EN 14387.
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.
- Hand protection: Protective gloves according to DIN EN ISO 374:1.
Qualified glove material: NBR nitrile rubber
Layer thickness: $\geq 0,12$ mm
Breakthrough time: 240 min
Unsuitable glove material: Butyl caoutchouc (butyl rubber), natural rubber (Caoutchouc), chloroprene rubber
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022
- Body protection: Wear suitable protective clothing.
- General protection and hygiene measures:
Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
Take off contaminated clothing and wash it before reuse.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Have eye wash bottle or eye rinse ready at work place.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow
Odour:	characteristic
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flammability:	This material is combustible, but will not ignite readily.
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	176 °C
Decomposition temperature:	Not relevant
pH:	No data available
Viscosity, kinematic:	at 40 °C: 10,5 mm ² /s
Solubility:	No data available
Partition coefficient: n-octanol/water:	5,1 log K(o/w) (2,6-di-tert-Butyl-p-cresol (CAS 128-37-0)) Based on the n-octanol/water partition coefficient accumulation in organisms is possible. 4,68 log K(o/w) (Reaction mass of p-t-butylphenyldiphenyl phosphate and bis(p-t-butylphenyl)phenyl phosphate and triphenyl phosphate (List no. 700-990-0)) Based on the n-octanol/water partition coefficient accumulation in organisms is possible.



Eni metalGrind S 10 CBN

Material number 961

Revision date: 25.10.2024
Version: 7.0
Replaces version: 6.0
Language: en-DE
Date of print: 6.11.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 7 of 12

Vapour pressure:	No data available
Density:	at 20 °C: 0,86 g/mL
Vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available
Evaporation rate:	No data available
Additional information:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Protect from frost, heat and sunlight.

10.5 Incompatible materials

Acids and oxidizing agents.

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: Not relevant



Eni metalGrind S 10 CBN

Material number 961

Revision date: 25.10.2024
Version: 7.0
Replaces version: 6.0
Language: en-DE
Date of print: 6.11.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 8 of 12

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Asp. Tox. 1; H304 = May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties: This product contains a substance that has endocrine disrupting properties with respect to humans.

Symptoms

May be harmful if inhaled.
Respiratory complaints, headache, discomfort, dizziness.
Symptoms can occur only after several hours.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects.
Information about 2,6-di-tert-Butyl-p-cresol (CAS 128-37-0):
Fish toxicity:
LC50 Danio rerio (zebrafish): > 0,57 mg/L/96h
Daphnia toxicity:
EC50 Daphnia magna (Big water flea): 0,48 mg/L/48h
Algae toxicity:
EC50 Pseudokirchneriella subcapitata (green algae): 0,758 mg/L/96h

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)



Eni metalGrind S 10 CBN

Material number 961

Revision date: 25.10.2024
Version: 7.0
Replaces version: 6.0
Language: en-DE
Date of print: 6.11.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 9 of 12

12.2 Persistence and degradability

Further details: Information about Reaction mass of p-t-butylphenyldiphenyl phosphate and bis(p-t-butylphenyl)phenyl phosphate and triphenyl phosphate (List no. 700-990-0): Oxygen consumption: 61 %/28 d (OECD 301 D). Readily biodegradable.

12.3 Bioaccumulative potential

Bioconcentration factor (BCF): Information about Reaction mass of p-t-butylphenyldiphenyl phosphate and bis(p-t-butylphenyl)phenyl phosphate and triphenyl phosphate (List no. 700-990-0): 1.850

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

12.6 Endocrine disrupting properties

None

12.7 Other adverse effects

General information: Damage can be caused through mechanical influence of the product (eg. sticking). Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 13 02 08* = Other engine, gear and lubricating oils
* = Evidence for disposal must be provided.
Recommendation: Dispose of waste according to applicable legislation.

Package

Waste key number: 15 01 10* = Packaging containing residues of or contaminated by dangerous substances
* = Evidence for disposal must be provided.
Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR: not applicable
ADN: ID 9006



Eni metalGrind S 10 CBN

Material number 961

Revision date: 25.10.2024
Version: 7.0
Replaces version: 6.0
Language: en-DE
Date of print: 6.11.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 10 of 12

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

ADN: ID 9006, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

ADN: Class 9, Code: M12

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

Inland waterway craft (ADN)

Hazard label: -
Transport permitted: T
Equipment necessary: PP

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Information on working limitations:

Observe employment restrictions for young people.

Observe employment restrictions for expectant or nursing mothers.

Further regulations, limitations and legal requirements:

No data available

National regulations - EC member states

Volatile organic compounds (VOC):

< 3 % by weight

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3, 75



Eni metalGrind S 10 CBN

Material number 961

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 25.10.2024
Version: 7.0
Replaces version: 6.0
Language: en-DE
Date of print: 6.11.2024

Page: 11 of 12

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Classification procedure: Health hazards, environmental hazards: Calculation method

Wording of the H-phrases under paragraph 2 and 3:

H304 = May be fatal if swallowed and enters airways.

H319 = Causes serious eye irritation.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

H412 = Harmful to aquatic life with long lasting effects.

Reason of change: Changes in section 3: Composition / Information on ingredients

Changes in section 15: Regulatory information

General revision

Date of first version: 21.4.2022

Department issuing data sheet:

see section 1: Department responsible for information

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Aquatic Acute: Hazardous to the aquatic environment - acute

Aquatic Chronic: Hazardous to the aquatic environment - chronic

AS/NZS: Australian Standards/New Zealand Standards

Asp. Tox.: Aspiration toxicity

CAS: Chemical Abstracts Service

CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level

DNEL: Derived no-effect level

EC: European Community

EC50: Effective Concentration 50%

EN: European Standard

EQ: Excepted quantities

EU: European Union

Eye Irrit.: Eye irritation

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

LC50: Median lethal concentration

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OECD: Organisation for Economic Co-operation and Development

OEL: Occupational Exposure Limit Value

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic

PNEC: Predicted no-effect concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

TLV: Threshold Limit Value

TRGS: Technical Rules for Hazardous Substances

vPvB: Very persistent and very bioaccumulative

WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.



Eni metalGrind S 10 CBN

Material number 961

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 25.10.2024

Version: 7.0

Replaces version: 6.0

Language: en-DE

Date of print: 6.11.2024

Page: 12 of 12

Most recent product information is available at:
<http://sumdat.net/wafry7qv>

