

### **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006, as amended

### TROYSHIELD SC1

Version 1.0 Revision Date 01.07.2025 Print Date 09.10.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : TROYSHIELD SC1

REACH Registration Number : 01-2119486482-31-XXXX

Unique Formula Identifier (UFI) : D7V0-107T-C009-DN6E

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Machine cleaner for the metal-working industry

1.3 Details of the supplier of the safety data sheet

Company : TROY CHEMICAL COMPANY BV

Poortweg 4C 2612PA Delft The Netherlands

Telephone: + 31 (0) 10 899 0142

E-mail address / Responsible/issuing : sds-info@arxada.com

person

1.4 Emergency telephone number

Emergency telephone number : EMEA: +44 20 3885 0382 [CCN864796]

Americas: +1-800-424-9300 [CCN864796] Americas: +1-703-527-3887 [CCN864796] APAC: +65 3163 8374 [CCN864796] New Zealand: +64 0800 425 459 [CCN864796]

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H332: Harmful if inhaled. Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage. Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Specific target organ toxicity - H373: May cause damage to organs through prolonged or

repeated exposure, Category 2, repeated exposure if inhaled.

Respiratory system

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :









Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H373 May cause damage to organs (Respiratory system)

through prolonged or repeated exposure if inhaled.

Precautionary statements : Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Call a POISON

CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

2,2',2"-(hexahydro-1,3,5- triazine-1,3,5-triyl)triethanol Poly(oxy-1,2-ethanediyl),  $\alpha$ -(carboxymethyl)- $\omega$ -(octyloxy)-

2-aminoethanol

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. REACH Registration Number	Classification	Concentration (% w/w)
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	4719-04-4 225-208-0 613-114-00-6	Acute Tox. 2; H330 Acute Tox. 4; H302 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT RE 1; H372 (Respiratory system)	>= 5 - < 10



		specific concentration limit Skin Sens. 1; H317 >= 0,1 %  Acute toxicity estimate	
		Acute oral toxicity: 500	
Poly(oxy-1,2-ethanediyl), α-(carboxymethyl)-ω-(octyloxy)-	53563-70-5	mg/kg Eye Dam. 1; H318	>= 1 - < 3
		Acute toxicity estimate	
		Acute oral toxicity: 2 000 mg/kg	
2-(2-Butoxyethoxy)ethanol.	112-34-5	Eye Irrit. 2; H319	>= 1 - < 3
O posice and the second	01-2119475104-44	A	4 05
2-aminoethanol	141-43-5 01-2119486455-28	Acute Tox. 4; H302 Acute Tox. 4; H312 Acute Tox. 4; H332 Aquatic Chronic 3; H412 Eye Dam. 1; H318 Skin Corr. 1B; H314 STOT SE 3; H335	>= 1 - < 2,5
		specific concentration limit STOT SE 3; H335 >= 5 %	
		Acute toxicity estimate  Acute oral toxicity: 1 089 mg/kg	
Pyridine-2-thiol 1-oxide, sodium salt	3811-73-2 223-296-5 613-344-00-7	Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT RE 1; H372 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 2; H411 EUH070  M-Factor (Acute aquatic	>= 0,025 - < 0,1
		toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	



Acute toxicity estimate
Acute oral toxicity: 500 mg/kg Acute inhalation toxicity: 0,5 mg/l Acute dermal toxicity: 790 mg/kg

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : After contact with skin, wash immediately with plenty of soap

and water.

If on clothes, remove clothes.

In the case of skin irritation or allergic reactions see a

physician.

In case of eye contact : Rinse immediately with plenty of lukewarm water, also under

the eyelids, for at least 15 minutes. Call a physician immediately. Remove contact lenses.

Keep eye wide open while rinsing.

Protect unharmed eye.

Continue rinsing eyes during transport to hospital.

Small amounts splashed into eyes can cause irreversible tissue

damage and blindness.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam

Dry chemical



Unsuitable extinguishing media : High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Heating or fire can release toxic gas.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion products : No hazardous combustion products are known

#### 5.3 Advice for firefighters

Special protective equipment for

firefighters

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Further information : Use water spray to cool unopened containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation.

Use respirator when performing operations involving potential

exposure to vapour of the product.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

#### 6.4 Reference to other sections

For personal protection see section 8.

For disposal considerations see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

Avoid exposure - obtain special instructions before use.

Do not breathe vapours/dust. Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Provide sufficient air exchange and/or exhaust in work rooms.



To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against fire and :

explosion

Normal measures for preventive fire protection.

Hygiene measures : Wash hands before breaks and at the end of workday. Avoid

contact with skin, eyes and clothing. When using do not eat or

drink. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and :

containers

Keep container tightly closed. Keep in a well-ventilated place. Electrical installations / working materials must comply with the technological safety standards. To maintain product quality, do not store in heat or direct sunlight. To prevent leaks or spillages from spreading, provide a suitable liquid retention system.

Advice on common storage : Do not store near acids.

Further information on storage

stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2-(2-Butoxyethoxy) ethanol.	112-34-5	TWA	10 ppm 67,5 mg/m3	2006/15/EC
		STEL	15 ppm 101,2 mg/m3	2006/15/EC
		(Inhalable fraction and vapor)	10 ppm	ACGIH
2-aminoethanol	141-43-5	TWA	1 ppm 2,5 mg/m3	2006/15/EC
		STEL	3 ppm 7,6 mg/m3	2006/15/EC
			3 ppm	ACGIH
			6 ppm	ACGIH

### 8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : Nitrile rubber

Remarks : Take note of the information given by the producer concerning



permeability and break through times, and of special

workplace conditions (mechanical strain, duration of contact). Wear protective gloves. Break through time: > 480 min The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard

EN 374 derived from it.

Skin and body protection : Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Rubber or plastic apron Rubber or plastic boots

Respiratory protection : In the case of vapour formation use a respirator with an

approved filter.

Respirator with ABEK filter.

Respirator with a vapour filter (EN 141)

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state : liquid Appearance : clear

Colour : colourless, to, light yellow

Odour : characteristic

Melting point/freezing point : No data available

Boiling point/boiling range : 100 °C

Flammability (solid, gas) : No data available Flammability (liquids) : No data available Upper explosion limit / Upper : No data available

flammability limit

Lower explosion limit / Lower : No data available

flammability limit

Flash point : > 100 °C

Method: closed cup

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 9,6 - 10,3

Concentration: 2 %

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : soluble in cold water

soluble in hot water

Partition coefficient: n-octanol/water : No data available

Vapour pressure : <7,5 mmHg (20 °C)

Relative density : 1,015 - 1,045

Density : 1,015 - 1,045 g/cm3 (20 °C)



Relative vapour density : No data available

Particle characteristics : No data available

9.2 Other information

No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : Heat

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

Strong acids and strong bases

#### 10.6 Hazardous decomposition products

No decomposition if used as directed.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** 

Acute oral toxicity : Acute toxicity estimate: > 2 000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 4,63 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2 000 mg/kg

Method: Calculation method

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitisation

Remarks: No data available



Germ cell mutagenicity

Genotoxicity in vitro : Remarks: No data available

Carcinogenicity

Remarks: No data available

Reproductive toxicity

Effects on fertility : Remarks: No data available

STOT - single exposure

Remarks: No data available

STOT - repeated exposure

Remarks: No data available

**Aspiration toxicity** 

No aspiration toxicity classification

11.2 Information on other hazards

**Endocrine disrupting properties** 

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

**Further information** 

Remarks: No data available

### **SECTION 12: Ecological information**

12.1 Toxicity

Toxicity to fish : Remarks: No data available

12.2 Persistence and degradability

Biodegradability : Remarks: No data available

12.3 Bioaccumulative potential

Bioaccumulation : Remarks: No data available

12.4 Mobility in soil

Distribution among environmental

compartments

Remarks: No data available

12.5 Results of PBT and vPvB assessment

Assessment : This substance/mixture contains no components considered to

be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

higher.



### 12.6 Endocrine disrupting properties

Endocrine disrupting potential : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological information : No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of contents/container in accordance with local

regulation.

Contact waste disposal services. Do not dispose of waste into sewer.

Contaminated packaging : Dispose of as unused product.

Do not re-use empty containers.

### **SECTION 14: Transport information**

IATA Not dangerous goods

14.1UN number: Not applicable14.2Proper shipping name: Not applicable14.3Transport hazard class(es): Not applicable14.4Packing group: Not applicable

**14.5 Environmental hazards** : no

IMDG Not dangerous goods

14.1UN number: Not applicable14.2Proper shipping name: Not applicable14.3Transport hazard class(es): Not applicable14.4Packing group: Not applicable14.5Environmental hazards: Marine pollutant: no

.

ADR Not dangerous goods

14.1UN number: Not applicable14.2Proper shipping name: Not applicable14.3Transport hazard class(es): Not applicable14.4Packing group: Not applicable

14.5 Environmental hazards : no



	•
RID	Not dangerous goods

14.1UN number: Not applicable14.2Proper shipping name: Not applicable14.3Transport hazard class(es): Not applicable14.4Packing group: Not applicable

14.5 Environmental hazards : no

**DOT** : Not dangerous goods

14.1UN number: Not applicable14.2Proper shipping name: Not applicable14.3Transport hazard class(es): Not applicable14.4Packing group: Not applicable

TDG : Not dangerous goods

14.1UN number: Not applicable14.2Proper shipping name: Not applicable14.3Transport hazard class(es): Not applicable14.4Packing group: Not applicable

14.5 Environmental hazards : no

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water hazard class (Germany) : WGK 3 highly hazardous to water

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.



# 15.2 Chemical safety assessment

No data available



#### **SECTION 16: Other information**

Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT RE 2	H373	Calculation method

#### **Full text of H-Statements**

H302	:	Harmful if swallowed.
H311	:	Toxic in contact with skin.
H312	:	Harmful in contact with skin.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H330 : Fatal if inhaled. H331 : Toxic if inhaled. H332 : Harmful if inhaled.

H335 : May cause respiratory irritation.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

EUH070 : Toxic by eye contact.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure 2006/15/EC : Europe. Indicative occupational exposure limit values

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ATE - Acute Toxicity Estimate; AwSV - Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen / Ordinance on facilities for handling substances that are hazardous to water; BPR – Biocidal Product Regulation; bw - Body weight; CAS - Chemical Abstract Service; CLP - Classification Labelling Packaging Regulation, Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL-Derived No Effect Level; DOT - Department of Transportation; EC – European Community; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; EmS (Emergency Response Procedures for Ships Carrying Dangerous Goods); EN – European Standard;



ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; EU OEL - European Occupational Exposure Limit; GHS -Globally Harmonized System of Classification and Labelling of Chemicals; GLP - Good Laboratory Practice; GV - Danish Exposure Limits for Substances and Materials; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration: IMDG - International Maritime Dangerous Goods: LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); LOFT - Danish Threshold Limit Value; MAK - German Threshold Limit Value: MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; NIOSH/Guide - National Institute of Safety and Health Guidebook; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NTP -National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; PEL - Permissible Exposure Limit; PNEC - Predicted no Effect Concentration; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; REL -Recommended Exposure Limit: RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; STEL - Short-Term Exposure Limit; TDG - Transportation of Dangerous Goods; TGG -Dutch Threshold Limit Value; TGV – Swedish OEL; TLV Threshold Limit Value; TLV-C - Threshold Limit Value Ceiling; TWA -Time Weighted Average; UDS - Unscheduled DNA Synthesis; UN - United Nations; VLE - Valeurs limites d'exposition professionnelle aux agents chimiques en France; VME - Valeur (Limite) Moyenne d'Exposition; VOC - Volatile Organic Compound[s]; WEEL - Workplace Environmental Exposure Level; % w/w Percent weight by weight; %(V) Percent Volume

#### **Further information**

Other information : This Safety Data Sheet is a generic European Safety Data

Sheet and therefore does not contain all specific information for

each European country.

Date format : dd.mm.yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

99 / EN