

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878 Revision date: 5/20/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product form : Mixture : Eni i-Sint tech VK 0W-20 Trade name Product code : 1058 Type of product : Lubricant Formula : 0048-2023 Product group : Trade product 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Industrial use, Professional use, Consumer use Industrial/Professional use spec : Used in closed systems Wide dispersive use Use of the substance/mixture : Lubricant for internal combustion engines Do not use the product for any purposes that have not been advised by the manufacturer. Function or use category : Lubricants and additives 1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Enilive S.p.A, Viale Giorgio Ribotta 51, 00144 Rome, ITALY, Tel. +39 06 59821, www.eni.com

Competent person responsible for the safety data sheet (Reg. EC nr. 1907/2006): SDS.Enilive@eni.com

Distributed by: Enilive Schmiertechnik GmbH, Paradiesstraße 14, 97080 Würzburg, GERMANY, www.oilproducts.eni.com Department responsible for information: Application Engineering & Product Management (AEPM), Tel. +49 (0)931-900 98-0 e-mail: technik.wuerzburg@enilive.com

1.4. Emergency telephone number

Emergency number

: CNIT +39 0382 24444 (24h) (IT + EN) Poison Center

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [EU-GHS / CLP]

Not classified

Adverse physicochemical, human health and environmental effects

Prolonged and repeated skin contact may cause reddening, irritation and dermatitis. May produce an allergic reaction. For specific information about the toxicological/ecotoxicological properties and classification of this product, see Sect. 11 and/or Sect. 12.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements

: EUH208 - Contains C14-16-18 Alkyl phenol. May produce an allergic reaction. EUH210 - Safety data sheet available on request.

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| 2.3. Other hazards (not relevant for classification) | | |
|--|--|--|
| Other hazards not contributing to the classification | : This product is combustible, but not classified as Flammable. The creation of flammable vapour mixtures takes place at temperatures which are higher than normal ambient levels. Any substance, in case of accidents involving pressurized circuits and the like, may be accidentally injected under the skin, even without external damage. In such a case, the victim should be brought to an hospital as soon as possible, to get specialized medical treatment. Do not wait for symptoms to develop. | |

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

| Component | |
|---|---|
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based, Baseoil - unspecified (72623-86-0) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, Baseoil - unspecified (72623-87-1) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| C14-16-18 Alkyl phenol | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

| Component | |
|--|---|
| Distillates (petroleum), hydrotreated heavy paraffinic(64742-54-7) | The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based, Baseoil - unspecified(72623-86-0) | The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, Baseoil - unspecified(72623-87-1) | The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 |
| Distillates (petroleum), solvent-dewaxed light paraffinic(64742-56-9) | The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic(64742-65-0) | The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 |

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Component | | |
|--|---|--|
| Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified(64742-70-7) | The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 | |
| C14-16-18 Alkyl phenol | The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 | |

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Notes

: Composition/information on ingredients Polymers Mixture of hydrocarbons Additives

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [EU-GHS / CLP] |
|--|--|-----------|--|
| Distillates (petroleum), hydrotreated heavy paraffinic (see note [*], see note [**]) substance with national workplace exposure limit(s) (AT, BE, DK, ES, GB, HU, NL, SE) | CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25 | 50 - 70 | Asp. Tox. 1, H304 |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based, Baseoil - unspecified (see note [*], see note [**]) substance with national workplace exposure limit(s) (AT, BE, DK, ES, GB, HU, NL, SE) | CAS-No.: 72623-86-0 EC-No.: 276-737-9 EC Index-No.: 649-482-00-X REACH-no: 01-2119474878- 16 | 3 - 7 | Asp. Tox. 1, H304 |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, Baseoil - unspecified (see note [*], see note [**]) substance with national workplace exposure limit(s) (AT, BE, DK, ES, GB, HU, NL, SE) | CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-2119474889- 13 | 3 - 7 | Asp. Tox. 1, H304 |
| Distillates (petroleum), solvent-dewaxed light paraffinic (see note [*], see note [**]) substance with national workplace exposure limit(s) (AT, BE, DK, ES, GB, HU, NL, SE) | CAS-No.: 64742-56-9 EC-No.: 265-159-2 EC Index-No.: 649-469-00-9 REACH-no: 01-2119480132- 48 | 0,1 - 1,5 | Asp. Tox. 1, H304 |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (see note [*], see note [**]) substance with national workplace exposure limit(s) (AT, BE, DK, ES, GB, HU, NL, SE) | CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27 | 0,1 - 1,5 | Asp. Tox. 1, H304 |
| Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (see note [*], see note [**]) | CAS-No.: 64742-70-7 EC-No.: 265-174-4 EC Index-No.: 649-477-00-2 REACH-no: 01-2119487080- 42 | 0,1 - 1,5 | Asp. Tox. 1, H304 |

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Name | Product identifier | | Classification according to Regulation (EC) No. 1272/2008 [EU-GHS / CLP] |
|------------------------|--|-------------|--|
| C14-16-18 Alkyl phenol | EC-No.: 931-468-2 EC Index-No.: N/A REACH-no: 01-2119498288- 19 | 0,01 - 0,14 | Skin Sens. 1B, H317 STOT RE 2, H373 |

Notes

: Note [*]:

this product has a value of DMSO extract < 3 % wt, according to IP 346. According to the criteria laid out by the EU (note L, Annex VI of Regulation (CE) 1272/2008), this product must be regarded as non carcinogenic.

Note [**]:

substance with occupational exposure limits for some EU countries affecting the category of mineral oils (finely refined mineral base oil mists; see section 8.1)

Full text of H- and EUH-statements: see section 16

| 4.1. Description of first aid measures First-aid measures after inhalation : In case of disturbances owing to inhalation of vapours or mists, remove the victim from exposure; keep at rest; if necessary, seek medical attention. See also section 4.3. First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash it before reuse. If inflammation or irritation persists, seek medical advice. In case of burns, cool affected part with cold running water for at least 10 min. Cover with gauze or clean cloth. Ask for medical assistance or bring to a hospital. Do not apply salves or other substances, unless by doctor's advice. Body hypothermia must be avoided. Do not put ice on the burn. First-aid measures after eye contact : Rinse eyes throughly for at least 15 minutes. Keep eyelids well apart. Remove contact lenses, if present and easy to do. Continue rinsing. If rittation, blurred vision or swelling occurs and persists, obtain medical advice from a specialist. In case of burns, cool affected part with cold running water for at least 10 min. Cover with gauze or clean cloth. Ask for medical assistance or bring to a hospital. Do not apply salves or other substances, unless by doctor's advice. First-aid measures after ingestion : Do not induce vomiting. If the person is conscious, rinse mouth with water without swallowing. Keep at rest. Call for medical assistance or bring to a hospital. If the casually is unconscious, place in the recovery position. In case of sportaneous vomiting, keep head tow, to avoid the risk of aspiration into the lungs. Do not give anything by mouth to an unconscious person. 4.2. Most important symptoms and effects, both acute and delayed : This product has a low vapour | SECTION 4: First aid measures | |
|---|---|---|
| First-aid measures after skin contact exposure; keep at rest; if necessary, seek medical attention. See also section 4.3. First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse. If inflammation or irritation persists, seek medical advice. In case of burns, cool affected part with cold running water for at least 10 min. Cover with gauze or clean cloth. Ask for medical assistance or bring to a hospital. Do not apply salves or other substances, unless by doctor's advice. Body hypothermia must be avoided. Do not put ice on the burn. First-aid measures after eye contact : Rinse eyes thoroughly for at least 15 minutes. Keep eyelids well apart. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation, blurred vision or swelling occurs and persists, obtain medical advice from a specialist. In case of burns, cool affected part with cold running water for at least 10 min. Cover with gauze or clean cloth. Ask for medical assistance or bring to a hospital. Do not apply salves or other substances, unless by doctor's advice. First-aid measures after ingestion : Do not induce vomiting. If the person is conscious, rinse mouth with water without swallowing. Keep at rest. Call for medical assistance or bring to an hospital. If the casualty is unconscious person. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after inhalation : This product has a low vapour pressure, and in normal conditions at ambient temperature the concentration in the air is negligible. A significant concentration may build up only in case of sprays and mists. In t | 4.1. Description of first aid measures | |
| First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse. If inflammation or irritation persists, seek medical advice. In case of burns, cool affected part with cold running water for at least 10 min. Cover with gauze or clean cloth. Ask for medical assistance or bring to a hospital. Do not apply salves or other substances, unless by doctor's advice. Body hypothermia must be avoided. Do not put ice on the burn. First-aid measures after eye contact : Rinse eyes thoroughly for at least 15 minutes. Keep eyelids well apart. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation, blurred vision or swelling occurs and persists, obtain medical advice from a specialist. In case of burns, cool affected part with cold running water for at least 10 min. Cover with gauze or clean cloth. Ask for medical assistance or bring to a hospital. Do not apply salves or other substances, unless by doctor's advice. First-aid measures after ingestion : Do not induce vomiting. If the person is conscious, rinse mouth with water without swallowing. Keep at rest. Call for medical assistance or bring to an hospital. If the casualty is unconscious, place in the recovery position. In case of spontaneous vomiting, keep head low, to avoid the risk of aspiration into the lungs. Do not give anything by mouth to an unconscious person. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after inhalation : This product has a low vapour presure, and in normal conditions at ambient temperature the concentration into the iris negligible. A significant concentration may build up only in case of sprays and mists. I | First-aid measures after inhalation | |
| Ienses, if present and easy to do. Continue rinsing. If irritation, blurred vision or swelling occurs and persists, obtain medical advice from a specialist. In case of burns, cool affected part with cold running water for at least 10 min. Cover with gauze or clean cloth. Ask for medical assistance or bring to a hospital. Do not apply salves or other substances, unless by doctor's advice.First-aid measures after ingestion: Do not induce vomiting. If the person is conscious, rinse mouth with water without swallowing. Keep at rest. Call for medical assistance or bring to an hospital. If the casualty is unconscious, place in the recovery position. In case of spontaneous vomiting, keep head low, to avoid the risk of aspiration into the lungs. Do not give anything by mouth to an unconscious person. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after inhalation: This product has a low vapour pressure, and in normal conditions at ambient temperature the concentration in the air is negligible. A significant concentration may build up only in case of sprays and mists. In these cases overexposure to mists (e.g. through prolonged use in confined insufficiently ventilated spaces) may cause irritation to alivays, nause and dizziness.Symptoms/effects after skin contact: Prolonged and repeated skin contact may cause termal burns.Symptoms/effects after eye contact: Contact with yers may cause temporary reddening and irritation. Contact with hot product or vapours may cause burns.Symptoms/effects after ingestion: Accidental ingestion of small quantities of the product may cause and asic and repeated skin contact the product may cause and accident and person. | First-aid measures after skin contact | : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse. If inflammation or irritation persists, seek medical advice. In case of burns, cool affected part with cold running water for at least 10 min. Cover with gauze or clean cloth. Ask for medical assistance or bring to a hospital. Do not apply salves or other substances, unless by doctor's advice. Body hypothermia must be avoided. Do not put ice |
| swallowing. Keep at rest. Call for medical assistance or bring to an hospital. If the casualty is unconscious, place in the recovery position. In case of spontaneous vomiting, keep head low, to avoid the risk of aspiration into the lungs. Do not give anything by mouth to an unconscious person. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after inhalation: This product has a low vapour pressure, and in normal conditions at ambient temperature the concentration in the air is negligible. A significant concentration may build up only in case of sprays and mists. In these cases overexposure to mists (e.g. through prolonged use in confined insufficiently ventilated spaces) may cause irritation to airways, nausea and dizziness.Symptoms/effects after skin contact: Prolonged and repeated skin contact may cause reddening, irritation and dermatitis. May cause an allergic skin reaction. Contact with hot product may cause thermal burns.Symptoms/effects after eye contact: Contact with eyes may cause temporary reddening and irritation. Contact with hot product or vapours may cause burns.Symptoms/effects after ingestion: Accidental ingestion of small quantities of the product may cause analise, discomfort and | First-aid measures after eye contact | lenses, if present and easy to do. Continue rinsing. If irritation, blurred vision or swelling occurs and persists, obtain medical advice from a specialist. In case of burns, cool affected part with cold running water for at least 10 min. Cover with gauze or clean cloth. Ask for medical assistance or bring to a hospital. Do not apply salves or other substances, unless |
| Symptoms/effects after inhalation: This product has a low vapour pressure, and in normal conditions at ambient temperature the concentration in the air is negligible. A significant concentration may build up only in case of sprays and mists. In these cases overexposure to mists (e.g. through prolonged use in confined insufficiently ventilated spaces) may cause irritation to airways, nausea and dizziness.Symptoms/effects after skin contact: Prolonged and repeated skin contact may cause reddening, irritation and dermatitis. May cause an allergic skin reaction. Contact with hot product may cause thermal burns.Symptoms/effects after eye contact: Contact with eyes may cause temporary reddening and irritation. Contact with hot product or vapours may cause burns.Symptoms/effects after ingestion: Accidental ingestion of small quantities of the product may cause nausea, discomfort and | First-aid measures after ingestion | swallowing. Keep at rest. Call for medical assistance or bring to an hospital. If the casualty is unconscious, place in the recovery position. In case of spontaneous vomiting, keep head low, to avoid the risk of aspiration into the lungs. Do not give anything by mouth to an |
| the concentration in the air is negligible. A significant concentration may build up only in case of sprays and mists. In these cases overexposure to mists (e.g. through prolonged use in confined insufficiently ventilated spaces) may cause irritation to airways, nausea and dizziness.Symptoms/effects after skin contactProlonged and repeated skin contact may cause reddening, irritation and dermatitis. May cause an allergic skin reaction. Contact with hot product may cause thermal burns.Symptoms/effects after eye contactContact with eyes may cause temporary reddening and irritation. Contact with hot product or vapours may cause burns.Symptoms/effects after ingestionAccidental ingestion of small quantities of the product may cause nausea, discomfort and | 4.2. Most important symptoms and effects, | both acute and delayed |
| Symptoms/effects after eye contactcause an allergic skin reaction. Contact with hot product may cause thermal burns.Symptoms/effects after eye contact: Contact with eyes may cause temporary reddening and irritation. Contact with hot product or vapours may cause burns.Symptoms/effects after ingestion: Accidental ingestion of small quantities of the product may cause nausea, discomfort and | Symptoms/effects after inhalation | the concentration in the air is negligible. A significant concentration may build up only in case of sprays and mists. In these cases overexposure to mists (e.g. through prolonged use in confined insufficiently ventilated spaces) may cause irritation to airways, nausea and |
| Symptoms/effects after eye contact : Contact with eyes may cause temporary reddening and irritation. Contact with hot product or vapours may cause burns. Symptoms/effects after ingestion : Accidental ingestion of small quantities of the product may cause nausea, discomfort and | Symptoms/effects after skin contact | |
| Symptoms/effects after ingestion : Accidental ingestion of small quantities of the product may cause nausea, discomfort and | Symptoms/effects after eye contact | : Contact with eyes may cause temporary reddening and irritation. Contact with hot product |
| | Symptoms/effects after ingestion | : Accidental ingestion of small quantities of the product may cause nausea, discomfort and |
| Symptoms/effects upon intravenous administration:No information available.Chronic symptoms:None to be reported, according to the present classification criteria. | • • • | : No information available. |

4.3. Indication of any immediate medical attention and special treatment needed

Obtain medical attention if casualty has an altered state of consciousness or if symptoms do not resolve. Seek medical attention in all cases of serious burns.

Safety Data Sheet

| SECTION 5: Firefighting measures | |
|---|--|
| 5.1. Extinguishing media | |
| Suitable extinguishing media Unsuitable extinguishing media | Small-size fires: carbon dioxide, dry chemicals, foam, sand or earth. Large fires: foam or water fog (mist). These means should be used by trained personnel only. Other extinguishing gases (according to regulations). Do not use water jets. They could cause splattering, and spread the fire. Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam. |
| 5.2. Special hazards arising from the subs | tance or mixture |
| Fire hazard Explosion hazard Hazardous decomposition products in case of fire | This product is combustible, but not classified as Flammable. The creation of flammable vapour mixtures takes place at temperatures which are higher than normal ambient levels. In case of losses from pressurized circuits, the sprays may form mists. Take into account that in this case the lower explosion limit for mists is about 45 g/m³ air. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. Oxygenated compounds (aldehydes, etc.). POx. ZnOx. |
| 5.3. Advice for firefighters | |
| Firefighting instructions Special protective equipment for firefighters | Shut off source of product, if possible. Spilled product which is not burning should be covered with sand or foam. If possible, move containers and drums away from the danger area, if safe to do so. Use water sprays to cool containers and surfaces exposed to the flames. If the fire cannot be controlled, evacuate area. Wear personal protection equipment. (see chapter 8). EN 443. EN 469. EN 659. In case of |
| Other information | a large fire or in confined or poorly ventilated spaces, wear full fire resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. In case of fire, do not discharge residual product, waste materials and runoff water: collect separately and use a proper treatment. |

| SECTION 6: Accidental release measures | |
|---|---|
| 6.1. Personal precautions, protective equip | ment and emergency procedures |
| General measures | : Stop or contain leak at the source, if safe to do so. Eliminate all ignition sources if safe to do so (e.g. electricity, sparks, fires, flares). Avoid accidental sprays on hot surfaces or electrical contacts. Avoid direct contact with released material. Keep upwind. Spill area may be slippery. |
| 6.1.1. For non-emergency personnel | |
| Protective equipment | : See Section 8. |
| Emergency procedures | : Keep non-involved personnel away from the area of spillage. Alert emergency personnel. Except in case of small spillages, the feasibility of any actions should always be assessed and advised, if possible, by a trained, competent person in charge of managing the emergency. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Small spillages: normal antistatic working clothes are usually adequate. Large spillages: full body suit of chemically resistant and antistatic material. if necessary heat resistant and insulated. Work gloves providing adequate chemical resistance, specifically to aromatic hydrocarbons. Gloves made of PVA are not water-resistant, and are not suitable for emergency use. If contact with hot product is possible or anticipated, gloves should be heat-resistant and thermally insulated. Antistatic non-skid safety shoes or boots, chemical resistant, if necessary heat resistant and insulated. Work helmet. Goggles and /or face shield, if splashes or contact with eyes is possible or anticipated. Respiratory protection: a half or full-face respirator with filter(s) for organic vapours (AX), or a Self-contained Breathing Apparatus (SCBA) can be used according to the extent of spill and predictable amount of exposure. If the situation cannot be completely assessed, or if an oxygen deficiency is possible, only SCBA's should be used. |
| Emergency procedures | : If required, notify relevant authorities according to all applicable regulations. |

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

C.2. Methode and metavial fer containment and also

6.2. Environmental precautions

Do not let the product accumulate in confined or underground spaces. Do not let the product flow into sewers or water courses, or in any way contaminate the environment. In case of contamination of environment compartments (soil, subsoil, surface or underground waters), remove contaminated soil when possible, and in any case treat all involved compartments in accordance with local regulations. The site should have a spill plan to ensure that adequate safeguards are in place to minimize the impact of episodic releases.

| 6.3. Methods and material for containment and cleaning up | | |
|---|---|--|
| For containment | : Contain spilled liquid with sand, earth or other suitable absorbents (non-flammable). Recover free liquid and waste materials in suitable waterproof and oil-resistant containers. Clean contaminated area. Dispose of according to local regulations. If in water: Confine the spillage. Remove from surface by skimming or suitable floating absorbents. Collect recovered product and other waste materials in suitable waterproof, oil resistant containers. Recover or dispose of according to local regulations. Do not use solvents or dispersants, unless specifically advised by an expert, and, if required, approved by local authorities. | |
| Other information | Recommended measures are based on the most likely spillage scenarios for this material; however, local conditions (wind, air/water temperature, wave/current direction and speed) may significantly influence the choice of appropriate actions. Local regulations may also prescribe or limit actions to be taken. For this reason, local experts should be consulted when necessary. | |

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

| SECTION 7: Handling and storage | | | | |
|--|---|--|--|--|
| 7.1. Precautions for safe handling | | | | |
| | This material is combustible, but will not ignite readily. Provide adequate ventilation. Use adequate personal protective equipment as needed. Due to the extremely slippery nature of this material, more care than usual must be exercised in material handling practices to keep off all walking surfaces. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid release to the environment. Emptied containers can contain combustible product residues. Do not cut, weld, drill, burn or incinerate empty containers or drums, unless they have been drained and cleaned. Before entering storage tanks and commencing any operation in a confined area (e.g. tunnels), carry out an adequate clean-up, and check the atmosphere for oxygen content and flammability. See also Section 16, "Other information". Ensure that proper housekeeping measures are in place. Avoid contact with skin. Do not breathe fume/ mist/ vapours. Do not ingest. Do not smoke. Do not re-use clothes, if they are still contaminated. Keep away from food and beverages. Take off immediately all contaminated clothing and wash it before reuse. Contaminated materials should not be allowed to accumulate in the workplaces and should never be kept inside the pockets. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. | | | |
| 7.2. Conditions for safe storage, including an | y incompatibilities | | | |
| Storage conditions : | Store in dry, well-ventilated area. Keep away from open flames, hot surfaces and sources of ignition. Do not smoke. | | | |
| Incompatible products : | Keep away from strong oxidizers. | | | |
| Storage area : | Storage area layout, tank design, equipment and operating procedures must comply with the relevant European, national or local legislation. Storage installations/areas should be designed with adequate bunds in case of leaks or spills. Cleaning, inspection and maintenance of internal structure of storage tanks must be done only by properly equipped and qualified personnel as defined by national, local or company regulations. | | | |
| Packages and containers: : | If the product is supplied in containers: Keep containers tightly closed and properly labelled. Keep only in the original container or in a suitable container for this kind of product. | | | |
| Packaging materials : | For containers, or container linings use materials specifically approved for use with this product. Compatibility should be checked with the manufacturer, according to the specific use conditions. | | | |

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Lubricating oils (petroleum), C15-30, hydrotre | Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based, Baseoil - unspecified (72623-86-0) | | |
|--|--|--|--|
| Austria - Occupational Exposure Limits | | | |
| MAK (OEL TWA) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| Belgium - Occupational Exposure Limits | | | |
| OEL TWA | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| Denmark - Occupational Exposure Limits | | | |
| OEL TWA [1] | 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| OEL STEL | 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| Hungary - Occupational Exposure Limits | | | |
| AK (OEL TWA) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| Netherlands - Occupational Exposure Limits | | | |
| MAC TGG 8h (mg/m³) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| Spain - Occupational Exposure Limits | | | |
| VLA-ED (OEL TWA) [1] | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| VLA-EC (mg/m³) | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| Sweden - Occupational Exposure Limits | | | |
| NGV (OEL TWA) | 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| KGV (OEL STEL) | 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| United Kingdom - Occupational Exposure Limits | | | |
| WEL TWA (OEL TWA) [1] | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| WEL STEL (OEL STEL) | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| USA - ACGIH - Occupational Exposure Limits | | | |
| ACGIH OEL TWA | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| ACGIH OEL STEL | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, Baseoil - unspecified (72623-87-1) | | | |
| Austria - Occupational Exposure Limits | | | |
| MAK (OEL TWA) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| Belgium - Occupational Exposure Limits | | | |
| OEL TWA | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| Denmark - Occupational Exposure Limits | | | |
| OEL TWA [1] | 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |
| OEL STEL | 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | | |

Safety Data Sheet

| Lubricating oils (petroleum), C20-50, hydrotre | eated neutral oil-based, Baseoil - unspecified (72623-87-1) | |
|--|--|--|
| Hungary - Occupational Exposure Limits | | |
| AK (OEL TWA) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Netherlands - Occupational Exposure Limits | 1 | |
| MAC TGG 8h (mg/m³) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Spain - Occupational Exposure Limits | | |
| VLA-ED (OEL TWA) [1] | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| VLA-EC (mg/m ³) | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Sweden - Occupational Exposure Limits | 1 | |
| NGV (OEL TWA) | 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| KGV (OEL STEL) | 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| United Kingdom - Occupational Exposure Limits | | |
| WEL TWA (OEL TWA) [1] | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| WEL STEL (OEL STEL) | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| USA - ACGIH - Occupational Exposure Limits | | |
| ACGIH OEL TWA | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| ACGIH OEL STEL | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Distillates (petroleum), solvent-dewaxed light | paraffinic (64742-56-9) | |
| Austria - Occupational Exposure Limits | | |
| MAK (OEL TWA) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Belgium - Occupational Exposure Limits | | |
| OEL TWA | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Denmark - Occupational Exposure Limits | | |
| OEL TWA [1] | 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| OEL STEL | 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Hungary - Occupational Exposure Limits | | |
| AK (OEL TWA) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Netherlands - Occupational Exposure Limits | | |
| MAC TGG 8h (mg/m³) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Spain - Occupational Exposure Limits | | |
| VLA-ED (OEL TWA) [1] | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| VLA-EC (mg/m³) | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Sweden - Occupational Exposure Limits | | |
| NGV (OEL TWA) | 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| KGV (OEL STEL) | 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| United Kingdom - Occupational Exposure Limits | United Kingdom - Occupational Exposure Limits | |
| WEL TWA (OEL TWA) [1] | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| WEL STEL (OEL STEL) | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| USA - ACGIH - Occupational Exposure Limits | | |
| ACGIH OEL TWA | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| 5/20/2024 (Povision data) | EN (Englich) 8/25 | |

Safety Data Sheet

| Distillates (petroleum), solvent-dewaxed light | paraffinic (64742-56-9) | |
|--|--|--|
| ACGIH OEL STEL | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Distillates (petroleum), hydrotreated heavy pa | araffinic (64742-54-7) | |
| Austria - Occupational Exposure Limits | | |
| MAK (OEL TWA) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Belgium - Occupational Exposure Limits | 1 | |
| OEL TWA | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Denmark - Occupational Exposure Limits | | |
| OEL TWA [1] | 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| OEL STEL | 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Hungary - Occupational Exposure Limits | | |
| AK (OEL TWA) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Netherlands - Occupational Exposure Limits | | |
| MAC TGG 8h (mg/m ³) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Spain - Occupational Exposure Limits | | |
| VLA-ED (OEL TWA) [1] | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| VLA-EC (mg/m³) | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Sweden - Occupational Exposure Limits | · | |
| NGV (OEL TWA) | 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| KGV (OEL STEL) | 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| United Kingdom - Occupational Exposure Limits | | |
| WEL TWA (OEL TWA) [1] | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| WEL STEL (OEL STEL) | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| USA - ACGIH - Occupational Exposure Limits | | |
| ACGIH OEL TWA | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| ACGIH OEL STEL | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Distillates (petroleum), solvent-dewaxed heav | /y paraffinic (64742-65-0) | |
| Austria - Occupational Exposure Limits | | |
| MAK (OEL TWA) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Belgium - Occupational Exposure Limits | · | |
| OEL TWA | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Denmark - Occupational Exposure Limits | | |
| OEL TWA [1] | 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| OEL STEL | 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Hungary - Occupational Exposure Limits | | |
| AK (OEL TWA) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Netherlands - Occupational Exposure Limits | | |
| MAC TGG 8h (mg/m ³) | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Distillates (petroleum), solvent-dewaxed heav | Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) | |
|---|--|--|
| Spain - Occupational Exposure Limits | | |
| VLA-ED (OEL TWA) [1] | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| VLA-EC (mg/m³) | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| Sweden - Occupational Exposure Limits | | |
| NGV (OEL TWA) | 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| KGV (OEL STEL) | 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| United Kingdom - Occupational Exposure Limits | | |
| WEL TWA (OEL TWA) [1] | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| WEL STEL (OEL STEL) | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| USA - ACGIH - Occupational Exposure Limits | | |
| ACGIH OEL TWA | 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |
| ACGIH OEL STEL | 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) | |

8.1.2. Recommended monitoring procedures

| Monitoring methods | |
|--------------------|--|
| Monitoring methods | Monitoring procedures should be chosen according to the indications set by national authorities or labour contracts. Refer to relevant legislation and in any case to the good practice of industrial hygiene. |

8.1.3. Air contaminants formed

No additional information available

| 8.1.4. DNEL and PNEC | | |
|--|-------------------------------|--|
| Eni i-Sint tech VK 0W-20 | | |
| DNEL/DMEL (additional information) | | |
| Additional information | Not applicable | |
| PNEC (additional information) | PNEC (additional information) | |
| Additional information | Not applicable | |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based, Baseoil - unspecified (72623-86-0) | | |
| DNEL/DMEL (Workers) | | |
| Long-term - systemic effects, dermal | 1 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 2.7 mg/m³ | |
| Long-term - local effects, inhalation | 5.6 mg/m³ | |
| DNEL/DMEL (General population) | | |
| Long-term - systemic effects, dermal | 0.74 mg/kg bodyweight/day | |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, Baseoil - unspecified (72623-87-1) | | |
| DNEL/DMEL (Workers) | | |
| Long-term - systemic effects, dermal | 0.97 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 2.73 mg/m³ | |
| Long-term - local effects, inhalation | 5.4 mg/m³ | |
| DNEL/DMEL (General population) | | |
| Long-term - systemic effects,oral | 0.74 mg/kg bodyweight/day | |

Safety Data Sheet

| Long-term - local effects, inhalation 1.2 mg/m ³ PNEC Oral (secondary poisoning) 9.33 mg/kg food Distillates (petroleum), solvent-dewaxed light paraffrinic (s64742-56-9) DMELDMEL (Workers) Long-term - systemic effects, inhalation 2.73 mg/m ³ Long-term - systemic effects, inhalation 2.73 mg/m ³ Long-term - systemic effects, inhalation 2.73 mg/m ³ Long-term - systemic effects, inhalation 0.74 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1.19 mg/m ³ PMEC Oral (secondary poisoning) 9.33 mg/kg food Distillates (petroleum), hydrotreated heavy Formal (Secondary poisoning) PMEC Oral (secondary poisoning) 9.33 mg/kg food Distillates (petroleum), hydrotreated heavy Formal (Secondary poisoning) PMELOMEL (Workers) 50 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1.60 mg/m ³ Long-term - systemic effects, inhalation 2.7 mg/m ³ Distillates (petroleum), bydrotexted heavy Formal (Secondary poisoning) PMEC Oral (secondary poisoning) 9.33 mg/kg food Distillates (petroleum), solvent-dewaxed heavy Formal (Secondary poisoning) Distill | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, Baseoil - unspecified (72623-87-1) | | |
|---|--|---------------------------|--|
| PNEC oral (secondary poisoning) 9.33 mg/kg food Distillates (potroloum), solvent-dewaxed light paraffinic (64742-66-9) DNELDMEL (Workers) Long-term - systemic effects, inhalation 2.73 mg/m² Long-term - systemic effects, inhalation 2.73 mg/m² DNELDMEL (General population) 2.74 mg/kg bodyweight/day Long-term - local effects, inhalation 1.94 mg/kg bodyweight/day Long-term - local effects, inhalation 1.91 mg/m² PNEC Oral (Secondary poisoning) 9.33 mg/kg food Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) PNEC Oral (Secondary poisoning) PNELDMEL (Workers) 200 mg/kg bodyweight/day Long-term - systemic effects, inhalation 140 mg/m² Long-term - systemic effects, inhalation 140 mg/m² Long-term - local effects, inhalation 12 mg/m²/day DNELDMEL (General population) 12 mg/m²/day Long-term - local effects, inhalation 12 mg/m²/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) | Long-term - local effects, inhalation | 1.2 mg/m ³ | |
| Distillates (petroloum), solvent-dowaxed light parafine (64742-56-9) DNELDMEL (Workers) 0.97 mg/kg bodyweight/day Long-tern - systemic effects, inhalation 2.73 mg/m² Long-tern - systemic effects, inhalation 2.73 mg/m² DNELDMEL (General population) Ung-tern - local effects, inhalation Long-tern - local effects, inhalation 1.19 mg/m² PNEC Oral (secondary poisoning) 9.33 mg/kg food Distillates (petroleum), hydrotreated heavy partfinic (64742-54-7) DNELDMEL (Workers) Long-tern - systemic effects, inhalation 140 mg/m² DNELDMEL (Workers) Ung-tern - systemic effects, inhalation Long-tern - systemic effects, inhalation 140 mg/m² Long-tern - systemic effects, inhalation 140 mg/m² Long-tern - systemic effects, inhalation 140 mg/m² Long-tern - systemic effects, inhalation 12 mg/m²/day DNELDMEL (Workers) Ung-tern - systemic effects, inhalation Long-tern - systemic effects, inhalation 12 mg/m²/day Distillates (petroleum), solvent-dowaxed msc - systemic effects, inhalation 12 mg/m²/day Distillates (petroleum), solvent-dowaxed msc - systemic effects, inhalation 13 mg/m²/day Long-tern | PNEC (Oral) | | |
| Long-tern - systemic effects, inhalation2.73 mg/m²Long-tern - systemic effects, inhalation2.73 mg/m²Long-tern - systemic effects, inhalation2.73 mg/m²DNELDMEL (General population) | PNEC oral (secondary poisoning) | 9.33 mg/kg food | |
| Long-tern - systemic effects, inhalation 2.73 mg/m² Long-tern - systemic effects, inhalation 2.58 mg/m² DNEL/DEL (General population) 0.74 mg/kg bodyweight/day Long-tern - local effects, inhalation 0.74 mg/kg bodyweight/day Long-tern - systemic effects, onal 0.74 mg/kg bodyweight/day Long-tern - local effects, inhalation 1.19 mg/m² PNEC Oral 9.33 mg/kg food DISTIBLE (Workers) 50 mg/kg bodyweight/day Long-tern - systemic effects, inhalation 140 mg/m² Long-tern - systemic effects, inhalation 12 mg/m² PNEL/DMEL (General population) 12 mg/m² Long-tern - systemic effects, inhalation 9.33 mg/kg food DISLIDMEL (General population) 12 mg/m² PNEC (oral) 9.33 mg/kg food Distillates (petroleum), solvent-dewaxed heary - systemic effects, inhalation 12 mg/m² | Distillates (petroleum), solvent-dewaxed light | paraffinic (64742-56-9) | |
| Long-term - systemic effects, inhalation 2.73 mg/m² Long-term - systemic effects, inhalation 5.58 mg/m² DNEL/DMEL (General population) 1.19 mg/m² Long-term - systemic effects, inhalation 1.19 mg/m² PNEC (oral) 9.33 mg/kg food Distillates (petroleum), hydrotreated heavy =filici (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 50 mg/kg bodyweight/day Long-term - systemic effects, inhalation 50 mg/kg bodyweight/day Long-term - systemic effects, inhalation 140 mg/m² Long-term - systemic effects, inhalation 140 mg/m² Long-term - systemic effects, inhalation 1.24 mg/m² DNEL/DMEL (General population) 1.2 mg/m²/day Long-term - systemic effects, inhalation 1.2 mg/m²/day PNEC oral (secondary poisoning) 9.33 mg/kg food Distillates (potroleum), solvent-dewaxed heavy = partifici (64742-65-0) DNEL/DMEL (General population) Long-term - systemic effects, inhalation 5.4 mg/m² Long-term - systemic effects, inhalation 5.4 mg/m² Long-term - systemic effects, inhalation 5.4 mg/m² Long-term - systemic effects, inhalation 5.4 mg/m² <td>DNEL/DMEL (Workers)</td> <td></td> | DNEL/DMEL (Workers) | | |
| Long-term - local effects, inhelation 5.8 mg/m² DNELDMEL (General population) 0.74 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1.19 mg/m² PNEC Oral (secondary poisoning) 9.33 mg/kg food Distillates (potroleum), hydrotroated heavy partificie (64742-54-7) DMEL/DMEL (Workers) Long-term - systemic effects, inhalation 140 mg/m² Long-term - systemic effects, inhalation 5.4 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, inhalation Long-term - systemic effects, inhalation 1.74 mg/kg bodyweight/day Long-term - systemic effects, inhalation 9.77 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1.74 mg/kg bodyweight/day | Long-term - systemic effects, dermal | 0.97 mg/kg bodyweight/day | |
| DNEL/DMEL (General population) 0.74 mg/kg bodyweight/day Long-term - local effects, inhalation 1.19 mg/m³ PNEC (Oral) 9.33 mg/kg food Distillates (petroleum), hydrotreated heavy praffinic (64742-54-7) DMEL/DMEL (Workers) DNEL/DMEL (Workers) 60 mg/kg bodyweight/day Long-term - systemic effects, inhalation 50 mg/kg bodyweight/day Long-term - systemic effects, inhalation 54 mg/m² DNEL/DMEL (General population) 1.2 mg/m² Long-term - local effects, inhalation 5.4 mg/m² Descriptione effects, inhalation 1.2 mg/m² DNEL/DMEL (General population) 1.2 mg/m²/day PNEC Oral) 9.33 mg/kg food PNEC Oral (secondary poisoning) 9.33 mg/kg food DNEL/DMEL (Workers) 0.74 mg/kg bodyweight/day Long-term - local effects, inhalation 1.2 mg/m²/day PNEC Oral (secondary poisoning) 9.33 mg/kg food DNEL/DMEL (Workers) 1.2 mg/m² Long-term - systemic effects, inhalation 2.73 mg/m² Long-term - systemic effects, inhalation 2.73 mg/m² DNEL/DMEL (General population) 1.2 mg/m² Long-term | Long-term - systemic effects, inhalation | 2.73 mg/m³ | |
| Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - local effects, inhalation 1.19 mg/m³ PNEC Oral (secondary poisoning) 9.33 mg/kg food Distillates (petroleum), hydrotreated heavy partific (64742-54-7) DNELDOMEL (Workors) Long-term - systemic effects, inhalation 50 mg/kg bodyweight/day Long-term - systemic effects, inhalation 54 mg/m³ Long-term - systemic effects, inhalation 54 mg/m³ Long-term - systemic effects, inhalation 7.4 mg/kg bodyweight/day Long-term - systemic effects, inhalation 54 mg/m³ DNELDOMEL (General population) Long-term - systemic effects, inhalation Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - systemic effects, darmal 9.73 mg/kg food DNELDMEL (Workers) Long-term - systemic effects, inhalation Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - systemic effects, inhalation 1.2 mg/m³ NELDMEL (General popu | Long-term - local effects, inhalation | 5.58 mg/m³ | |
| Long-term - local effects, inhalation 1.19 mg/m³ PNEC (Oral) 9.33 mg/kg food Distillates (petroleum), hydrotreated heavy partifinic (64742-54-7) DNEL/OMEL (Workors) Long-term - systemic effects, inhalation 50 mg/kg bodyweight/day Long-term - systemic effects, inhalation 140 mg/m³ Long-term - systemic effects, inhalation 54 mg/m³ DNEL/DMEL (General population) Ung-term - systemic effects, inhalation Long-term - systemic effects, inhalation 1.2 mg/m³/day PNEC (Oral) 0.74 mg/kg bodyweight/day PNEC Oral (secondary poisoning) 9.33 mg/kg food Distillates (petroleum), solvent-dowaxed hoazy paraffinic (64742-65-0) DMEL/DMEL (General population) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - systemic effects, inhalation 1.2 mg/m³ DistLiDMEL (General population) 0.74 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ DistLiDMEL (General population) 0.74 mg/kg bodyweight/day Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1.2 mg/m³ </td <td>DNEL/DMEL (General population)</td> <td></td> | DNEL/DMEL (General population) | | |
| PNEC (oral) 9.33 mg/kg food Distillates (petroleum), hydrotreated heavy paratfinic (64742-54-7) D DNELDMEL (Workers) 50 mg/kg bodyweight/day Long-term - systemic effects, dermal 50 mg/kg bodyweight/day Long-term - systemic effects, inhalation 140 mg/m³ DNELDMEL (General population) 5.4 mg/m³ Long-term - local effects, inhalation 2.4 mg/m³ DNELDMEL (General population) 1.2 mg/m³/day PNEC Oral (secondary poisoning) 9.33 mg/kg food Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) DNELDMEL (Workers) DNELDMEL (Workers) | Long-term - systemic effects,oral | 0.74 mg/kg bodyweight/day | |
| PNEC oral (secondary poisoning) 9.33 mg/kg food Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 50 mg/kg bodyweight/day Long-term - systemic effects, inhalation 140 mg/m³ DNEL/DMEL (General population) 5.4 mg/m³ Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - local effects, inhalation 1.2 mg/m³/day PNEC Oral (secondary poisoning) 9.33 mg/kg food Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - systemic effects, inhalation 1.2 mg/m³ DNEL/DMEL (General population) 0.74 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ DNEL/DMEL (General population) 1.2 mg/m³ Long-term - local effects, inhalation 1.2 mg/m³ DNEL/DMEL (General population) 9.33 | Long-term - local effects, inhalation | 1.19 mg/m³ | |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 50 mg/kg bodyweight/day Long-term - local effects, inhalation 54 mg/m ³ DNEL/DMEL (General population) 140 mg/m ³ Long-term - systemic effects, inhalation 5.4 mg/m ³ DNEL/DMEL (General population) 1.2 mg/m ³ /day Long-term - local effects, inhalation 1.2 mg/m ³ /day PNEC (Oral) 9.33 mg/kg food PNEC oral (secondary poisoning) 9.33 mg/kg food DNEL/DMEL (Workers) 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m ³ Long-term - systemic effects, inhalation 2.73 mg/m ³ Long-term - systemic effects, inhalation 5.4 mg/m ³ DNEL/DMEL (General population) 2.73 mg/m ³ Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - local effects, inhalation 1.2 mg/m ³ PNEC Oral) 9.33 mg/kg food PNEC Oral (secondary poisoning) 9.33 mg/kg food PNEC Oral (secondary poisoning) 9.33 mg/kg food | PNEC (Oral) | · | |
| DNEL/DMEL (Workers) Long-term - systemic effects, dermal 50 mg/kg bodyweight/day Long-term - systemic effects, inhalation 140 mg/m³ Long-term - local effects, inhalation 5.4 mg/m³ DNEL/DMEL (General population) 0.74 mg/kg bodyweight/day Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - local effects, inhalation 1.2 mg/m³/day PNEC (Oral) 9.33 mg/kg food PNEC oral (secondary poisoning) 9.33 mg/kg food DNEL/DMEL (Workers) 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1.2 mg/m³ PNEL/DMEL (General population) 2.73 mg/m³ Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1.2 mg/m³ PNEC Oral (secondary poisoning) 9.33 mg/kg food PNEC Oral (secondary poisoning) 9.33 mg/kg food PNEC Oral (secondary poisoning) 9.33 mg/kg food PNEL/DMEL (Workers) 0.97 mg/kg bodyweight/day <td>PNEC oral (secondary poisoning)</td> <td>9.33 mg/kg food</td> | PNEC oral (secondary poisoning) | 9.33 mg/kg food | |
| Long-term - systemic effects, dermal50 mg/kg bodyweight/dayLong-term - local effects, inhalation140 mg/m³Long-term - local effects, inhalation5.4 mg/m³DNEL/DMEL (General population)0.74 mg/kg bodyweight/dayLong-term - systemic effects, oral0.74 mg/kg bodyweight/dayLong-term - local effects, inhalation1.2 mg/m³/dayPNEC (oral)PNEC oral (secondary poisoning)9.33 mg/kg foodDistillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)DNEL/DMEL (Workers)Long-term - systemic effects, inhalation2.73 mg/m³Long-term - systemic effects, inhalation5.4 mg/m³DNEL/DMEL (General population)Long-term - systemic effects, inhalation2.73 mg/m³Long-term - systemic effects, oral0.74 mg/kg bodyweight/dayLong-term - systemic effects, inhalation1.2 mg/m³PNEC oral (secondary poisoning)9.33 mg/kg foodPAreaffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7)DNEL/DMEL (Workers)Long-term - systemic effects, dermal0.97 mg/kg bodyweight/dayLong-term - systemic effects, inhalation | Distillates (petroleum), hydrotreated heavy pa | iraffinic (64742-54-7) | |
| Long-term - systemic effects, inhalation140 mg/m³Long-term - local effects, inhalation5.4 mg/m³DNEL/DMEL (General population)0.74 mg/kg bodyweight/dayLong-term - systemic effects, oral0.74 mg/kg bodyweight/dayLong-term - local effects, inhalation1.2 mg/m³/dayPNEC (oral)9.33 mg/kg foodDNEL/DMEL (Workers)0.97 mg/kg bodyweight/dayLong-term - systemic effects, inhalation2.73 mg/m³Long-term - systemic effects, inhalation5.4 mg/m³DNEL/DMEL (General population)0.74 mg/kg bodyweight/dayLong-term - systemic effects, inhalation5.4 mg/m³DNEL/DMEL (General population)0.74 mg/kg bodyweight/dayLong-term - systemic effects, inhalation5.4 mg/m³DNEL/DMEL (General population)1.2 mg/m³Long-term - systemic effects, inhalation1.2 mg/m³PNEC oral (secondary poisoning)9.33 mg/kg foodPNEC oral (secondary poisoning)8.33 mg/kg foodPNEC oral (secondary poisoning)8.33 mg/kg foodPNEC oral (secondary poisoning)8.33 mg/kg foodPNEL/DMEL (Workers)1.0 mspecified (64742-70-7)DNEL/DMEL (Workers)1.0 mspecified (64742-70-7)DNEL/DMEL (Workers)1.0 mg/kg bodyweight/dayLong-term - systemic effects, dermal0.97 mg/kg bodyweight/dayLong-term - systemic effects, dermal0.97 mg/kg bodyweight/dayLong-term - systemic effects, inhalation1.2 mg/m³ | DNEL/DMEL (Workers) | | |
| Long-term - local effects, inhalation 5.4 mg/m³ DNEL/DMEL (General population) 0.74 mg/kg bodyweight/day Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - local effects, inhalation 1.2 mg/m³/day PNEC (Oral) 9.33 mg/kg food PNEC oral (secondary poisoning) 9.33 mg/kg food Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 2.73 mg/m3 Long-term - systemic effects, inhalation 5.4 mg/m³ Dong-term - systemic effects, inhalation 5.4 mg/m³ Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - systemic effects, inhalation 5.4 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, inhalation Long-term - systemic effects, inhalation 1.2 mg/m³ PNEC (Oral) 9.33 mg/kg food PNEL/DMEL (Workers) 0.97 mg/kg bodyweight/day Long-te | Long-term - systemic effects, dermal | 50 mg/kg bodyweight/day | |
| DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - local effects, inhalation 1.2 mg/m³/day PNEC Oral) 9.33 mg/kg food Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.4 mg/m³ DNEL/DMEL (General population) Uong-term - systemic effects, inhalation Long-term - local effects, inhalation 5.4 mg/m³ PNEC (Oral) 0.74 mg/kg bodyweight/day Long-term - local effects, inhalation 1.2 mg/m³ PNEL/DMEL (General population) Uong-term - local effects, inhalation Long-term - local effects, inhalation 1.2 mg/m³ PNEC (Oral) 9.33 mg/kg food PNEC (Oral) 9.33 mg/kg food PNEC (Oral) 9.33 mg/kg food Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7) DNEL/DMEL (Workers) Uong-term - systemic effects, dermal Long-term - systemic effects, inhalation 2.73 mg/m³ | Long-term - systemic effects, inhalation | 140 mg/m³ | |
| Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - local effects, inhalation 1.2 mg/m³/day PNEC (Oral) 9.33 mg/kg food Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - systemic effects, inhalation 5.4 mg/m³ DNEL/DMEL (General population) Ung-term - systemic effects, inhalation Long-term - local effects, inhalation 0.74 mg/kg bodyweight/day Long-term - local effects, inhalation 1.2 mg/m³ PNEC (Oral) 9.33 mg/kg food PNEL/DMEL (General population) 1.2 mg/m³ Long-term - local effects, inhalation 1.2 mg/m³ PNEC (Oral) 9.33 mg/kg food PNEC oral (secondary poisoning) 9.33 mg/kg food | Long-term - local effects, inhalation | 5.4 mg/m³ | |
| Long-term - local effects, inhalation 1.2 mg/m³/day PNEC (Oral) PNEC oral (secondary poisoning) 9.33 mg/kg food Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ DNL/DMEL (General population) 5.4 mg/m³ Long-term - local effects, inhalation 1.2 mg/m³ PNEC (Oral) 9.33 mg/kg food PNEL/OMEL (General population) 1.2 mg/m³ Long-term - local effects, inhalation 1.2 mg/m³ PNEC (Oral) 9.33 mg/kg food PNEC oral (secondary poisoning) 9.33 mg/kg food Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ | DNEL/DMEL (General population) | · | |
| PNEC (Oral) PNEC oral (secondary poisoning) 9.33 mg/kg food Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ DNEL/DMEL (General population) 5.4 mg/m³ Long-term - systemic effects, inhalation 0.74 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1.2 mg/m³ PNEC (Oral) 9.33 mg/kg food PNEC oral (secondary poisoning) 9.33 mg/kg food Paraffin oils (petroleum), catalytic dewaxed hexy, Baseoil - unspecified (64742-70-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.3 mg/m³ | Long-term - systemic effects,oral | 0.74 mg/kg bodyweight/day | |
| PNEC oral (secondary poisoning) 9.33 mg/kg food Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ DNEL/DMEL (General population) 5.4 mg/m³ Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - systemic effects, inhalation 5.4 mg/m³ PNEL/DMEL (General population) 0.74 mg/kg bodyweight/day Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - local effects, inhalation 1.2 mg/m³ PNEC (Oral) 9.33 mg/kg food PNEC oral (secondary poisoning) 9.33 mg/kg food Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation 2.73 mg/m³ | Long-term - local effects, inhalation | 1.2 mg/m³/day | |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.4 mg/m³ DNEL/DMEL (General population) 0.74 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1.2 mg/m³ PNEC (Oral) 9.33 mg/kg food PNEC oral (secondary poisoning) 9.33 mg/kg food Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day | PNEC (Oral) | | |
| DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.4 mg/m³ DNEL/DMEL (General population) 0.74 mg/kg bodyweight/day Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1.2 mg/m³ PNEC (Oral) 9.33 mg/kg food PNEC oral (secondary poisoning) 9.33 mg/kg food Paraffin oils (petroleum), catalytic dewaxed twy, Baseoil - unspecified (64742-70-7) DNEL/DMEL (Workers) 0.97 mg/kg bodyweight/day Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ | PNEC oral (secondary poisoning) | 9.33 mg/kg food | |
| Long-term - systemic effects, dermal0.97 mg/kg bodyweight/dayLong-term - systemic effects, inhalation2.73 mg/m³Long-term - local effects, inhalation5.4 mg/m³DNEL/DMEL (General population)Long-term - systemic effects, oral0.74 mg/kg bodyweight/dayLong-term - local effects, inhalation1.2 mg/m³PNEC (Oral)9.33 mg/kg foodPNEC oral (secondary poisoning)Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7)DNEL/DMEL (Workers)0.97 mg/kg bodyweight/dayLong-term - systemic effects, dermal0.97 mg/kg bodyweight/day | Distillates (petroleum), solvent-dewaxed heav | y paraffinic (64742-65-0) | |
| Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.4 mg/m³ DNEL/DMEL (General population) | DNEL/DMEL (Workers) | | |
| Long-term - local effects, inhalation 5.4 mg/m³ DNEL/DMEL (General population) | Long-term - systemic effects, dermal | 0.97 mg/kg bodyweight/day | |
| DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - local effects, inhalation 1.2 mg/m³ PNEC (Oral) 9.33 mg/kg food PNEC oral (secondary poisoning) 9.33 mg/kg food Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ | Long-term - systemic effects, inhalation | 2.73 mg/m ³ | |
| Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day Long-term - local effects, inhalation 1.2 mg/m³ PNEC (Oral) PNEC oral (secondary poisoning) PNEC oral (secondary poisoning) 9.33 mg/kg food Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ | Long-term - local effects, inhalation | 5.4 mg/m³ | |
| Long-term - local effects, inhalation 1.2 mg/m³ PNEC (Oral) PNEC oral (secondary poisoning) 9.33 mg/kg food Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ | DNEL/DMEL (General population) | | |
| PNEC (Oral) PNEC oral (secondary poisoning) 9.33 mg/kg food PNEC oral (secondary poisoning) 9.33 mg/kg food Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ | Long-term - systemic effects,oral | 0.74 mg/kg bodyweight/day | |
| PNEC oral (secondary poisoning) 9.33 mg/kg food Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m ³ | Long-term - local effects, inhalation | 1.2 mg/m³ | |
| Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ | PNEC (Oral) | | |
| DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ | PNEC oral (secondary poisoning) | 9.33 mg/kg food | |
| Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ | Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7) | | |
| Long-term - systemic effects, inhalation 2.73 mg/m³ | DNEL/DMEL (Workers) | | |
| | Long-term - systemic effects, dermal | 0.97 mg/kg bodyweight/day | |
| Long-term - local effects, inhalation 5.58 mg/m ³ | Long-term - systemic effects, inhalation | 2.73 mg/m³ | |
| | Long-term - local effects, inhalation | 5.58 mg/m³ | |

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7) | |
|--|--|
| DNEL/DMEL (General population) | |
| Long-term - systemic effects,oral | 0.74 mg/kg bodyweight/day |
| Long-term - local effects, inhalation | 1.19 mg/m ³ |
| PNEC (Oral) | |
| PNEC oral (secondary poisoning) | 9.33 mg/kg food |
| | The Derived No Effect Level (DNEL) is an estimated safe level of exposure that is derived from toxicity data in accord with specific guidance within the European REACH regulation. The DNEL may differ from an Occupational Exposure Limit (OEL) for the same chemical. OELs may be recommended by an individual company, a governmental regulatory body or an expert organization, such as the Scientific Committee for Occupational Exposure Limits (SCOEL) or the American Conference of Governmental Industrial Hygienists (ACGIH). OELs are considered to be safe exposure levels for a typical worker in an occupational setting for an 8-hour work shift, 40 hour work week, as a time weighted average (TWA) or a 15 minute short-term exposure limit (STEL). While also considered to be protective of health, OELs are derived by a process different from that of REACH. |

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Before entering storage tanks and commencing any operation in a confined area (e.g. tunnels), carry out an adequate clean-up, and check the atmosphere for oxygen content and flammability. See also Section 16, "Other information".

8.2.2. Personal protection equipment

Personal protective equipment (for industrial or professional use):

Face shield. Gloves. Protective clothing. Safety glasses. Safety shoes or boots.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

When there is a risk of contact with the eyes, use safety goggles or other means of protection (face shield). If necessary, refer to national standards or to the EN 166 standard.

8.2.2.2. Skin protection

Skin and body protection:

Long-sleeved overalls. If necessary, refer to the EN 340 and related standards, for definition of characteristics and performance according to the risk rating of the area. Antistatic non-skid safety shoes or boots, chemical resistant, if necessary heat resistant and insulated.

Hand protection:

Protective gloves. Adequate materials: nitrile (NBR) or PVC with a protection index > 5 (permeation time > 240 mins). Use gloves respecting all the conditions and within the limits set by the manufacturer. Replace gloves immediately in case of cuts, holes or other signs of damages or degradation. If necessary, refer to the EN 374 standard. Personal hygiene is a key element for an effective hand care. Gloves must be worn only with clean hands. After wearing gloves, hands must be carefully washed and dried.

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

8.2.2.3. Respiratory protection

Respiratory protection:

Independently from other possible actions (technical modifications, operating procedures, and other means to limit the exposure of workers), personal protection equipment can be used according to necessity. Open or well ventilated spaces: in presence of mists and if the product is handled without adequate containment means: use full or half-face masks with filter for mists/aerosols. (EN 136/140/145). Combination filter device (DIN EN 141). Closed or confined areas (e.g. tank interiors): the use of protection measures for airways (masks or self-contained breathing apparatus), must be assessed according to the specific activity, as well as level and duration of predicted exposure.

8.2.2.4. Thermal hazards

Thermal hazard protection:

If contact with hot product is possible or anticipated, gloves should be heat-resistant and thermally insulated.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Do not discharge the product into the environment. Storage areas/installations should be designed with adequate bunds so as to prevent ground and water pollution in case of leaks or spills. Prevent discharge of undissolved substance to or recover from onsite wastewater. Onsite wastewater treatment required. Do not apply industrial sludge to natural soils. Sludge should be incinerated, contained or reclaimed.

Consumer exposure controls:

No special requirements.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | : Liquid |
|---------------------------------|--|
| Colour | Yellow-brown. |
| Appearance | : Liquid, bright & clear. |
| Molecular mass | : Not applicable for mixtures |
| Odour | : Slight odour of petroleum. |
| Odour threshold | : There are no data available on the preparation/mixture itself. |
| Melting point | : Not determined |
| Freezing point | : Not determined |
| Boiling point | : > 200 °C |
| Flammability | : Not flammable |
| Lower explosion limit | : Not determined |
| Upper explosion limit | : Not determined |
| Flash point | : ≥ 220 °C (ASTM D 92) |
| Auto-ignition temperature | : Not determined |
| Decomposition temperature | : Not determined |
| pH | : Not applicable |
| Viscosity, kinematic | : 6,9 - 9,3 mm2/s (100 °C) (ASTM D 445) |
| Solubility | : Water: Immiscible and insoluble |
| Log Kow | : Not applicable for mixtures |
| Log Pow | : Not applicable for mixtures |
| Vapour pressure | : Not determined |
| Vapour pressure at 50°C | : Not determined |
| Critical pressure | : Not applicable for mixtures |
| Density | : Not determined |
| Relative density | : Not determined |
| Relative vapour density at 20°C | : Not determined |
| Particle characteristics | : Not applicable |
| | |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

| Critical t | emperature |
|------------|------------|
|------------|------------|

: Not applicable for mixtures

9.2.2. Other safety characteristics

| Relative evaporation rate (butylacetate=1) | : Negligible. |
|--|---------------------|
| Additional information | : No data available |

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

This mixture does not offer any further hazard for reactivity, except what is reported in the following paragraphs.

10.2. Chemical stability

Stable product, according to its intrinsic properties.

10.3. Possibility of hazardous reactions

None (in normal conditions of storage and handling). Contact with strong oxidizers (peroxides, chromates, etc.) or alkali metals may cause a fire hazard.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids.

10.6. Hazardous decomposition products

Thermal decomposition generates : Toxic fumes.

SECTION 11: Toxicological information

| 11.1. Information on hazard classes as defined | d in Regulation (EC) No 1272/2008 | | |
|---|---|--|--|
| Acute toxicity (oral):Acute toxicity (dermal):Acute toxicity (inhalation):Additional information: | Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) (according to composition) | | |
| Lubricating oils (petroleum), C15-30, hydrotre | eated neutral oil-based, Baseoil - unspecified (72623-86-0) | | |
| LD50 oral rat | 5000 mg/kg (API 1986, UBTL 1983 - OECD 401) | | |
| LD50 dermal rabbit | 2000 – 5000 mg/kg bodyweight (API 1986, UBTL 1984 - OECD 402) | | |
| LC50 Inhalation - Rat | 2.18 – 5.53 mg/l/4h (API 1987, Exxon Biomedical Sciences, Inc. 1988, BioResearch Laboratories, Ltd. 1984 - OECD 403) | | |
| Lubricating oils (petroleum), C20-50, hydrotre | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, Baseoil - unspecified (72623-87-1) | | |
| LD50 oral rat | > 5000 mg/kg (OECD 401) | | |
| LD50 dermal rat | > 5000 mg/kg (OECD 402) | | |
| LC50 Inhalation - Rat | > 5 mg/l/4h (OECD 403) | | |
| Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) | | | |
| LD50 oral rat | > 5000 mg/kg (OECD 401) | | |
| LD50 dermal rat | > 5000 mg/kg (OECD 402) | | |
| LC50 Inhalation - Rat | > 5 mg/l/4h (OECD 403) | | |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | | |
| LD50 oral rat | > 5000 mg/kg (OECD 401) | | |
| LD50 dermal rabbit | > 2000 mg/kg bodyweight (OECD 402) | | |
| LC50 Inhalation - Rat | > 5.53 mg/l/4h (OECD 403) (EBSI, 1988) | | |

Safety Data Sheet

| Distillates (petroleum), solvent-dewaxed heav | /y paraffinic (64742-65-0) |
|--|---|
| LD50 oral rat | > 5000 mg/kg (OECD 401) |
| LD50 dermal rat | > 5000 mg/kg (OECD 402) |
| LC50 Inhalation - Rat | > 5 mg/l/4h (OECD 403) |
| Paraffin oils (petroleum), catalytic dewaxed h | eavy, Baseoil - unspecified (64742-70-7) |
| LD50 oral rat | 5000 mg/kg bodyweight |
| LD50 dermal rat | 2000 – 5000 mg/kg bodyweight |
| LC50 Inhalation - Rat | 2.18 – 5.53 mg/l/4h |
| C14-16-18 Alkyl phenol | |
| LD50 oral rat | 2000 mg/kg bodyweight |
| LD50 dermal rat | 2000 mg/kg bodyweight |
| Skin corrosion/irritation : | Not classified (Based on available data, the classification criteria are not met) |
| Additional information : | pH: Not applicable (according to composition) |
| Lubricating oils (petroleum), C15-30, hydrotre | eated neutral oil-based, Baseoil - unspecified (72623-86-0) |
| рН | Not applicable |
| Lubricating oils (petroleum), C20-50, hydrotre | eated neutral oil-based, Baseoil - unspecified (72623-87-1) |
| рН | Not applicable |
| Distillates (petroleum), solvent-dewaxed light | paraffinic (64742-56-9) |
| рН | Not applicable |
| Distillates (petroleum), hydrotreated heavy pa | araffinic (64742-54-7) |
| рН | Not applicable |
| Distillates (petroleum), solvent-dewaxed heav | /y paraffinic (64742-65-0) |
| рН | Not applicable |
| Serious eye damage/irritation : | Not classified (Based on available data, the classification criteria are not met) pH: Not applicable |
| Additional information : | (according to composition) |
| Lubricating oils (petroleum), C15-30, hydrotre | eated neutral oil-based, Baseoil - unspecified (72623-86-0) |
| рН | Not applicable |
| Lubricating oils (petroleum), C20-50, hydrotre | eated neutral oil-based, Baseoil - unspecified (72623-87-1) |
| рН | Not applicable |
| Distillates (petroleum), solvent-dewaxed light | paraffinic (64742-56-9) |
| рН | Not applicable |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
| рН | Not applicable |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) | |
| рН | Not applicable |
| Respiratory or skin sensitisation : | Not classified (Based on available data, the classification criteria are not met) |
| Additional information : Germ cell mutagenicity : | (according to composition) Not classified (Based on available data, the classification criteria are not met) |
| Additional information : | (according to composition) |

Safety Data Sheet

| Carcinogenicity Additional information | Not classified (Based on available data, the classification criteria are not met) (according to composition) | |
|--|--|--|
| Reproductive toxicity | This product contains : Distillates (petroleum), hydrotreated heavy paraffinic, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, Distillates (petroleum), solvent-dewaxed light paraffinic, Distillates (petroleum), solvent-dewaxed heavy paraffinic, Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil— unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).] this product has a value of DMSO extract < 3 % wt, according to IP 346. According to the criteria laid out by the EU (note L, Annex VI of Regulation (CE) 1272/2008), this product must be regarded as non carcinogenic. All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to IP 346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) | |
| Additional information | (according to composition) | |
| Distillates (petroleum), hydrotreated heavy p | paraffinic (64742-54-7) | |
| NOAEL (animal/male, F0/P) | 1000 mg/kg bodyweight | |
| STOT-single exposure Additional information | Not classified (Based on available data, the classification criteria are not met) (according to composition) | |
| STOT-repeated exposure | Not classified (Based on available data, the classification criteria are not met) | |
| Additional information | according to composition) | |
| Lubricating oils (petroleum), C15-30, hydrot | reated neutral oil-based, Baseoil - unspecified (72623-86-0) | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | |
| LOAEL (dermal, rat/rabbit, 90 days) | 100 mg/kg bodyweight/day (mouse, Chasey, K.L. and McKee, R.H. 1993 - OECD 453) | |
| NOAEL (dermal, rat/rabbit, 90 days) | 1000 – 2000 mg/kg bodyweight/day (API 1986, Mobil Environmental and Health Science Laboratory 1983 - OECD 410) | |
| NOAEC (inhalation,rat, vapour, 90 days) | 220 – 1500 mg/m³ (Exxon Biomedical Sciences, Inc. 1991, Dalbey W, Osimitz T, Kommineni C, Roy T, Feuston M and Yang J 1991 - OECD 412) | |
| NOAEC (inhalation, rat, dust/mist/fume, 90 days) | > 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study) | |
| Lubricating oils (petroleum), C20-50, hydrot | reated neutral oil-based, Baseoil - unspecified (72623-87-1) | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight/day (OECD TG 408) | |
| Distillates (petroleum), solvent-dewaxed ligh | t paraffinic (64742-56-9) | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight/day (OECD TG 408) | |
| Distillates (petroleum), hydrotreated heavy p | paraffinic (64742-54-7) | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight/day (OECD TG 408) | |
| Distillates (petroleum), solvent-dewaxed hea | vy paraffinic (64742-65-0) | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight/day (OECD TG 408) | |
| Paraffin oils (petroleum), catalytic dewaxed | heavy, Baseoil - unspecified (64742-70-7) | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight/day | |
| NOAEL (dermal, rat/rabbit, 90 days) | 30 – 2000 mg/kg bodyweight/day | |
| NOAEC (inhalation,rat, vapour, 90 days) | 980 mg/m³ | |
| C14-16-18 Alkyl phenol | | |
| NOAEL (oral, rat, 90 days) 30 – 100 mg/kg bodyweight/day | | |

Safety Data Sheet

| C14-16-18 Alkyl phenol | |
|--|--|
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |
| Aspiration hazard Additional information | Not classified (Based on available data, the classification criteria are not met) (according to composition) Viscosity, kinematic: > 20,5 mm2/s (40 °C) (ASTM D 445) |
| Eni i-Sint tech VK 0W-20 | |
| Viscosity, kinematic | 6,9 - 9,3 mm2/s (100 °C) (ASTM D 445) |
| Lubricating oils (petroleum), C20-50, hydrod | reated neutral oil-based, Baseoil - unspecified (72623-87-1) |
| Viscosity, kinematic | 9 mm²/s (40 °C) (ASTM D 445) |
| Distillates (petroleum), solvent-dewaxed lig | ht paraffinic (64742-56-9) |
| Viscosity, kinematic | 15 – 16.5 mm²/s (40 °C) (ASTM D 445) |
| Distillates (petroleum), hydrotreated heavy | paraffinic (64742-54-7) |
| Viscosity, kinematic | 17.9 mm²/s (40 °C) (ASTM D 445) |
| Distillates (petroleum), solvent-dewaxed he | avy paraffinic (64742-65-0) |
| Viscosity, kinematic | < 20.5 mm²/s (40 °C) (ASTM D 445) |
| 11.2. Information on other hazards | |
| 11.2.1. Endocrine disrupting properties Adverse health effects caused by endocrine disrupting properties | : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % |
| 11.2.2. Other information | |
| Potential adverse human health effects and symptoms Other information | : Prolonged and repeated skin contact may cause reddening, irritation and dermatitis,May cause an allergic skin reaction,Contact with eyes may cause temporary reddening and irritation,Avoid all eye and skin contact and do not breathe vapour and mist |
| | : None |

| SECTION 12: Ecological information | |
|---|--|
| 12.1. Toxicity | |
| Ecology - general | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. An uncontrolled release to the environment may nevertheless produce a contamination of different environmental compartments (air, soil, underground, surface water bodies, aquifers). Handle according to general working hygiene practices to avoid pollution and release into the environment. |
| Ecology - air | : This product has a low vapour pressure, and in normal conditions at ambient temperature the concentration in the air is negligible. A significant concentration may build up only in case of sprays and mists. In these cases overexposure to mists (e.g. through prolonged use in confined insufficiently ventilated spaces) may cause irritation to airways, nausea and dizziness. |
| Ecology - water | : This product is not soluble in water. It floats on water and forms a film on the surface. The damage to aquatic organisms is of mechanical kind (immobilization and entrapment) |
| Hazardous to the aquatic environment, short–term (acute) | : Not classified (Based on available data, the classification criteria are not met) |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified (Based on available data, the classification criteria are not met) |
| Lubricating oils (petroleum), C15-30, hydro | otreated neutral oil-based, Baseoil - unspecified (72623-86-0) |
| LC50 fish 1 | > 100 mg/l (LL 50, Exxon 1995 - OECD 203) |

Safety Data Sheet

| Lubricating oils (petroleum), C15-30 | , hydrotreated neutral oil-based, Baseoil - unspecified (72623-86-0) | | |
|--|--|--|--|
| EC50 Daphnia 1 > 10000 mg/l (WAF, 48 h, Shell 1988 - OECD 202) | | | |
| NOEC chronic fish | ≥ 1000 mg/l (Oncorhynchus mykiss, NOELR, 14d - QSAR, Redman, A. et al. 2010) | | |
| NOEC chronic crustacea | ≥ 1000 mg/l (21d, OECD 211 - Shell 1994) | | |
| Lubricating oils (petroleum), C20-50 | , hydrotreated neutral oil-based, Baseoil - unspecified (72623-87-1) | | |
| LC50 fish 1 > 100 mg/l (LL 50) | | | |
| EC50 Daphnia 1 | > 10000 mg/l WAF, 48 h (OECD 202) | | |
| Distillates (petroleum), solvent-dew | axed light paraffinic (64742-56-9) | | |
| LC50 fish 1 | > 100 mg/l (LL 50) | | |
| EC50 Daphnia 1 | > 10000 mg/l WAF, 48 h (OECD 202) | | |
| Distillates (petroleum), hydrotreated | heavy paraffinic (64742-54-7) | | |
| LC50 fish 1 | > 100 mg/l (LL 50) | | |
| EC50 Daphnia 1 | > 10000 mg/l WAF, 48 h (OECD 202) | | |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) | | | |
| LC50 fish 1 > 100 mg/l (LL 50) | | | |
| EC50 Daphnia 1 | > 10000 mg/l WAF, 48 h (OECD 202) | | |
| Paraffin oils (petroleum), catalytic d | ewaxed heavy, Baseoil - unspecified (64742-70-7) | | |
| LC50 fish 1 | 100 mg/l (LL50) | | |
| EC50 Daphnia 1 | 10 g/l (EL50) | | |
| NOEC chronic fish | 1 g/l (NOELR, 14d) | | |
| C14-16-18 Alkyl phenol | | | |
| EC50 Daphnia 1 | 100 mg/l | | |
| 12.2. Persistence and degradability | | | |
| Eni i-Sint tech VK 0W-20 | | | |
| Persistence and degradability | The most significant constituents of the product should be considered as "inherently | | |

| Em 1-Sint tech VK 0W-20 | | |
|--|--|--|
| Persistence and degradability | The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent, particularly in anaerobic conditions. | |
| Lubricating oils (petroleum), C15-30, hydrotre | ated neutral oil-based, Baseoil - unspecified (72623-86-0) | |
| Persistence and degradability | The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent, particularly in anaerobic conditions. | |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, Baseoil - unspecified (72623-87-1) | | |
| Persistence and degradability | The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent, particularly in anaerobic conditions. | |
| Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) | | |
| Persistence and degradability | The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent, particularly in anaerobic conditions. | |

Safety Data Sheet

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | | |
|--|--|--|--|
| Persistence and degradability | The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent, particularly in anaerobic conditions. | | |
| Distillates (petroleum), solvent-dewaxed heav | y paraffinic (64742-65-0) | | |
| Persistence and degradability The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persister particularly in anaerobic conditions. | | | |
| C14-16-18 Alkyl phenol | | | |
| Biodegradation | 24 % (Zahn-Wellens, 10-20 %) | | |
| 12.3. Bioaccumulative potential | | | |
| Eni i-Sint tech VK 0W-20 | | | |
| Log Pow | Not applicable for mixtures | | |
| Log Kow | Not applicable for mixtures | | |
| Bioaccumulative potential | Not established. | | |
| Lubricating oils (petroleum), C15-30, hydrotre | ated neutral oil-based, Baseoil - unspecified (72623-86-0) | | |
| Bioaccumulative potential | The test methods for this endpoint are not applicable to UVCB substances. | | |
| C14-16-18 Alkyl phenol | | | |
| Log Kow | 4.5 (0.1 d, 10-20 %) | | |
| 12.4. Mobility in soil | | | |
| Eni i-Sint tech VK 0W-20 | | | |
| Ecology - soil | No data available. | | |
| Lubricating oils (petroleum), C15-30, hydrotre | ated neutral oil-based, Baseoil - unspecified (72623-86-0) | | |
| Ecology - soil | The test methods for this endpoint are not applicable to UVCB substances. | | |
| 12.5. Results of PBT and vPvB assessment | | | |
| Eni i-Sint tech VK 0W-20 | | | |
| This substance/mixture does not meet the PBT criteria | of REACH regulation, annex XIII | | |
| This substance/mixture does not meet the vPvB criteria | a of REACH regulation, annex XIII | | |
| Results of PBT-vPvB assessment | The components in this formulation do not meet the criteria for classification as PBT or vPvB. The product should be considered prudentially as "Persistent" in the environment, according to the REACH Annex XIII criteria (point 1.1) | | |
| Component | | | |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based, Baseoil - unspecified (72623-86-0) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII This substance does not meet the criteria for classification as PBT or vPvB. The product should be considered prudentially as "Persistent" in the environment, according to the REACH Annex XIII criteria (point 1.1) | | |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, Baseoil - unspecified (72623-87-1) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII This substance does not meet the criteria for classification as PBT or vPvB. The product should be considered prudentially as "Persistent" in the environment, according to the REACH Annex XIII criteria (point 1.1) | | |

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Component | |
|---|---|
| Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII This substance does not meet the criteria for classification as PBT or vPvB. The product should be considered prudentially as "Persistent" in the environment, according to the REACH Annex XIII criteria (point 1.1) |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII This substance does not meet the criteria for classification as PBT or vPvB. The product should be considered prudentially as "Persistent" in the environment, according to the REACH Annex XIII criteria (point 1.1) |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII This substance does not meet the criteria for classification as PBT or vPvB. The product should be considered prudentially as "Persistent" in the environment, according to the REACH Annex XIII criteria (point 1.1) |
| Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified (64742-70-7) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII This substance does not meet the criteria for classification as PBT or vPvB. The product should be considered prudentially as "Persistent" in the environment, according to the REACH Annex XIII criteria (point 1.1) |
| C14-16-18 Alkyl phenol | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII This substance does not meet the criteria for classification as PBT or vPvB. The product should be considered prudentially as "Persistent" in the environment, according to the REACH Annex XIII criteria (point 1.1) |
| 12.6. Endocrine disrupting properties | |
| Adverse effects on the environment caused by : endocrine disrupting properties | The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %. |
| 12.7. Other adverse effects | |
| Other adverse effects : Additional information : | None. This product has no specific properties for inhibition of bacterial activity. In any case, |

SECTION 13: Disposal considerations 13.1. Waste treatment methods Waste treatment methods : Do not dispose of the product, either new or used, by dumping on the ground, or discharging into sewers, tunnels, lakes or water courses. Deliver to a qualified official collector. Dispose of empty containers and wastes safely. Sewage disposal recommendations : Dispose of in a safe manner in accordance with local/national regulations. Do not apply industrial sludge to natural soils. Sludge should be incinerated, contained or reclaimed. Product/Packaging disposal recommendations : European Waste Catalogue code(s) (Decision 2001/118/CE): 13 02 06* (synthetic engine, gear and lubricating oils), 15 01 10* (packaging containing residues of or contaminated by dangerous substances). This EWC code is only a general indication, and takes into account the original composition of the product and its intended use. The user has the responsibility of choosing the right EWC code, considering the actual use of the product, alterations and contaminations. Additional information : Empty containers may contain combustible product residues. Do not cut, weld, bore, burn or incinerate emptied containers, unless they have been cleaned and declared safe. Ecology - waste materials : The product as it is does not contain halogenated substances.

purpose.

wastewater containing this product should be treated in plants that are suited for the specific

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

EURAL code (EWC)

: 13 02 06* - Synthetic engine, gear and lubricating oils

15 01 10* - packaging containing residues of or contaminated by dangerous substances

| SECTION 14: Transport information | | | | |
|--|---------------|---------------|---------------|---------------|
| In accordance with ADR / IMDG / IATA / ADN / RID | | | | |
| ADR | IMDG | ΙΑΤΑ | ADN | RID |
| 14.1. UN number or ID n | umber | | | |
| Not regulated for transport | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.2. UN proper shipping | g name | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard o | lass(es) | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | | · | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental haz | ards | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| None. | | , | | |
| 14.6. Special precautions | s for user | | | |
| Overland transport Not regulated | | | | |

Transport by sea Not regulated

Air transport Not regulated

Inland waterway transport Not regulated

Notregulated

Rail transport Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Other information, restriction and prohibition regulations

: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). (et sequens). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (et sequens). Directives 89/391/CEE, 89/654/CEE, 89/655/CEE, 89/656/CEE, 90/269/CEE, 90/270/CEE, 90/394/CEE, 90/679/CEE, 93/88/CEE, 95/63/CE, 97/42/CE, 98/24/CE, 99/38/CE, 99/92/CE, 2001/45/CE, 2003/10/CE, 2003/18/CE (Health and safety on the workplace). Directive 2012/18/CE (Control of major-accident hazards involving dangerous substances). Directive 2004/42/CE (Limitation of emissions of Volatile Organic Compounds). Directive 98/24/EC (protection of the health and safety of workers from the risks related to chemical agents at work). Directive 92/85/CE (measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding). Substances Depleting the Ozone layer (1005/2009) - Annex I Substances (ODP). POP (2019/1021) - Persistent Organic Pollutants. Regulation EU (649/2012) -Export and Import of hazardous chemicals (PIC).

REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) | | |
|--|--|---|
| Reference code | Applicable on | Entry title or description |
| 3(b) | Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based, Baseoil - unspecified ; Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based, Baseoil - unspecified ; Distillates (petroleum), solvent- dewaxed light paraffinic ; Distillates (petroleum), hydrotreated heavy paraffinic ; Distillates (petroleum), solvent- dewaxed heavy paraffinic ; Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified ; C14-16-18 Alkyl phenol | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

No ingredients are included in the REACH Candidate list (> 0,1 % m/m).

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

National adoption of EU Directives concerning health and safety on the workplace.

National adoption of EU Directives concerning control of major-accident hazards involving dangerous substances (2012/18/CE).

Relevant national laws on prevention of water pollution.

Relevant national laws on protection of the health of pregnant workers (National adoption of Dir. 92/85/EEC).

National adoption of Directive 2008/98/CE concerning disposal of used oils.

France

| Maladies professionelles (F) | | | |
|---|---|--|--|
| Code | Description | | |
| RG 36 | Diseases caused by oils and fats of mineral or synthetic origin | | |
| Germany | | | |
| Employment restrictions National Rules and Recomm | nendations | Employment prohibitions or restrictions on the protection of young people at work according to § 22 JArbSchG in the case of formation of hazardous substances have to be observed. TRGS 400: Hazard assessment for activities involving Hazardous Substances. TRGS 401: Risks resulting from skin contact - identification, assessment, measures. | |
| | | TRGS 402: Identification and Assessment of the Risks from Activities involving Hazardous Substances: Inhalation Exposure. TRGS 800: Fire protection measures. TRGS 900: Occupational Exposure Limits. TRGS 555: Working instruction and information for workers. | |
| VbF class (D) Water hazard class (WGK) (WGK remark | D) | Not applicable. WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1). Classification based on the components in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS). | |
| Storage class (LGK, TRGS & Hazardous Incident Ordinan | , | : LGK 10 - Combustible liquids. : Is not subject to the Hazardous Incident Ordinance (12. BImSchV) | |
| Netherlands | | | |
| Saneringsinspanningen SZW-lijst van kankerverwekt SZW-lijst van mutagene stof SZW-lijst van reprotoxische s SZW-lijst van reprotoxische s Vruchtbaarheid | fen stoffen – Borstvoeding stoffen – | C - Minimize discharge None of the components are listed | |
| SZW-lijst van reprotoxische | stoffen – Ontwikkeling | : None of the components are listed | |
| Denmark Danish National Regulations | | : Young people under 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with it | |
| Switzerland Storage class (LK) | | : LK 10/12 - Liguids | |
| 15.2. Chemical safety a | ssessment | | |

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP] No chemical safety assessment has been carried out

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

A chemical safety assessment has been carried out for the following components of this mixture::

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based, Baseoil - unspecified

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, Baseoil - unspecified

Distillates (petroleum), solvent-dewaxed light paraffinic

Distillates (petroleum), hydrotreated heavy paraffinic

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified

C14-16-18 Alkyl phenol

SECTION 16: Other information

| Indication of changes | | | |
|-----------------------------------|--|--|--|
| Section Changed item Change Notes | | | |
| First issue. | | | |

| Abbreviations | and acronyms: |
|---------------|---|
| | Complete text of the H phrases quoted in this Safety Data Sheet. These phrases are reported here for information only, and MAY NOT correspond to the classification of the product. |
| | N/D = not available |
| | N/A = not applicable |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Effective concentration for 50 percent of test population (median effective concentration) |
| IARC | International Agency for Research on Cancer |
| ΙΑΤΑ | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Lethal concentration for 50 percent of test population (median lethal concentration) |
| LD50 | Lethal dose for 50 percent of test population (median lethal dose) |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals, Regulation (EC) No 1907/2006 |
| RID | Regulation concerning the International Carriage of Dangerous Goods by Railways |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Abbreviations and acronyms: | |
|-----------------------------|---|
| vPvB | Very Persistent and Very Bioaccumulative |
| Data sources | : This Safety Data Sheet is based on the real characteristics of the components and their combination, taking into account the information provided by the suppliers. |
| Training advice | Provide adequate training to professional operators for the use of PPEs, according to the information contained in this Safety Data Sheet. |
| Other information | : Do not use the product for any purposes that have not been advised by the manufacturer. |

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| EUH208 | Contains C14-16-18 Alkyl phenol. May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request. |
| H304 | May be fatal if swallowed and enters airways. |
| H317 | May cause an allergic skin reaction. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| STOT RE 2 | Specific target organ toxicity – Repeated exposure, Category 2 |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.