

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878 Revision date: 10/20/2025 Supersedes: 5/29/2024 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Eni i-Ride Racing 5W-40

Product code : 5289
Type of product : Lubricants
Formula : 0137-2024
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use

Industrial/Professional use spec : Used in closed systems

Wide dispersive use

Use of the substance/mixture : Lubricant for internal combustion engines

Function or use category : Lubricants and additives

Uses advised against

Recommended use are listed above; other uses are not recommended unless an assessment has provided that risks are controlled.

1.3. Details of the supplier of the safety data sheet

Manufacturer: Enilive Iberia S.L.U. Avenida de Europa, 24, Edificio Torona B - Planta 1ª, 28108 Alcobendas (Madrid) Tel: (+34) 917 277 878 Competent person responsible for the Safety Data Sheet (Reg. EC nr. 1907/2006): SDS.Enilive@enilive.com

Distributed by: Enilive Schmiertechnik GmbH, Paradiesstraße 14, 97080 Würzburg, GERMANY Department responsible for information: Application Engineering & Product Management (AEPM), Tel. +49 (0)931-900 98-0 e-mail: technik.wuerzburg@enilive.com

1.4. Emergency telephone number

Emergency number : CNIT +39 0382 24444 (24h) (IT + EN)

Poison Center

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [EU-GHS / CLP]

Not classified

Adverse physicochemical, human health and environmental effects

None to be reported, according to the present EU regulations. For specific information about the toxicological/ecotoxicological properties and classification of this product, see Sect. 11 and/or Sect. 12.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

2.3. Other hazards

Other hazards not contributing to the classification

: This product is combustible, but not classified as Flammable. The creation of flammable vapour mixtures takes place at temperatures which are higher than normal ambient levels. In case of contact with eyes, this product may cause irritation. If the product is handled or used at high temperature, contact with hot product or vapours may cause burns. Do not wait for symptoms to develop. Any substance, in case of accidents involving pressurized circuits and the like, may be accidentally injected under the skin, even without external damage. In such a case, the victim should be brought to an hospital as soon as possible, to get specialized medical treatment.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII Distillates (petroleum), hydrotreated light paraffinic (64742-55-8), Distillates (petroleum), solvent-refined light paraffinic (64741-89-5), Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7), Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7) Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII Distillates (petroleum), hydrotreated light paraffinic (64742-55-8), Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0), Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7), Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7), Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component

Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7), Distillates (petroleum), hydrotreated light paraffinic (64742-55-8), Distillates (petroleum), solvent-refined light paraffinic (64741-89-5), Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)

Other information

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Comments

: Composition/ Information on ingredients: Mixture of hydrocarbons

Polymers Additives

10/20/2025 (Revision date) EN (English) 2/23

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [EU-GHS / CLP]
Distillates (petroleum), hydrotreated heavy paraffinic (see note [*], see note [**]) substance with national workplace exposure limit(s) (AT, BE, DK, ES, GB, HU, NL, SE)	CAS-No.: 64742-54-7 70 – 80 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25		Not classified
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (see note [*], see note [**]) substance with national workplace exposure limit(s) (AT, BE, DK, ES, GB, HU, NL, SE)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	10 – 15	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated light paraffinic (see note [*], see note [**]) substance with national workplace exposure limit(s) (AT, BE, DK, ES, GB, HU, NL, SE)	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3 REACH-no: 01-2119487077- 29	0.5 - 2	Asp. Tox. 1, H304
Distillates (petroleum), solvent-refined light paraffinic (see note [*], see note [**]) substance with national workplace exposure limit(s) (AT, BE, DK, ES, GB, HU, NL, SE)	CAS-No.: 64741-89-5 EC-No.: 265-091-3 EC Index-No.: 649-455-00-2 REACH-no: 01-2119487067- 30	0.5 - 2	Asp. Tox. 1, H304
Distillates (petroleum), solvent-dewaxed heavy paraffinic (see note [*], see note [**]) substance with national workplace exposure limit(s) (AT, BE, DK, ES, GB, HU, NL, SE)	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27	1 – 1.5	Not classified

Comments : Note [*]:

substance with occupational exposure limits for some EU countries affecting the category of mineral oils (finely refined mineral base oil mists; see section 8.1)

Note [**]:

this product has a value of DMSO extract < 3 % wt, according to IP 346. According to the criteria laid out by the EU (note L, Annex VI of Regulation (CE) 1272/2008), this product must be regarded as non carcinogenic.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: In case of disturbances owing to inhalation of vapours or mists, remove the victim from exposure; keep at rest; if necessary, seek medical attention. See also section 4.3.

First-aid measures after skin contact

: Take off contaminated clothing and shoes. Wash thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention. In case of burns, cool affected part with cold running water for at least 10 min. Cover with gauze or clean cloth. Ask for medical assistance or bring to a hospital. Do not apply salves or other substances, unless by doctor's advice. Body hypothermia must be avoided. Do not put ice on the burn.

First-aid measures after eye contact

: Rinse eyes thoroughly for at least 15 minutes. Keep eyelids well apart. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation, blurred vision or swelling occurs and persists, obtain medical advice from a specialist. In case of burns, cool affected part with cold running water for at least 10 min. Cover with gauze or clean cloth. Ask for medical assistance or bring to a hospital. Do not apply salves or other substances, unless by doctor's advice.

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

First-aid measures after ingestion

: Do NOT induce vomiting. If the person is conscious, rinse mouth with water without swallowing. Keep at rest. Call for medical assistance or bring to an hospital. If the casualty is unconscious, place in the recovery position. In case of spontaneous vomiting, keep head low, to avoid the risk of aspiration into the lungs. Do not give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: This product has a low vapour pressure, and in normal conditions at ambient temperature the concentration in the air is negligible. A significant concentration may build up only in case of sprays and mists. In these cases overexposure to mists (e.g. through prolonged use in confined insufficiently ventilated spaces) may cause irritation to airways, nausea and dizziness.

Symptoms/effects after skin contact Symptoms/effects after eye contact : Contact with hot product may cause thermal burns.

Contact with eyes may cause temporary reddening and irritation. Contact with hot product or vapours may cause burns.

Symptoms/effects after ingestion

: Accidental ingestion of small quantities of the product may cause nausea, discomfort and gastric disturbances.

Symptoms/effects upon intravenous administration

: No information available.

Chronic symptoms

: None known.

4.3. Indication of any immediate medical attention and special treatment needed

Obtain medical attention if casualty has an altered state of consciousness or if symptoms do not resolve. Seek medical attention in all cases of serious burns.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

: Small-size fires: carbon dioxide, dry chemicals, foam, sand or earth. Large fires: foam or water fog (mist). These means should be used by trained personnel only. Other extinguishing gases (according to regulations).

Unsuitable extinguishing media

: Do not use water jets. They could cause splattering, and spread the fire. Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.

5.2. Special hazards arising from the substance or mixture

Fire hazard

Explosion hazard

: This product is combustible, but not classified as Flammable. The creation of flammable vapour mixtures takes place at temperatures which are higher than normal ambient levels.

In case of losses from pressurized circuits, the sprays may form mists. Take into account that in this case the lower explosion limit for mists is about 45 g/m³ air. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Heat may build pressure in tank and containers, rupturing closed vessels, spreading fire and increasing risk of burns and injuries.

Hazardous decomposition products in case of fire

: Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. Oxygenated compounds (aldehydes, etc.). POx. ZnOx. CaOx.

5.3. Advice for firefighters

Firefighting instructions

: Shut off source of product, if possible. Move undamaged containers from immediate hazard area if it can be done safely. Spilled product which is not burning should be covered with sand or foam. Use water sprays to cool containers and surfaces exposed to the flames. If the fire cannot be controlled, evacuate area.

Special protective equipment for firefighters

: Wear personal protection equipment. (see chapter 8). In case of a large fire or in confined or poorly ventilated spaces, wear full fire resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. EN 443. EN 469. EN 659.

Other information

: In case of fire, do not discharge residual product, waste materials and runoff water: collect separately and use a proper treatment.

10/20/2025 (Revision date) EN (English) 4/23

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Stop or contain leak at the source, if safe to do so. Eliminate all ignition sources if safe to do so (e.g. electricity, sparks, fires, flares). Avoid accidental sprays on hot surfaces or electrical contacts. Avoid direct contact with released material. Keep upwind.

For non-emergency personnel

Protective equipment

: See Section 8.

Emergency procedures

: Keep non-involved personnel away from the area of spillage. Alert emergency personnel. Except in case of small spillages, the feasibility of any actions should always be assessed and advised, if possible, by a trained, competent person in charge of managing the emergency.

For emergency responders

Protective equipment

Small spillages: normal antistatic working clothes are usually adequate. Large spillages: full body suit of chemically resistant and antistatic material. if necessary heat resistant and insulated. Work gloves providing adequate chemical resistance, specifically to aromatic hydrocarbons. Gloves made of PVA are not water-resistant, and are not suitable for emergency use. If contact with hot product is possible or anticipated, gloves should be heat-resistant and thermally insulated. Antistatic non-skid safety shoes or boots, chemical resistant, if necessary heat resistant and insulated. Work helmet. Goggles and /or face shield, if splashes or contact with eyes is possible or anticipated. Respiratory protection: a half or full-face respirator with filter(s) for organic vapours (AX), or a Self-contained Breathing Apparatus (SCBA) can be used according to the extent of spill and predictable amount of exposure. If the situation cannot be completely assessed, or if an oxygen deficiency is possible, only SCBA's should be used.

Emergency procedures

: If required, notify relevant authorities according to all applicable regulations.

6.2. Environmental precautions

Do not let the product accumulate in confined or underground spaces. Do not let the product flow into sewers or water courses, or in any way contaminate the environment. In case of contamination of environment compartments (soil, subsoil, surface or underground waters), remove contaminated soil when possible, and in any case treat all involved compartments in accordance with local regulations. The site should have a spill plan to ensure that adequate safeguards are in place to minimize the impact of episodic releases.

6.3. Methods and material for containment and cleaning up

For containment

: Contain spilled liquid with sand, earth or other suitable absorbents (non-flammable). Recover free liquid and waste materials in suitable waterproof and oil-resistant containers. Clean contaminated area. Dispose of according to local regulations. If in water: Confine the spillage. Remove from surface by skimming or suitable floating absorbents. Collect recovered product and other waste materials in suitable waterproof, oil resistant containers. Recover or dispose of according to local regulations. Do not use solvents or dispersants, unless specifically advised by an expert, and, if required, approved by local authorities.

Methods for cleaning up

: Transfer recovered product and other materials to suitable tanks or containers and store/dispose according to relevant regulations.

Other information

: Recommended measures are based on the most likely spillage scenarios for this material; however, local conditions (wind, air/water temperature, wave/current direction and speed) may significantly influence the choice of appropriate actions. Local regulations may also prescribe or limit actions to be taken. For this reason, local experts should be consulted when necessary.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

10/20/2025 (Revision date) EN (English) 5/23

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: This material is combustible, but will not ignite readily. Provide adequate ventilation. Use adequate personal protective equipment as needed. Due to the extremely slippery nature of this material, more care than usual must be exercised in material handling practices to keep off all walking surfaces. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid release to the environment. Emptied containers can contain combustible product residues. Do not cut, weld, drill, burn or incinerate empty containers or drums, unless they have been drained and cleaned. Before entering storage tanks and commencing any operation in a confined area (e.g. tunnels), carry out an adequate cleanup, and check the atmosphere for oxygen content and flammability.

Hygiene measures

Ensure that proper housekeeping measures are in place. Avoid contact with skin. Do not breathe fume/ mist/ vapours. Do not ingest. Do not smoke. Do not eat and do not drink during use. Do not clean hands with dirty or oil-soaked rags. Do not re-use clothes, if they are still contaminated. Keep away from food and beverages. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Separate working clothes from town clothes. Launder separately.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in dry, well-ventilated area. Keep away from open flames, hot surfaces and sources of ignition. Do not smoke.

Incompatible products

: Keep away from strong oxidizers.

Storage area

: Storage area layout, tank design, equipment and operating procedures must comply with the relevant European, national or local legislation. Storage installations/areas should be designed with adequate bunds in case of leaks or spills. Cleaning, inspection and maintenance of internal structure of storage tanks must be done only by properly equipped

and qualified personnel as defined by national, local or company regulations.

Packages and containers:

: If the product is supplied in containers: Keep containers tightly closed and properly labelled. Keep only in the original container or in a suitable container for this kind of product.

Packaging materials

: For containers, or container linings use materials specifically approved for use with this product. Compatibility should be checked with the manufacturer, according to the specific

use conditions.

Germany

Storage class (LGK, TRGS 510) : LGK 10 - Combustible liquids

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)			
Austria - Occupational Exposure Limits			
MAK (OEL TWA)	MAK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Belgium - Occupational Exposure Limits			
OEL TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)			
Denmark - Occupational Exposure Limits			
OEL TWA 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)			

Safety Data Sheet

Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)			
OEL STEL	2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Netherlands - Occupational Exposure Limits			
MAC TGG 8h (mg/m³)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
VLA-EC (mg/m³)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
KGV (OEL STEL)	3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
WEL STEL (OEL STEL)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
USA - ACGIH - Occupational Exposure Limits			
ACGIH® TLV® TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
ACGIH® TLV® STEL	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Distillates (petroleum), solvent-refined light p	araffinic (64741-89-5)		
Austria - Occupational Exposure Limits			
MAK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Belgium - Occupational Exposure Limits			
OEL TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Denmark - Occupational Exposure Limits			
OEL TWA	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
OEL STEL	2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Netherlands - Occupational Exposure Limits			
MAC TGG 8h (mg/m³)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
VLA-EC (mg/m³)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
KGV (OEL STEL)	3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
WEL STEL (OEL STEL)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		

Safety Data Sheet

Distillates (petroleum), solvent-refined light paraffinic (64741-89-5)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH® TLV® TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
ACGIH® TLV® STEL	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Belgium - Occupational Exposure Limits		
OEL TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Denmark - Occupational Exposure Limits		
OEL TWA	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
OEL STEL	2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Netherlands - Occupational Exposure Limits		
MAC TGG 8h (mg/m³)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
VLA-EC (mg/m³)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
KGV (OEL STEL)	3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
WEL STEL (OEL STEL)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH® TLV® TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
ACGIH® TLV® STEL	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Belgium - Occupational Exposure Limits		
OEL TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Denmark - Occupational Exposure Limits		
OEL TWA	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
OEL STEL	2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	

Safety Data Sheet

Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m²) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-EC (mg/m²) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m²) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL TWA) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL) 3 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) ACGIH® TLV® TWA 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Distillates (petroleum), hydrotreated heavy paraffinic; Basool— unspecified (64742-54-7) Austria - Occupational Exposure Limits MAC (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits WEL TWA 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits WAC TGG 8h (mg/m²) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits WAC TGG 8h (mg/m²) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits WAC TGG 8h (mg/m²) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WAC TGG 8h (mg/m²) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WAC TG	Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)			
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m²) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m²) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VROY (OEL STEL) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VROY (OEL STEL) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VROY (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VROY (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VROY (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VROY (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VROY (NINERAL base oil mist, severely refined, DMSO extract <3% m/m) VROY (NINERAL base oil mist, severely refined, DMSO extract <3% m/m) Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-64-7) Austria - Occupational Exposure Limits MAK (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits AK (OEL TWA) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VROY (NINERAL base oil mist, severely refined, DMSO extract <3% m/m) VROY (NINERAL base oil mist, severely refined, DMSO extract <3% m/m) VROY (NINERAL base oil mist, severely refined, DMSO extract <3% m/m) VROY (NINERAL base oil mist, severely refined, DMSO extract <3% m/m) VROY (NINERAL base oil mist, severely refined, DMSO extract <3% m/m) VROY (NINERAL base oil mist, severely refined, DMSO extract <3% m/m) VROY (NINERAL base oil mist, severely refined, DMSO extract <3% m/m) VROY (NINERAL base oil mist, severely refined, DMSO extract <3% m/m) VROY (NINERAL base oil mi	Netherlands - Occupational Exposure Limits			
VLA-ED (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m²) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NSV (OEL TWA) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) ACGIHRO TLV® STEL 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil—unspecified (64742-54-7) Austria - Occupational Exposure Limits MAK (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits AC (CEL TWA) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Pungary - Occupational Exposure Limits AC (CEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC (CEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC (CEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC (CEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC (CEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC (CEL T	MAC TGG 8h (mg/m³) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)			
VLA-EC (mg/m²) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TYMA) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TYMA (OEL TYMA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH8 TLV8 TWA 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil—unspecified (64742-54-7) Austria - Occupational Exposure Limits MAK (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Belgium - Occupational Exposure Limits OEL TWA 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits AK (OEL TWA) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits AK (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits AK (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m²) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m²) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m²) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (TMA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL TWA (OEL TWA) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (TMG/m²) 10 mg/m² (Spain - Occupational Exposure Limits			
Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL TWA (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL TWA (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (DEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (DEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) ACGIHØ TLV® TWA 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Distillates (petroleum), hydrotreated heavy paraffinic; Baseoll—unspecified (64742-54-7) Austria - Occupational Exposure Limits MAK (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Beiglum - Occupational Exposure Limits OEL TWA 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits AK (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits AK (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m²) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits NGV (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m²) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m²) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m²) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m²) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m²) 1 mg/	VLA-ED (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
NGV (OEL TWA) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) ACGIH® TLV® TWA 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) ACGIH® TLV® STEL 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7) Austria - Occupational Exposure Limits MAK (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Beiglum - Occupational Exposure Limits OEL TWA 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) OEL STEL 2 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m²) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-ED (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-ED (OEL TWA) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-ED (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-ED (OEL TWA) 5 mg/m² (Min	VLA-EC (mg/m³)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Month Mont	Sweden - Occupational Exposure Limits			
United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) S mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH- Occupational Exposure Limits ACGIH- TLV® TWA S mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) ACGIH- TLV® STEL 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil—unspecified (64742-54-7) Austria - Occupational Exposure Limits MAK (OEL TWA) S mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Belgium - Occupational Exposure Limits OEL TWA S mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits AK (OEL TWA) 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits AK (OEL TWA) S mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m²) S mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) S mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) S mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Swedon - Occupational Exposure Limits WEL TWA (OEL TWA) S mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) S mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL ST	NGV (OEL TWA)	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
WEL TWA (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TL/® TWA 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) ACGIH® TL/® STEL 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Distillates (potroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7) Austria - Occupational Exposure Limits MAK (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Belgium - Occupational Exposure Limits OEL TWA 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) OEL STEL 2 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m²) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m²) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m²) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m²) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WLA-EC (mg/m²) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WLA-EC (mg/m²) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WLA-EC (mg/m²) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WLA-EC (mg/m²) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WLA-EC (mg/m²) 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) MAC (OEL TWA) 5 mg/m² (Mineral base oil mist, severely r	KGV (OEL STEL)	3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7) Austria - Occupational Exposure Limits MAK (CEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Belgium - Occupational Exposure Limits OEL TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) OEL STEL 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m²) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m²) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m²) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m²) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits NGV (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WLA-EC (mg/m²) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WLA-ED (SETEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (DEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, sev	United Kingdom - Occupational Exposure Limits			
USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) ACGIH® TLV® STEL 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Distillates (petroleum), hydrotreated heavy parafffinic; Baseoil— unspecified (64742-54-7) Austria - Occupational Exposure Limits MAK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Belgium - Occupational Exposure Limits OEL TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m³) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Swedon - Occupational Exposure Limits NGY (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Swedon - Occupational Exposure Limits NGY (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	WEL TWA (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) ACGIH® TLV® STEL 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7) Austria - Occupational Exposure Limits MAK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Belgium - Occupational Exposure Limits OEL TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) DEL STEL 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m³) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	WEL STEL (OEL STEL)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
ACGIH® TLV® STEL 10 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7) Austria - Occupational Exposure Limits MAK (OEL TWA) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Belgium - Occupational Exposure Limits OEL TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) OEL STEL 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m³) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits WEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) SMG (Mineral base oil mist, severely refined, DMSO extract <3% m/m) SMG (Mineral base oil mist, severely refined,	USA - ACGIH - Occupational Exposure Limits			
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7) Austria - Occupational Exposure Limits MAK (DEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Belgium - Occupational Exposure Limits OEL TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) OEL STEL 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m³) 5 mg/m² (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	ACGIH® TLV® TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Austria - Occupational Exposure Limits MAK (OEL TWA) Belgium - Occupational Exposure Limits OEL TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) OEL STEL 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m³) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m²) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	ACGIH® TLV® STEL	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
MAK (OEL TWA) Belgium - Occupational Exposure Limits OEL TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) OEL STEL 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m³) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m²) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	Distillates (petroleum), hydrotreated heavy pa	araffinic; Baseoil— unspecified (64742-54-7)		
Belgium - Occupational Exposure Limits OEL TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) OEL STEL 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m³) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	Austria - Occupational Exposure Limits			
DEL TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Denmark - Occupational Exposure Limits OEL TWA 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) OEL STEL 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m³) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	MAK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Denmark - Occupational Exposure Limits OEL TWA 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) OEL STEL 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m³) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	Belgium - Occupational Exposure Limits	Belgium - Occupational Exposure Limits		
DEL TWA 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) DEL STEL 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m³) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	OEL TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
OEL STEL 2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m³) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	Denmark - Occupational Exposure Limits	Denmark - Occupational Exposure Limits		
Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m³) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	OEL TWA	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
AK (OEL TWA) S mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m³) S mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	OEL STEL	2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Netherlands - Occupational Exposure Limits MAC TGG 8h (mg/m³) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	Hungary - Occupational Exposure Limits			
MAC TGG 8h (mg/m³) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	AK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	Netherlands - Occupational Exposure Limits			
VLA-ED (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	MAC TGG 8h (mg/m³)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
VLA-EC (mg/m³) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	Spain - Occupational Exposure Limits			
Sweden - Occupational Exposure Limits NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	VLA-ED (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
NGV (OEL TWA) 1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	VLA-EC (mg/m³)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
KGV (OEL STEL) 3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	Sweden - Occupational Exposure Limits			
United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	NGV (OEL TWA)	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
WEL TWA (OEL TWA) 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	KGV (OEL STEL)	3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
WEL STEL (OEL STEL) 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m) USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	United Kingdom - Occupational Exposure Limits			
USA - ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	WEL TWA (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
ACGIH® TLV® TWA 5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	WEL STEL (OEL STEL)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
	USA - ACGIH - Occupational Exposure Limits			
ACGIH® TLV® STEL 10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	ACGIH® TLV® TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		
	ACGIH® TLV® STEL	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)		

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Recommended monitoring procedures

Monitoring methods	
Monitoring methods	Monitoring procedures should be chosen according to the indications set by national authorities or labour contracts. Refer to relevant legislation and in any case to the good practice of industrial hygiene.

Air contaminants formed

Applicable OEL and BLV for air contaminants : None known

DNEL and PNEC

Eni i-Ride Racing 5W-40	ni i-Ride Racing 5W-40		
DNEL/DMEL (additional information)			
Additional information	Not applicable		
PNEC (additional information)			
Additional information	Not applicable		
	The Derived No Effect Level (DNEL) is an estimated safe level of exposure that is derived from toxicity data in accord with specific guidance within the European REACH regulation. The DNEL may differ from an Occupational Exposure Limit (OEL) for the same chemical.		

from toxicity data in accord with specific guidance within the European REACH regulation. The DNEL may differ from an Occupational Exposure Limit (OEL) for the same chemical. OELs may be recommended by an individual company, a governmental regulatory body or an expert organization, such as the Scientific Committee for Occupational Exposure Limits (SCOEL) or the American Conference of Governmental Industrial Hygienists (ACGIH). OELs are considered to be safe exposure levels for a typical worker in an occupational setting for an 8-hour work shift, 40 hour work week, as a time weighted average (TWA) or a 15 minute short-term exposure limit (STEL). While also considered to be protective of health, OELs are derived by a process different from that of REACH.

Control banding

Control banding : None known

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Before entering storage tanks and commencing any operation in a confined area (e.g. tunnels), carry out an adequate clean-up, and check the atmosphere for oxygen content and flammability. See also Section 16, "Other information".

Personal protection equipment

Personal protective equipment (for industrial or professional use):

Face shield. Gloves. Protective clothing. Safety glasses. Safety shoes.

Personal protective equipment symbol(s):











Eye and face protection

Eye protection:

When there is a risk of contact with the eyes, use safety goggles or other means of protection (face shield). If necessary, refer to national standards or to the EN 166 standard.

Skin protection

Skin and body protection:

Long-sleeved overalls. If necessary, refer to the EN 340 and related standards, for definition of characteristics and performance according to the risk rating of the area. Antistatic non-skid safety shoes or boots, chemical resistant, if necessary heat resistant and insulated.

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Hand protection:

When there is a risk of contact with the skin, use waterproof gloves, resistant to chemical products. Gloves must be felt-lined. Adequate materials: nitrile (NBR) or PVC with a protection index > 5 (permeation time > 240 mins). Use gloves respecting all the conditions and within the limits set by the manufacturer. Replace gloves immediately in case of cuts, holes or other signs of damages or degradation. If necessary, refer to the EN 374 standard. Personal hygiene is a key element for an effective hand care. Gloves must be worn only with clean hands. After wearing gloves, hands must be carefully washed and dried.

Respiratory protection

Respiratory protection:

Independently from other possible actions (technical modifications, operating procedures, and other means to limit the exposure of workers), personal protection equipment can be used according to necessity. Open or well ventilated spaces: if the product is handled without adequate containment, use full or half-face masks with adequate filter for dusts. (EN 136/140/145). Combined gas/dust mask with filter type: EN 14387. Closed or confined areas (e.g. tank interiors): the use of protection measures for airways (masks or self-contained breathing apparatus), must be assessed according to the specific activity, as well as level and duration of predicted exposure. (EN 136/140/145)

Thermal hazards

Thermal hazard protection:

If contact with hot product is possible or anticipated, gloves should be heat-resistant and thermally insulated.

Environmental exposure controls

Environmental exposure controls:

Do not discharge the product into the environment. Storage areas/installations should be designed with adequate bunds so as to prevent ground and water pollution in case of leaks or spills. Prevent discharge of undissolved substance to or recover from onsite wastewater. Onsite wastewater treatment required. Do not apply industrial sludge to natural soils. Sludge should be incinerated, contained or reclaimed.

Consumer exposure controls:

No special requirements.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Yellow-brown.
Appearance : Liquid, bright & clear.
Odour : Slight odour of petroleum.

Odour threshold : There are no data available on the preparation/mixture itself.

Melting point : Not applicable

Freezing point : Lack of data (on mixture / components of the mixture) - Data not available

Softening point : -36 °C (ASTM D 97) Boiling point : ≥ 250 °C (ASTM D1160)

Flammability : Not applicable

Not flammable

Lower explosion limit : Lack of data (on mixture / components of the mixture) - Data not available
Upper explosion limit : Lack of data (on mixture / components of the mixture) - Data not available

Flash point : \geq 200 °C (ASTM D 93) Auto-ignition temperature : > 300 °C (CAS 64742-54-7)

Decomposition temperature : Lack of data (on mixture / components of the mixture) - Data not available pH : Lack of data (on mixture / components of the mixture) - Data not available Viscosity, kinematic : 84.4 mm²/s (40 °C) (ASTM D 445), 12,5 – 16,3 mm²/s (100 °C) (ASTM D445) Viscosity, dynamic : Lack of data (on mixture / components of the mixture) - Data not available

Solubility : Water: Immiscible and insoluble
Log Kow : Not applicable for mixtures
Log Pow : Not applicable for mixtures

Vapour pressure : \leq 0.1 hPa (20°C)

Vapour pressure at 50°C : Lack of data (on mixture / components of the mixture) - Data not available

Critical pressure : Not applicable for mixtures
Density : 854 kg/m³ (15 °C) (ASTM D 4052)

Relative density : Lack of data (on mixture / components of the mixture) - Data not available Relative vapour density at 20°C : Lack of data (on mixture / components of the mixture) - Data not available

Particle characteristics : Not applicable

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

9.2. Other information

Information with regard to physical hazard classes

Explosion limits : \geq 45 g/m³ (Aerosol) Critical temperature : Not applicable for mixtures

Other safety characteristics

Relative evaporation rate (butylacetate=1) : Negligible.

SECTION 10: Stability and reactivity

10.1. Reactivity

This mixture does not offer any further hazard for reactivity, except what is reported in the following paragraphs.

10.2. Chemical stability

Stable product, according to its intrinsic properties.

10.3. Possibility of hazardous reactions

None (in normal conditions of storage and handling). Contact with strong oxidizers (peroxides, chromates, etc.) may cause a fire hazard. Sensitivity to heat, friction or shock cannot be assessed in advance.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Strong oxidants.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition may produce: Toxic fumes.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Additional information : (according to composition)

	· · · · · · · · · · · · · · · · · · ·	
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
LD50 oral rat	> 5000 mg/kg (OECD 401)	
LD50 dermal rat	> 5000 mg/kg (OECD 402)	
Distillates (petroleum), solvent-refined light p	araffinic (64741-89-5)	
LD50 oral rat	> 5000 mg/kg (OECD 401)	
LD50 dermal rat	> 5000 mg/kg (OECD 402)	
LC50 Inhalation - Rat	> 5 mg/l/4h (OECD 403)	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
LD50 oral rat	> 5000 mg/kg (OECD 401)	
LD50 dermal rat	> 5000 mg/kg (OECD 402)	
_C50 Inhalation - Rat > 5 mg/l/4h (OECD 403)		

Safety Data Sheet

Distillator (notroloum) budgetgeted because	proffinio (64742 E4 7)		
Distillates (petroleum), hydrotreated heavy pa			
LD50 oral rat	> 5000 mg/kg (OECD 401)		
LD50 dermal rat	> 5000 mg/kg (OECD 402)		
LD50 dermal rabbit	> 2000 mg/kg bodyweight		
LC50 Inhalation - Rat	> 5.53 mg/l/4h (OECD 403)		
Distillates (petroleum), hydrotreated heavy pa	araffinic; Baseoil— unspecified (64742-54-7)		
LD50 oral rat	> 5000 mg/kg (OECD 401)		
LD50 dermal rat	> 5000 mg/kg (OECD 402)		
LD50 dermal rabbit	> 2000 mg/kg bodyweight		
LC50 Inhalation - Rat	> 5.53 mg/l/4h (OECD 403)		
	Not classified (Based on available data, the classification criteria are not met) pH: Lack of data (on mixture / components of the mixture) - Data not available		
	(according to composition)		
Distillates (petroleum), hydrotreated light para			
рН	Not applicable		
Distillates (petroleum), solvent-refined light p	araffinic (64741-89-5)		
рН	Not applicable		
Distillates (petroleum), solvent-dewaxed heav	yy paraffinic (64742-65-0)		
рН	Not applicable		
Distillates (petroleum), hydrotreated heavy pa	araffinic (64742-54-7)		
рН	Not applicable		
Distillates (petroleum), hydrotreated heavy pa	araffinic; Baseoil— unspecified (64742-54-7)		
pH	Not applicable		
	Not classified (Based on available data, the classification criteria are not met) pH: Lack of data (on mixture / components of the mixture) - Data not available		
Additional information : (according to composition) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)			
	Not applicable		
pH			
Distillates (petroleum), solvent-refined light p			
pH	Not applicable		
Distillates (petroleum), solvent-dewaxed heav			
pH	Not applicable		
Distillates (petroleum), hydrotreated heavy pa	araffinic (64742-54-7)		
pH	Not applicable		
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)			
рН	Not applicable		
Respiratory or skin sensitisation : Additional information : Germ cell mutagenicity :	Not classified (Based on available data, the classification criteria are not met) (according to composition) Not classified (Based on available data, the classification criteria are not met)		
Additional information :	(according to composition)		
Carcinogenicity :	Not classified (Based on available data, the classification criteria are not met)		

Safety Data Sheet

Additional information

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Additional information .	(according to composition)		
	All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to IP 346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3)		
Reproductive toxicity	Not classified (Based on available data, the classification criteria are not met)		
Additional information	(according to composition)		
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)		
Additional information	: (according to composition)		
STOT-repeated exposure :	: Not classified (Based on available data, the classification criteria are not met)		
Additional information :	(according to composition)		
Distillates (petroleum), hydrotreated light pa			
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day (OECD TG 408)		
Distillates (petroleum), solvent-refined light	paraffinic (64741-89-5)		
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day (OECD TG 408)		
Distillates (petroleum), solvent-dewaxed hea	vy paraffinic (64742-65-0)		
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day (OECD TG 408)		
Distillates (petroleum), hydrotreated heavy p	araffinic (64742-54-7)		
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day (OECD TG 408)		
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)		
Distillates (petroleum), hydrotreated heavy p	paraffinic; Baseoil— unspecified (64742-54-7)		
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day (OECD TG 408)		
Aspiration hazard : Additional information :	Not classified (Based on available data, the classification criteria are not met) (according to composition)		
Eni i-Ride Racing 5W-40			
Viscosity, kinematic	84.4 mm²/s (40 °C) (ASTM D 445), 12,5 – 16,3 mm²/s (100 °C) (ASTM D445)		
Distillates (petroleum), hydrotreated light pa	raffinic (64742-55-8)		
Viscosity, kinematic	> 20.5 mm²/s (40 °C) (ASTM D 445)		
Distillates (petroleum), solvent-refined light	paraffinic (64741-89-5)		
Viscosity, kinematic	12.5 – 14.5 mm²/s (40°C, ASTM D 445)		
Distillates (petroleum), solvent-dewaxed hea	vy paraffinic (64742-65-0)		
Viscosity, kinematic	160 mm²/s (40 °C) (ASTM D 445)		
Distillates (petroleum), hydrotreated heavy p	araffinic (64742-54-7)		
Viscosity, kinematic	32 mm²/s (40 °C) (ASTM D 445)		
Distillates (petroleum), hydrotreated heavy p	paraffinic; Baseoil— unspecified (64742-54-7)		
Viscosity, kinematic	18.14 mm²/s (40 °C) (ASTM D 445)		
11.2. Information on other hazards			

: (according to composition)

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: None,The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Other information

Potential adverse human health effects and

symptoms

Other information

: Contact with eyes may cause temporary reddening and irritation, Avoid all eye and skin

contact and do not breathe vapour and mist

None

SECTION 12: Ecological information

		_			
.,	1		αv		itv
-			\mathbf{U}	11.	ILV

Ecology - general

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. An uncontrolled release to the environment may nevertheless produce a contamination of different environmental compartments (soil, underground, surface water bodies, aquifers). Handle according to general working hygiene practices to avoid pollution and release into the environment.

Ecology - air

This product has a low vapour pressure, and in normal conditions at ambient temperature the concentration in the air is negligible. A significant concentration may build up only in case of sprays and mists. In these cases overexposure to mists (e.g. through prolonged use in confined insufficiently ventilated spaces) may cause irritation to airways, nausea and

Ecology - water

This product is not soluble in water. It floats on water and forms a film on the surface. The damage to aquatic organisms is of mechanical kind (immobilization and entrapment)

Hazardous to the aquatic environment, short-term

Not classified (Based on available data, the classification criteria are not met)

(acute)

Hazardous to the aquatic environment, long-term

: Not classified (Based on available data, the classification criteria are not met)

(chronic)		
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
LC50 fish 1 100 – 10000 mg/l (LL 50)		
EC50 Daphnia 1	> 10000 mg/l WAF, 48 h (OECD 202)	
EC50 72h - Algae [1]	100 mg/l (EL0, Pseudokirchneriella subcapitata)	
NOEC (chronic)	10 – 1000 mg/l (NOELR, Daphnia Magna)	
NOEC chronic algae	100 mg/l (72h, Pseudokirchneriella subcapitata)	
Distillates (petroleum), solvent-refined light paraffinic (64741-89-5)		
LC50 fish 1	> 100 mg/l (LL 50)	
EC50 Daphnia 1	> 10000 mg/l WAF, 48 h (OECD 202)	
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)	
LC50 fish 1	> 100 mg/l (LL 50)	
EC50 Daphnia 1	> 10000 mg/l WAF, 48 h (OECD 202)	
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)	
LC50 fish 1	> 100 mg/l	
EC50 Daphnia 1	> 10000 mg/l WAF, 48 h (OECD 202)	
NOEC chronic fish	≥ 1000 (NOELR, Oncorhynchus mykiss)	
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)		
LC50 fish 1 > 100 mg/l (Pimephales promelas)		
EC50 Daphnia 1	> 100 mg/l (OECD 202)	
ErC50 (algae)	> 100 mg/l (72h)	
NOEC chronic fish ≥ 1000 mg/l (NOELR, Oncorhynchus mykiss)		
NOEC chronic crustacea	> 1 mg/l	

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Distillates (petroleum), hydrotreated heavy pa	raffinic; Baseoil— unspecified (64742-54-7)	
NOEC chronic algae	> 1 mg/l	
12.2. Persistence and degradability		
Eni i-Ride Racing 5W-40		
Persistence and degradability	The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent, particularly in anaerobic conditions.	
Distillates (petroleum), hydrotreated light para	affinic (64742-55-8)	
Persistence and degradability	The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent, particularly in anaerobic conditions.	
Biodegradation	< 60 % (28d)	
Distillates (petroleum), solvent-refined light p	araffinic (64741-89-5)	
Persistence and degradability	The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent, particularly in anaerobic conditions.	
Biodegradation	31 % (28d, Exxon 1995)	
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)	
Persistence and degradability	The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent, particularly in anaerobic conditions.	
Distillates (petroleum), hydrotreated heavy pa	rraffinic (64742-54-7)	
Persistence and degradability	The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent, particularly in anaerobic conditions.	
Distillates (petroleum), hydrotreated heavy pa	rraffinic; Baseoil— unspecified (64742-54-7)	
Persistence and degradability	The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent, particularly in anaerobic conditions.	
12.3. Bioaccumulative potential		
Eni i-Ride Racing 5W-40		
Log Pow	Not applicable for mixtures	
Log Kow	Not applicable for mixtures	
Bioaccumulative potential	Not established.	
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
Log Kow	<1	

10/20/2025 (Revision date)	EN (English)	16/23

The test methods for this endpoint are not applicable to UVCB substances.

Distillates (petroleum), solvent-refined light paraffinic (64741-89-5)

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)

2 – 6

Bioaccumulative potential

Log Pow

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

12.4. Mobility in soil

Eni i-Ride Racing 5W-40		
Ecology - soil No data available.		
Distillates (petroleum), solvent-refined light paraffinic (64741-89-5)		
Foology - soil This product is not soluble in water. It floats on water and forms a film on the surface		

12.5 Results of PRT and vPvR assessment

12.5. Results of PBT and VPVB assessment		
Eni i-Ride Racing 5W-40		
This substance/mixture does not meet the PBT criteria	of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria	a of REACH regulation, annex XIII	
Results of PBT-vPvB assessment	The components in this formulation do not meet the criteria for classification as PBT or vPvB. The product should be considered prudentially as "Persistent" in the environment, according to the REACH Annex XIII criteria (point 1.1)	
Component		
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII Distillates (petroleum), hydrotreated light paraffinic (64742-55-8), Distillates (petroleum) solvent-refined light paraffinic (64741-89-5), Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0), Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecific (64742-54-7)		
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Distillates (petroleum), hydrotreated light paraffinic (64742-55-8), Distillates (petroleum), solvent-refined light paraffinic (64741-89-5), Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0), Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7), Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)	

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Other adverse effects : None

el duvelse ellects . Notic.		
Eni i-Ride Racing 5W-40		
Other information	This product has no specific properties for inhibition of bacterial activity. In any case, wastewater containing this product should be treated in plants that are suited for the specific purpose.	
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
Other information	This product has no specific properties for inhibition of bacterial activity. In any case, wastewater containing this product should be treated in plants that are suited for the specific purpose.	
Distillates (petroleum), solvent-refined light p	araffinic (64741-89-5)	
Other information	This product has no specific properties for inhibition of bacterial activity. In any case, wastewater containing this product should be treated in plants that are suited for the specific purpose.	

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
Other information	This product has no specific properties for inhibition of bacterial activity. In any case, wastewater containing this product should be treated in plants that are suited for the specific purpose.	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Other information	This product has no specific properties for inhibition of bacterial activity. In any case, wastewater containing this product should be treated in plants that are suited for the specific purpose.	
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)		
Other information	This product has no specific properties for inhibition of bacterial activity. In any case, wastewater containing this product should be treated in plants that are suited for the specific purpose.	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Do not dispose of the product, either new or used, by dumping on the ground, or discharging into sewers, tunnels, lakes or water courses. Deliver to a qualified official

collector. Dispose of empty containers and wastes safely.

Sewage disposal recommendations : Dispose of in a safe manner in accordance with local/national regulations. Do not apply

industrial sludge to natural soils. Sludge should be incinerated, contained or reclaimed.

Product/Packaging disposal recommendations : European Waste Catalogue code(s) (Decision 2001/118/CE): 13 02 05* (mineral-based

non-chlorinated engine, gear and lubricating oils), 13 02 06* (synthetic engine, gear and lubricating oils). This EWC code is only a general indication, and takes into account the original composition of the product and its intended use. The user has the responsibility of choosing the right EWC code, considering the actual use of the product, alterations and

contaminations.

Additional information : Empty containers may contain combustible product residues. Do not cut, weld, bore, burn or

incinerate emptied containers, unless they have been cleaned and declared safe.

Ecology - waste materials : The product as it is does not contain halogenated substances.

: 13 02 05* - Mineral-based non-chlorinated engine, gear and lubricating oils

13 02 06* - Synthetic engine, gear and lubricating oils

SECTION 14: Transport information

EURAL code (EWC)

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
Not regulated for transport				
14.2. UN proper shipping	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	class(es)			
Not regulated	Not regulated Not regulated Not regulated Not regulated			
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated Not regulated Not regulated Not regulated Not regulated			
None.				

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

Other information, restriction and prohibition regulations

: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). (et sequens). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (et sequens). Directives 89/391/CEE, 89/654/CEE, 89/655/CEE, 89/656/CEE, 90/269/CEE, 90/270/CEE, 90/394/CEE, 90/679/CEE, 93/88/CEE, 95/63/CE, 97/42/CE, 98/24/CE, 99/38/CE, 99/92/CE, 2001/45/CE, 2003/10/CE, 2003/18/CE (Health and safety on the workplace). Directive 2012/18/CE (Control of major-accident hazards involving dangerous substances). Directive 2004/42/CE (Limitation of emissions of Volatile Organic Compounds). Directive 98/24/EC (protection of the health and safety of workers from the risks related to chemical agents at work). Directive 92/85/CE (measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding). Substances Depleting the Ozone layer (1005/2009) - Annex I Substances (ODP). POP (2019/1021) - Persistent Organic Pollutants. Regulation EU (649/2012) -Export and Import of hazardous chemicals (PIC). Commission Delegated Regulation (EU) 2017/2100. Commission Regulation (EU) 2018/605.

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	Distillates (petroleum), hydrotreated light paraffinic; Distillates (petroleum), solvent- refined light paraffinic; Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

REACH Candidate List (SVHC)

No ingredients are included in the REACH Candidate list (> 0,1 % m/m).

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

National adoption of EU Directives concerning health and safety on the workplace.

National adoption of EU Directives concerning control of major-accident hazards involving dangerous substances (2012/18/CE).

Relevant national laws on prevention of water pollution.

Relevant national laws on protection of the health of pregnant workers (National adoption of Dir. 92/85/EEC).

National adoption of Directive 2008/98/CE concerning disposal of used oils.

France

Maladies professionelles (F)	
Code Description	
RG 36 Diseases caused by oils and fats of mineral or synthetic origin	

Germany	
Employment restrictions	: Employment prohibitions or restrictions on the protection of young people at work according to § 22 JArbSchG in the case of formation of hazardous substances have to be observed.
National Rules and Recommendations	: TRGS 400: Hazard assessment for activities involving Hazardous Substances. TRGS 401: Risks resulting from skin contact - identification, assessment, measures.
	TRGS 402: Identification and Assessment of the Risks from Activities involving Hazardous
	Substances: Inhalation Exposure.
	TRGS 555: Working instruction and information for workers.
	TRGS 800: Fire protection measures.
	TRGS 900: Occupational Exposure Limits.
VbF class (D)	: Not applicable.
Water hazard class (WGK) (D)	: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).
WGK remark	: Classification is carried out on the basis of the Ordinance on facilities for handling substances that are hazardous to water (Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV)) of 18 April 2017 (BGBI 2017, Teil I, Nr. 22, Seite

Major Accidents Ordinance (12. BImSchV) : Is not subject to the Major Accidents Ordinance (12. BImSchV)

Netherlands

Saneringsinspanningen : C - Minimize discharge

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen -: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed

10/20/2025 (Revision date) EN (English) 20/23

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Denmark

Danish National Regulations

: Young people under 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with it

Poland

Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).

Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020. item 797).

The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).

Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).

The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended). Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).

ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

Regulation of the Minister of Health of 25 August 2015 on the method of marking places, pipelines, and containers and tanks used for storing or containing hazardous substances or hazardous mixtures (J.o.L. 2015, item 1368 as ammended)

15.2. Chemical safety assessment

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

No chemical safety assessment has been carried out

A chemical safety assessment has been carried out for the following components of this mixture::

Distillates (petroleum), hydrotreated light paraffinic

Distillates (petroleum), solvent-refined light paraffinic

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Distillates (petroleum), hydrotreated heavy paraffinic

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
	Comments	Modified
	Supersedes	Added
	Revision date	Modified
1.1	Formula	Modified
2.3	Other hazards not contributing to the classification	Modified
3	Composition/information on ingredients	Modified

Safety Data Sheet

Indication of changes		
Section	Changed item	Comments
4.3	Other medical advice or treatment	Modified
5.2	Hazardous decomposition products in case of fire	Modified
6.1	Protective equipment	Modified
7.1	Precautions for safe handling	Modified
8	Formula	Modified
8.2	Respiratory protection	Modified
8.2	Personal protective equipment (for industrial or professional use)	Modified
8.2	Appropriate engineering controls	Modified
9.1	Boiling point	Modified
9.1	Viscosity, kinematic	Modified
9.1	Flash point	Modified
10.6	Hazardous decomposition products	Modified
11.1	Additional information	Modified
11.1	Additional information	Modified
11.1	Additional information	Modified
12.6	Adverse effects on the environment caused by endocrine disrupting properties	Modified
16	Other information	Modified

Abbreviations and acronyms:		
	Complete text of the H phrases quoted in this Safety Data Sheet. These phrases are reported here for information only, and MAY NOT correspond to the classification of the product.	
	N/D = not available	
	N/A = not applicable	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Effective concentration for 50 percent of test population (median effective concentration)	
EC-No.	European Community number	
ED	Endocrine disruptor	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Abbreviations and acronyms:		
IMDG	International Maritime Dangerous Goods	
LC50	Lethal concentration for 50 percent of test population (median lethal concentration)	
LD50	Lethal dose for 50 percent of test population (median lethal dose)	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals, Regulation (EC) No 1907/2006	
RID	Regulation concerning the International Carriage of Dangerous Goods by Railways	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Data sources	: This Safety Data Sheet is based on the real characteristics of the components and their
	combination, taking into account the information provided by the suppliers.
Training advice	: Provide adequate training to professional operators for the use of PPEs, according to the
	information contained in this Safety Data Sheet.
Other information	: Do not use the product for any purposes that have not been advised by the manufacturer.

Full text of H- and EUH-statements:		
Asp. Tox. 1	Aspiration hazard, Category 1	
H304	May be fatal if swallowed and enters airways.	
EUH210	Safety data sheet available on request.	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

10/20/2025 (Revision date) EN (English) 23/23