

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878 Revision date: 8/7/2024 Supersedes: 12/27/2023 Version: 1.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier** Product form : Mixture : Eni i-Sint tech VV 0W-20 Trade name Product code : 1019 Type of product : Lubricant Formula : 0023-2017 Product group : Trade product 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Industrial use, Professional use, Consumer use Industrial/Professional use spec : Used in closed systems Wide dispersive use Use of the substance/mixture : Lubricant for internal combustion engines Do not use the product for any purposes that have not been advised by the manufacturer. Function or use category : Lubricants and additives 1.2.2. Uses advised against No additional information available

#### **1.3. Details of the supplier of the safety data sheet**

Enilive S.p.A, Viale Giorgio Ribotta 51, 00144 Rome, ITALY, Tel. +39 06 59821, www.eni.com

Competent person responsible for the safety data sheet (Reg. EC nr. 1907/2006): SDS.Enilive@eni.com

Distributed by: Enilive Schmiertechnik GmbH, Paradiesstraße 14, 97080 Würzburg, GERMANY, www.oilproducts.eni.com Department responsible for information: Application Engineering & Product Management (AEPM), Tel. +49 (0)931-900 98-0 e-mail: technik.wuerzburg@enilive.com

**1.4. Emergency telephone number** 

Emergency number

: CNIT +39 0382 24444 (24h) (IT + EN) Poison Center

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [EU-GHS / CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3 Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

For specific information about the toxicological/ecotoxicological properties and classification of this product, see Sect. 11 and/or Sect. 12.

#### 2.2. Label elements

. ....

Labelling according to Regulation (EC) No.	1272/2008 [CLP]
CLP Signal word	:-
Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P273 - Avoid release to the environment.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.
EUH-statements	: EUH208 - Contains Maleic anhydride. May produce an allergic reaction.

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

#### 2.3. Other hazards (not relevant for classification)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT and/or vPvB substances  $\ge 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7), Mineral base oil, severely refined (N/A), Dodecylphenol, mixed isomers, branched (121158-58-5)( <sup>1</sup> ), 2,6-Di-tert-butylphenol (128-39-2), Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified (72623-87-1)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7), Mineral base oil, severely refined (N/A), Dodecylphenol, mixed isomers, branched (121158-58-5)( <sup>1</sup> ), 2,6-Di-tert-butylphenol (128-39-2), Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified (72623-87-1)

(1) Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Dodecylphenol, mixed isomers, branched (121158-58-5)(1)
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7), Mineral base oil, severely refined (N/A), 2,6-Di-tert-butylphenol (128-39-2)

(1) Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

## Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [EU-GHS / CLP]
Distillates (petroleum), hydrotreated heavy paraffinic (Main component, see note [**]) substance with national workplace exposure limit(s) (AT, BE, DK, ES, GB, HU, NL, SE)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	80 - 90	Asp. Tox. 1, H304

# Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [EU-GHS / CLP]
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified (see note [**]) substance with national workplace exposure limit(s) (AT, BE, DK, ES, GB, HU, NL, SE)	CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-2119474889- 13	10 – 15	Not classified
Mineral base oil, severely refined (For identification of the substance, see note [*] ) substance with national workplace exposure limit(s) (AT, BE, DK, ES, GB, HU, NL, SE)	CAS-No.: N/A EC-No.: N/A	1 - 10	Asp. Tox. 1, H304
2,6-Di-tert-butylphenol (Additive)	CAS-No.: 128-39-2 EC-No.: 204-884-0 REACH-no: 01-2119490822- 33	< 0,12	Skin Irrit. 2, H315 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (Additive) Substance included in REACH Candidate List (Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP))	CAS-No.: 121158-58-5 EC-No.: 310-154-3 EC Index-No.: 604-092-00-9 REACH-no: 01-2119513207- 49	0,01 - 0,03	Skin Corr. 1C, H314 Eye Dam. 1, H318 Repr. 1B, H360F Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
maleic anhydride substance with national workplace exposure limit(s) (AT, DE, ES, FR)	CAS-No.: 108-31-6 EC-No.: 203-571-6 EC Index-No.: 607-096-00-9	< 0,0001	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) STOT RE 1, H372 Skin Corr. 1B, H314 Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1A, H317 EUH071

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
maleic anhydride	CAS-No.: 108-31-6 EC-No.: 203-571-6 EC Index-No.: 607-096-00-9	(0.001 ≤ C ≤ 100) Skin Sens. 1A, H317
Comments	mineral base oils (not classifie CAS 101316-72-7/EC 309-87 7/EC 265-157-1/REACH Reg. 6/REACH Reg. # 01-2119488 01-2119474889-13-xxxx; CAS 48-xxxx; CAS 64742-65-0/EC 64742-70-7/EC 265-174-4/RE All these substances have a v Annex VI Reg (CE) 1272/2008 Note [**]: this product has a value of DM	7-7/REACH Reg. # 01-2119489969-06-xxxx; CAS 64742-54- # 01-2119484627-25-xxxx; CAS 64742-01-4/EC 265-101- 707-21-xxxx; CAS 72623-87-1/EC 276-738-4/REACH Reg. # 6 4742-71-8/EC 265-176-5/REACH Reg. # 01-2119485040- 265-169-7/REACH Reg. # 01-2119471299-27-xxxx; CAS ACH Reg. # 01-2119487080-42-xxxx. alue < 3 % wt of DMSO extract, according to IP 346 (Nota L 3, # 1.1.3) ISO extract < 3 % wt, according to IP 346. According to the e L, Annex VI of Regulation (CE) 1272/2008), this product
Full text of H- and EUH-statements: see section	16	-

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: In case of disturbances owing to inhalation of vapours or mists, remove the victim from exposure; keep at rest; if necessary, seek medical attention. See also section 4.3.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms / injuries (general indications) Symptoms/effects after inhalation	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>This product has a low vapour pressure, and in normal conditions at ambient temperature the concentration in the air is negligible. A significant concentration may build up only in case of sprays and mists. In these cases overexposure to mists (e.g. through prolonged use in confined insufficiently ventilated spaces) may cause irritation to airways, nausea and dizziness.</li> </ul>
Symptoms/effects after skin contact	: Contact with hot product may cause thermal burns.
Symptoms/effects after eye contact	: Contact with eyes may cause temporary reddening and irritation. Contact with hot product or vapours may cause burns.
Chronic symptoms	: None to be reported, according to the present classification criteria.

4.3. Indication of any immediate medical attention and special treatment needed

Obtain medical attention if casualty has an altered state of consciousness or if symptoms do not resolve.

# SECTION 5: Firefighting measures 5.1. Extinguishing media No additional information available 5.2. Special hazards arising from the substance or mixture Fire hazard : This product is combustible, but not classified as Flammable. The creation of flammable vapour mixtures takes place at temperatures which are higher than normal ambient levels. Explosion hazard : Vapours are heavier than air and may spread along floors. Heat may build pressure in tank and containers, rupturing closed vessels, spreading fire and increasing risk of burns and injuries. 5.3. Advice for firefighters : In case of fire, do not discharge residual product, waste materials and runoff water: collect separately and use a proper treatment.

<b>SECTION 6: Accidental releas</b>	e measures
6.1. Personal precautions, protect	tive equipment and emergency procedures
General measures	: Stop or contain leak at the source, if safe to do so. Eliminate all ignition sources if safe to do so (e.g. electricity, sparks, fires, flares). Avoid accidental sprays on hot surfaces or electrical contacts. Avoid direct contact with released material. Keep upwind.
6.1.1. For non-emergency personnel	
Protective equipment Emergency procedures	<ul> <li>See Section 8.</li> <li>Keep non-involved personnel away from the area of spillage. Alert emergency personnel.</li> <li>Except in case of small spillages, the feasibility of any actions should always be assessed and advised, if possible, by a trained, competent person in charge of managing the emergency.</li> </ul>

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

#### 612 Ear amarganov reasonadors

Protective equipment	: Small spillages: normal antistatic working clothes are usually adequate. Large spillages: full
Protective equipment	
	body suit of chemically resistant and antistatic material. if necessary heat resistant and
	insulated. Work gloves providing adequate chemical resistance, specifically to aromatic
	hydrocarbons. Gloves made of PVA are not water-resistant, and are not suitable for
	emergency use. If contact with hot product is possible or anticipated, gloves should be heat
	resistant and thermally insulated. Antistatic non-skid safety shoes or boots, chemical
	resistant, if necessary heat resistant and insulated. Work helmet. Goggles and /or face
	shield, if splashes or contact with eyes is possible or anticipated. Respiratory protection: a
	half or full-face respirator with filter(s) for organic vapours (AX), or a Self-contained
	Breathing Apparatus (SCBA) can be used according to the extent of spill and predictable
	amount of exposure. If the situation cannot be completely assessed, or if an oxygen
	deficiency is possible, only SCBA's should be used.

#### 6.2. Environmental precautions

Do not let the product accumulate in confined or underground spaces. Do not let the product flow into sewers or water courses, or in any way contaminate the environment. In case of contamination of environment compartments (soil, subsoil, surface or underground waters), remove contaminated soil when possible, and in any case treat all involved compartments in accordance with local regulations. The site should have a spill plan to ensure that adequate safeguards are in place to minimize the impact of episodic releases.

#### 6.3. Methods and material for containment and cleaning up

Contain spilled liquid with sand, earth or other suitable absorbents (non-flammable). Recover free liquid and waste materials in suitable waterproof and oil-resistant containers. Clean contaminated area. Dispose of according to local regulations. If in water: Confine the spillage. Remove from surface by skimming or suitable floating absorbents. Collect recovered product and other waste materials in suitable waterproof, oil resistant containers. Recover or dispose of according to local regulations. Do not use solvents or dispersants, unless specifically advised by an expert, and, if required, approved by local authorities. Recommended measures are based on the most likely spillage scenarios for this material;
however, local conditions (wind, air/water temperature, wave/current direction and speed) may significantly influence the choice of appropriate actions. Local regulations may also prescribe or limit actions to be taken. For this reason, local experts should be consulted when necessary.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Handling temperature Hygiene measures	<ul> <li>This product can be handled at ambient temperatures.</li> <li>Avoid contact with skin. Do not breathe fume/ mist/ vapours. Do not ingest. Do not smoke. Do not eat and do not drink during use. Do not clean hands with dirty or oil-soaked rags. Do not re-use clothes, if they are still contaminated. Keep away from food and beverages.</li> </ul>
7.2. Conditions for safe storage, include	ding any incompatibilities
Storage temperature Storage area	<ul> <li>This product can be stored at ambient temperatures.</li> <li>Storage area layout, tank design, equipment and operating procedures must comply with the relevant European, national or local legislation. Storage installations/areas should be designed with adequate bunds in case of leaks or spills. Cleaning, inspection and maintenance of internal structure of storage tanks must be done only by properly equipped and qualified personnel as defined by national, local or company regulations.</li> </ul>
Packages and containers:	: If the product is supplied in containers: Keep containers tightly closed and properly labelled. Keep only in the original container or in a suitable container for this kind of product.
Packaging materials	: For containers, or container linings use materials specifically approved for use with this product. Compatibility should be checked with the manufacturer, according to the specific use conditions.

# Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

#### Germany

Storage class (LGK, TRGS 510)	: LGK 12 - Non-combustible liquids
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Distillates (petroleum), hydrotreated heavy pa	araffinic (64742-54-7)	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Belgium - Occupational Exposure Limits		
OEL TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Denmark - Occupational Exposure Limits		
OEL TWA	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
OEL STEL	2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Netherlands - Occupational Exposure Limits	·	
MAC TGG 8h (mg/m³)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
VLA-EC (mg/m³)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
KGV (OEL STEL)	3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
WEL STEL (OEL STEL)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
ACGIH OEL STEL	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Mineral base oil, severely refined (N/A)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	
Belgium - Occupational Exposure Limits		
OEL TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)	

# Safety Data Sheet

Mineral base oil, severely refined (N/A)	
Denmark - Occupational Exposure Limits	
OEL TWA	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
OEL STEL	2 mg/m <sup>3</sup> (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
Netherlands - Occupational Exposure Limits	
MAC TGG 8h (mg/m³)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
VLA-EC (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
KGV (OEL STEL)	3 mg/m <sup>3</sup> (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
WEL STEL (OEL STEL)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
USA - ACGIH - Occupational Exposure Limits	5 m s/m <sup>3</sup> (Missuel base sil mist source burgfined DMCO subset (20/ m/m)
	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
ACGIH OEL STEL	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
maleic anhydride (108-31-6)	
Austria - Occupational Exposure Limits	
MAK [ppm]	0.1 ppm
France - Occupational Exposure Limits	
VME (OEL TWA)	1 mg/m <sup>3</sup>
Germany - Occupational Exposure Limits (TRGS 90	)0)
AGW (OEL TWA)	0.1 ppm
Limitation of exposure peaks (ppm)	0.1 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	0.1 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH TLV®-TWA (ppm)	0.01 ppm
Lubricating oils (petroleum), C20-50, hydrotre Baseoil - unspecified (72623-87-1)	eated neutral oil-based
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
Belgium - Occupational Exposure Limits	1
OEL TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
Denmark - Occupational Exposure Limits	1
OEL TWA	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
	1

# Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Lubricating oils (petroleum), C20-5 Baseoil - unspecified (72623-87-1)	
OEL STEL	2 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
Hungary - Occupational Exposure Lim	its
AK (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
Netherlands - Occupational Exposure	Limits
MAC TGG 8h (mg/m³)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
Spain - Occupational Exposure Limits	·
VLA-ED (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
VLA-EC (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
Sweden - Occupational Exposure Limit	ts
NGV (OEL TWA)	1 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
KGV (OEL STEL)	3 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
United Kingdom - Occupational Expos	ure Limits
WEL TWA (OEL TWA)	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
WEL STEL (OEL STEL)	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
USA - ACGIH - Occupational Exposure	Limits
ACGIH OEL TWA	5 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)
ACGIH OEL STEL	10 mg/m³ (Mineral base oil mist, severely refined, DMSO extract <3% m/m)

## 8.1.2. Recommended monitoring procedures

Monitoring methods	
Monitoring methods	Monitoring procedures should be chosen according to the indications set by national authorities or labour contracts. Refer to relevant legislation and in any case to the good practice of industrial hygiene.

## 8.1.3. Air contaminants formed

## No additional information available

## 8.1.4. DNEL and PNEC

Eni i-Sint tech VV 0W-20		
DNEL/DMEL (additional information)		
Additional information	Not applicable	
PNEC (additional information)		
Additional information	Not applicable	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	1 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	2.7 mg/m³	
Long-term - local effects, inhalation	5.6 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0.74 mg/kg bodyweight/day	
Long-term - local effects, inhalation	1.2 mg/m³/day (DNEL, Mineral base oil mist, severely refined, DMSO extract <3% m/m)	

# Safety Data Sheet

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
PNEC (Oral)	
PNEC oral (secondary poisoning)	9.33 mg/kg food
Mineral base oil, severely refined (N/A)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, inhalation	= 5.4 mg/m³/day (DNEL, Mineral base oil mist, severely refined, DMSO extract <3% m/m)
DNEL/DMEL (General population)	
Long-term - local effects, inhalation	= 1.2 mg/m³/day (DNEL, Mineral base oil mist, severely refined, DMSO extract <3% m/m)
phenol, dodecyl-, branched; phenol, 2-dodecy	/l-, branched; phenol, 3-dodecyl-, branched (121158-58-5)
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	166 mg/kg bodyweight/day
Acute - systemic effects, inhalation	44.18 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	0.25 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1.762 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	50 mg/kg bodyweight
Acute - systemic effects, inhalation	13.26 mg/m³
Acute - systemic effects, oral	1.26 mg/kg bodyweight
Long-term - systemic effects,oral	0.075 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.79 mg/m³
Long-term - systemic effects, dermal	0.075 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.074 μg/l
PNEC aqua (marine water)	0.0074 μg/l
PNEC aqua (intermittent, freshwater)	0.37 µg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.226 mg/kg dwt
PNEC sediment (marine water)	0.0266 mg/kg dwt
PNEC (Soil)	
PNEC soil	118 µg/kg dw
PNEC (Oral)	
PNEC oral (secondary poisoning)	4 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l
2,6-Di-tert-butylphenol (128-39-2)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	11.25 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	70.61 mg/m <sup>3</sup>

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

2,6-Di-tert-butylphenol (128-39-2)	
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	6.75 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	20.9 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	6.75 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.0007 mg/l
PNEC aqua (marine water)	0.00007 mg/l
PNEC aqua (intermittent, freshwater)	0.0045 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.317 mg/kg dwt
PNEC sediment (marine water)	0.0317 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.697 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	60 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l
Lubricating oils (petroleum), C20-50, hy Baseoil - unspecified (72623-87-1)	drotreated neutral oil-based
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	0.97 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	2.73 mg/m <sup>3</sup>
Long-term - local effects, inhalation	5.58 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	0.74 mg/kg bodyweight/day
Long-term - local effects, inhalation	1.19 mg/m <sup>3</sup>
PNEC (additional information)	
Additional information	Not applicable (UVCB)
Note	<ul> <li>The Derived No Effect Level (DNEL) is an estimated safe level of exposure that is derived from toxicity data in accord with specific guidance within the European REACH regulation. The DNEL may differ from an Occupational Exposure Limit (OEL) for the same chemical. OELs may be recommended by an individual company, a governmental regulatory body or an expert organization, such as the Scientific Committee for Occupational Exposure Limits</li> </ul>

OELs may be recommended by an individual company, a governmental regulatory body or an expert organization, such as the Scientific Committee for Occupational Exposure Limits (SCOEL) or the American Conference of Governmental Industrial Hygienists (ACGIH). OELs are considered to be safe exposure levels for a typical worker in an occupational setting for an 8-hour work shift, 40 hour work week, as a time weighted average (TWA) or a 15 minute short-term exposure limit (STEL). While also considered to be protective of health, OELs are derived by a process different from that of REACH.

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

#### 8.2.2. Personal protection equipment

#### Personal protective equipment (for industrial or professional use):

Face shield. Gloves. Protective clothing. Safety glasses. Safety shoes or boots. Dust/aerosol mask.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

No additional information available

#### 8.2.2.2. Skin protection

No additional information available

#### 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

#### Thermal hazard protection:

If contact with hot product is possible or anticipated, gloves should be heat-resistant and thermally insulated.

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Do not discharge the product into the environment. Storage areas/installations should be designed with adequate bunds so as to prevent ground and water pollution in case of leaks or spills. Prevent discharge of undissolved substance to or recover from onsite wastewater. Onsite wastewater treatment required. Do not apply industrial sludge to natural soils. Sludge should be incinerated, contained or reclaimed.

#### Consumer exposure controls:

No special requirements.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow to amber.
Molecular mass	: Not applicable for mixtures
Odour	: Slight odour of petroleum.
Odour threshold	: There are no data available on the preparation/mixture itself.
Melting point	: -36 °C (pour point) (ASTM D 97)
Freezing point	: Not applicable
Boiling point	: Not determined
Flammability	: Not flammable
Lower explosion limit	: Not determined
Upper explosion limit	: Not determined
Flash point	: > 200 °C (ASTM D 92)
Auto-ignition temperature	: Not determined
Decomposition temperature	: Not determined
pH	: Not applicable.
Viscosity, kinematic	: 44 mm²/s (40 °C) (ASTM D 445)
Solubility	: Water: Immiscible and insoluble
Log Kow	: Not applicable for mixtures
Log Pow	: Not applicable for mixtures
Vapour pressure	: Not determined
Vapour pressure at 50°C	: Not determined
Critical pressure	: Not applicable for mixtures
Density	: 853 kg/m³ (15 °C) (ASTM D 4052)
Relative density	: Not determined
Relative vapour density at 20°C	: Not determined
Particle characteristics	: Not applicable

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

9.2. Other information	
9.2.1. Information with regard to physical haza	rd classes
Critical temperature	: Not applicable for mixtures
9.2.2. Other safety characteristics	
Relative evaporation rate (butylacetate=1)	: Negligible.
Additional information	: No data available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This mixture does not offer any further hazard for reactivity, except what is reported in the following paragraphs.

#### 10.2. Chemical stability

Stable product, according to its intrinsic properties.

**10.3. Possibility of hazardous reactions** 

None (in normal conditions of storage and handling). Contact with strong oxidizers (peroxides, chromates, etc.) or alkali metals may cause a fire hazard. Sensitivity to heat, friction or shock cannot be assessed in advance.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Avoid the build-up of electrostatic charge.

**10.5. Incompatible materials** 

Strong oxidizing agents.

**10.6. Hazardous decomposition products** 

No data available.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (dermal):Acute toxicity (inhalation):	Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) (according to composition)	
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)	
LD50 oral rat	> 5000 mg/kg (OECD 401)	
LD50 dermal rat	> 5000 mg/kg (OECD 402)	
LC50 Inhalation - Rat	> 5 mg/l/4h (OECD 403)	
Mineral base oil, severely refined (N/A)		
LD50 oral rat	≥ 5000 mg/kg bodyweight (OECD 401)	
LD50 dermal rat	≥ 5000 mg/kg bodyweight (OECD 402)	
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)		
LD50 oral rat	2200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rabbit	15000 mg/kg bodyweight	

# Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

2,6-Di-tert-butylphenol (128-39-2)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 0.5 ml/kg
Lubricating oils (petroleum), C20-50, hyd Baseoil - unspecified (72623-87-1)	drotreated neutral oil-based
LD50 oral rat	> 5000 mg/kg (OECD 401)
LD50 dermal rat	> 5000 mg/kg (OECD 402)
LC50 Inhalation - Rat	> 5 mg/l/4h (OECD 403)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable.
Additional information	: (according to composition)
Distillates (petroleum), hydrotreated hea	
рН	Not applicable
Mineral base oil, severely refined (N/A)	
рН	Not applicable
Lubricating oils (petroleum), C20-50, hyd Baseoil - unspecified (72623-87-1)	drotreated neutral oil-based
рН	Not applicable
Serious eye damage/irritation Additional information	<ul> <li>Not classified (Based on available data, the classification criteria are not met) pH: Not applicable.</li> <li>(according to composition) This product contains components with a Specific Concentration Limit (SCL). This product is formulated with a component which contains substances classified as Eye Dam.1, H318. The component itself has been tested by the manufacturer and has been assessed as NOT irritant to eyes. This result has been used for classification of the final mixture (Bridging principle "Dilution").</li> </ul>
Distillates (petroleum), hydrotreated hea	
pH	Not applicable
Mineral base oil, severely refined (N/A)	
pH	Not applicable
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified (72623-87-1)	
рН	Not applicable
Respiratory or skin sensitisation Additional information	<ul> <li>Not classified (Based on available data, the classification criteria are not met)</li> <li>(according to composition)</li> </ul>
Germ cell mutagenicity Additional information	: Not classified (Based on available data, the classification criteria are not met) : (according to composition)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

# Safety Data Sheet

Reproductive toxicity :	(according to composition) This product contains : Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.] this product has a value of DMSO extract < 3 % wt, according to IP 346. According to the criteria laid out by the EU (note L, Annex VI of Regulation (CE) 1272/2008), this product must be regarded as non carcinogenic. All the mineral base oils contained in this product have a value < 3 % wt of DMSO extract, according to IP 346 (Nota L - Annex VI Reg (CE) 1272/2008, # 1.1.3) Not classified (Based on available data, the classification criteria are not met) (according to composition)
phenol, dodecyl-, branched; phenol, 2-dodecy	/l-, branched; phenol, 3-dodecyl-, branched (121158-58-5)
NOAEL (animal/male, F1)	1.5 mg/kg
NOAEL (animal/female, F1)	15 mg/kg (OECD 416)
Additional information       :         STOT-repeated exposure       :	Not classified (Based on available data, the classification criteria are not met) (according to composition) Not classified (Based on available data, the classification criteria are not met) (according to composition)
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day (OECD TG 408)
Mineral base oil, severely refined (N/A)	
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day (OECD TG 408)
maleic anhydride (108-31-6)	
STOT-repeated exposure	Causes damage to organs (respiratory system) through prolonged or repeated exposure (inhalation).
2,6-Di-tert-butylphenol (128-39-2)	
NOAEL (subacute, oral, animal/male, 28 days)	> 100 mg/kg bodyweight (100 mg / d)
Lubricating oils (petroleum), C20-50, hydrotre Baseoil - unspecified (72623-87-1)	ated neutral oil-based
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day (OECD TG 408)
•	Not classified (Based on available data, the classification criteria are not met) Viscosity, kinematic: > 20,5 mm2/s (40 °C) (ASTM D 445)
Eni i-Sint tech VV 0W-20	
Viscosity, kinematic	44 mm²/s (40 °C) (ASTM D 445)
Distillates (petroleum), hydrotreated heavy pa	araffinic (64742-54-7)
Viscosity, kinematic	17.9 mm²/s (40 °C) (ASTM D 445)
Mineral base oil, severely refined (N/A)	
Viscosity, kinematic	> 21 mm²/s
Hydrocarbon	Yes
Lubricating oils (petroleum), C20-50, hydrotre Baseoil - unspecified (72623-87-1)	ated neutral oil-based
Viscosity, kinematic	48 mm²/s (40°C) (ASTM D 445)

# Safety Data Sheet

11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
Adverse health effects caused by endocrine : disrupting properties	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %
Component	
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58- 5)	The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3)
11.2.2. Other information	
symptoms	Contact with eyes may cause temporary reddening and irritation.
Other information :	None

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general :	An uncontrolled release to the environment may nevertheless produce a contamination of different environmental compartments (air, soil, underground, surface water bodies, aquifers). Handle according to general working hygiene practices to avoid pollution and release into the environment.
	This product is not soluble in water. It floats on water and forms a film on the surface. The damage to aquatic organisms is of mechanical kind (immobilization and entrapment) Not classified
Hazardous to the aquatic environment, short–term : (acute)	Not classified
Hazardous to the aquatic environment, long-term : (chronic)	Harmful to aquatic life with long lasting effects.
Distillates (petroleum), hydrotreated heavy pa	araffinic (64742-54-7)
LC50 fish 1	> 100 mg/l (LL 50)
EC50 Daphnia 1	> 10000 mg/l WAF, 48 h (OECD 202)
Mineral base oil, severely refined (N/A)	
LC50 fish 1	> 100 mg/l (LL 50)
EC50 Daphnia 1	> 10000 mg/l WAF, 48 h (OECD 202)
Dodecylphenol, mixed isomers, branched (12	1158-58-5)
LC50 fish 1	40 mg/l (Pimephales promelas)
EC50 Daphnia 1	92.7 μg/l Test organisms (species): Daphnia magna
EC50 other aquatic organisms 1	> 0.58 mg/l (96h, Mysidopsis Bahia)
EC50 72h - Algae [1]	> 0.765 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	0.36 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ErC50 (algae)	0.36 mg/l (21d)
LOEC (chronic)	0.012 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.0037 mg/l (21d)

# Safety Data Sheet

2,6-Di-tert-butylphenol (128-39-2)	
LC50 fish 1	1.4 mg/l Test organisms (species): Pimephales promelas
LC50 other aquatic organisms 1	0.45 mg/l
EC50 Daphnia 1	0.45 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	3.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	1.4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	3.9 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [2]	1.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.086 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.035 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic crustacea	0.035 mg/l (21d)
Lubricating oils (petroleum), C20-50 Baseoil - unspecified (72623-87-1)	, hydrotreated neutral oil-based
LC50 fish 1	> 100 mg/l (LL 50)
EC50 Daphnia 1	> 10000 mg/l WAF, 48 h (OECD 202)
12.2. Persistence and degradability	
Eni i-Sint tech VV 0W-20	
Persistence and degradability	The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent particularly in anaerobic conditions.
Distillates (petroleum), hydrotreated	heavy paraffinic (64742-54-7)
Persistence and degradability	The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent particularly in anaerobic conditions
Mineral base oil, severely refined (N	I/A)
Persistence and degradability	The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent particularly in anaerobic conditions

	particularly in anaerobic conditions		
Dodecylphenol, mixed isomers, branched (121158-58-5)			
Persistence and degradability Rapidly degradable			
biodegradation 25 % (28 d, OECD TG 301 B)			
maleic anhydride (108-31-6)			
Persistence and degradability Rapidly degradable			
2,6-Di-tert-butylphenol (128-39-2)			
Persistence and degradability Rapidly degradable			
Biodegradation 24 % (Zahn-Wellens, 10-20 %)			

# Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified (72623-87-1)			
Persistence and degradability	The most significant constituents of the product should be considered as "inherently biodegradable", but not "readily biodegradable", and they may be moderately persistent, particularly in anaerobic conditions		
12.3. Bioaccumulative potential			
Eni i-Sint tech VV 0W-20			
Log Pow	Not applicable for mixtures		
Log Kow	Not applicable for mixtures		
Bioaccumulative potential	Not established.		
Dodecylphenol, mixed isomers, branched (12	1158-58-5)		
Bioconcentration factor (BCF REACH)	794.33		
Log Kow	7.14		
2,6-Di-tert-butylphenol (128-39-2)			
Log Kow	4.5 (0.1 d, 10-20 %)		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified (72623-87-1)			
Log Kow	> 6		
12.4. Mobility in soil			
Eni i-Sint tech VV 0W-20			
Ecology - soil	No data available.		
12.5. Results of PBT and vPvB assessment			
Eni i-Sint tech VV 0W-20			
This substance/mixture does not meet the PBT criteria	of REACH regulation, annex XIII		
This substance/mixture does not meet the vPvB criteria	of REACH regulation, annex XIII		
Results of PBT-vPvB assessment	The components in this formulation do not meet the criteria for classification as PBT or vPvB. The product should be considered prudentially as "Persistent" in the environment, according to the REACH Annex XIII criteria (point 1.1)		
Component			
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7), Mineral base oil, severely refined (N/A), Dodecylphenol, mixed isomers, branched (121158-58-5)( <sup>1</sup> ), 2,6-Ditert-butylphenol (128-39-2), Lubricating oils (petroleum), C20-50, hydrotreated neutral oilbased Baseoil - unspecified (72623-87-1)		
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7), Mineral base oil, severely refined (N/A), Dodecylphenol, mixed isomers, branched (121158-58-5)( <sup>1</sup> ), 2,6-Di-tert-butylphenol (128-39-2), Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified (72623-87-1)		

(1) Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

# Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

12.6. Endocrine disrupting properties	
Adverse effects on the environment caused by endocrine disrupting properties	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.
Component	
Dodecylphenol, mixed isomers, branched (121158-58 5)	- Has an endocrine mode of action, i.e. it alters the function(s) of the endocrine system
12.7. Other adverse effects	
	None. This product has no specific properties for inhibition of bacterial activity. In any case, wastewater containing this product should be treated in plants that are suited for the specific purpose.

SECTION 13: Disposal considerat	tions
13.1. Waste treatment methods	
Sewage disposal recommendations	Dispose of in a safe manner in accordance with local/national regulations. Do not apply industrial sludge to natural soils. Sludge should be incinerated, contained or reclaimed.
EURAL code (EWC)	: 13 02 05* - Mineral-based non-chlorinated engine, gear and lubricating oils

n accordance with ADR / IMDG / IATA / ADN / RID						
ADR	IMDG IATA ADN RID					
14.1. UN number or ID r	number					
Not regulated for transport						
14.2. UN proper shippin	ig name					
Not regulated.	Not regulated. Not regulated. Not regulated. Not regulated.					
14.3. Transport hazard class(es)						
Not regulated.	Not regulated.         Not regulated.         Not regulated.         Not regulated.					
14.4. Packing group						
Not regulated.	Not regulated. Not regulated. Not regulated. Not regulated. Not regulated.					
14.5. Environmental hazards						
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.		
None.						

Overland transport Not regulated.

Transport by sea Not regulated.

Air transport

Not regulated.

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

#### Inland waterway transport

Not regulated.

#### Rail transport

Not regulated.

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

# EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3(b)	Distillates (petroleum), hydrotreated heavy paraffinic ; Mineral base oil, severely refined	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
30.	phenol, dodecyl-, branched; phenol, 2- dodecyl-, branched; phenol, 3-dodecyl-, branched	Substances which are classified as reproductive toxicant category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 5 or Appendix 6, respectively.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains substance(s) listed on the REACH Candidate List in concentrations  $\geq 0.1$  % or SCL: phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (EC 310-154-3, CAS 121158-58-5)

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Dual-Use Regulation (428/2009)

Contains substance(s) listed on the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items: Diplutonium tricarbide (N/A)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

National adoption of EU Directives concerning health and safety on the workplace.

National adoption of EU Directives concerning control of major-accident hazards involving dangerous substances (2012/18/CE).

Relevant national laws on prevention of water pollution.

Relevant national laws on protection of the health of pregnant workers (National adoption of Dir. 92/85/EEC).

National adoption of Directive 2008/98/CE concerning disposal of used oils.

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

#### France

Maladies professionelles (F)				
Code Desc	Description			
RG 36 Disea	Diseases caused by oils and fats of mineral or synthetic origin			
RG 66 Occu	Occupational rhinitis and asthma			
Germany				
Employment restrictions		: Employment prohibitions or restrictions on the protection of young people at work according to § 22 JArbSchG in the case of formation of hazardous substances have to be observed.		
National Rules and Recommenda	tions	: TRGS 900: Occupational Exposure Limits.		
		TRGS 800: Fire protection measures.		
		TRGS 555: Working instruction and information for workers.		
		TRGS 402: Identification and Assessment of the Risks from Activities involving Hazardous Substances: Inhalation Exposure.		
		TRGS 401: Risks resulting from skin contact - identification, assessment, measures.		
		TRGS 401: Hazard assessment for activities involving Hazardous Substances.		
VbF class (D)		: Not applicable.		
Water hazard class (WGK) (D)		: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).		
WGK remark		: Classification based on the components in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS).		
Hazardous Incident Ordinance (12. BImSchV)		: Is not subject to the Hazardous Incident Ordinance (12. BImSchV)		
Netherlands				
Saneringsinspanningen		: C - Minimize discharge		
SZW-lijst van kankerverwekkende	e stoffen	: None of the components are listed		
SZW-lijst van mutagene stoffen		: None of the components are listed		
SZW-lijst van reprotoxische stoffen – Borstvoeding		: None of the components are listed		
SZW-lijst van reprotoxische stoffe ⁄ruchtbaarheid	n –	: Dodecylphenol, mixed isomers, branched is listed		
SZW-lijst van reprotoxische stoffe	n – Ontwikkeling	: None of the components are listed		
Denmark				
Danish National Regulations		: Young people under 18 years are not allowed to use the product		
		Pregnant/breastfeeding women working with the product must not be in direct contact with		

#### 15.2. Chemical safety assessment

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP] No chemical safety assessment has been carried out

A chemical safety assessment has been carried out for the following components of this mixture::

Distillates (petroleum), hydrotreated heavy paraffinic

2,6-Di-tert-butylphenol

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified

## SECTION 16: Other information

Indication of changes				
Section	Changed item	Change	Comments	
1.3	Supplier information	Modified		
2.3	Other hazards not contributing to the classification	Modified		
3	Composition/information on ingredients	Modified		
4.3	Other medical advice or treatment	Modified		

# Safety Data Sheet

Indication of changes				
Section	Changed item	Change	Comments	
5.2	Hazardous decomposition products in case of fire	Modified		
6.1	Protective equipment	Modified		
7.1	Precautions for safe handling	Modified		
7.2	Storage conditions	Modified		
7.2	Incompatible products	Modified		
8.2	Appropriate engineering controls	Modified		
8.2	Personal protective equipment (for industrial or professional use)	Modified		
10.6	Hazardous decomposition products	Modified		

Abbreviations	and acronyms:			
	Complete text of the H phrases quoted in this Safety Data Sheet. These phrases are reported here for information only, and MAY NOT correspond to the classification of the product.			
	N/D = not available			
	N/A = not applicable			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road			
ATE	Acute Toxicity Estimate			
BCF	Bioconcentration factor			
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008			
DMEL	Derived Minimal Effect level			
DNEL	Derived-No Effect Level			
EC50	Effective concentration for 50 percent of test population (median effective concentration)			
IARC	International Agency for Research on Cancer			
ΙΑΤΑ	International Air Transport Association			
IMDG	International Maritime Dangerous Goods			
LC50	Lethal concentration for 50 percent of test population (median lethal concentration)			
LD50	Lethal dose for 50 percent of test population (median lethal dose)			
LOAEL	Lowest Observed Adverse Effect Level			
NOAEC	No-Observed Adverse Effect Concentration			
NOAEL	No-Observed Adverse Effect Level			
NOEC	No-Observed Effect Concentration			
OECD	Organisation for Economic Co-operation and Development			
РВТ	Persistent Bioaccumulative Toxic			
PNEC	Predicted No-Effect Concentration			
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals, Regulation (EC) No 1907/2006			
RID	Regulation concerning the International Carriage of Dangerous Goods by Railways			
SDS	Safety Data Sheet			

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Abbreviations and acronyms:				
STP	Sewage treatment plant			
VPvB         Very Persistent and Very Bioaccumulative				

Data sources

Training advice

This Safety Data Sheet is based on the real characteristics of the components and their combination, taking into account the information provided by the suppliers.
Provide adequate training to professional operators for the use of PPEs, according to the information contained in this Safety Data Sheet.

Full text of H- and EUH-statements:				
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1			
Asp. Tox. 1	Aspiration hazard, Category 1			
EUH071	Corrosive to the respiratory tract.			
EUH208	Contains Maleic anhydride. May produce an allergic reaction.			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.			
H360F	May damage fertility.			
H372	Causes damage to organs through prolonged or repeated exposure.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Repr. 1B	Reproductive toxicity, Category 1B			
Resp. Sens. 1	Respiratory sensitisation, Category 1			
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B			
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1A	Skin sensitisation, category 1A			
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1			

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Aquatic Chronic 3	H412	Calculation method		

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.