



# Eni metalGrind S 5 Uni Plus

Material number 687

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 7.0  
Replaces version: 6.1  
Language: en-DE  
Date of print: 5.4.2024

Page: 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Eni metalGrind S 5 Uni Plus

UFI: TT60-50AX-U00Y-3K60

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Metalworking fluid

### 1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg  
Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@enilive.com

### 1.4 Emergency telephone number

**GIZ-Nord, Göttingen**  
**Telephone: +49 (0)551-19240**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to EC regulation 1272/2008 (CLP)**

Asp. Tox. 1; H304 May be fatal if swallowed and enters airways.

### 2.2 Label elements

#### Labelling (CLP)



Signal word: **Danger**

Hazard statements: H304 May be fatal if swallowed and enters airways.



# Eni metalGrind S 5 Uni Plus

Material number 687

Revision date: 20.3.2024  
Version: 7.0  
Replaces version: 6.1  
Language: en-DE  
Date of print: 5.4.2024

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 2 of 11

### Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of contents/container to hazardous or special waste collection point.

### Special labelling

Text for labelling: Contains: Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

The product does not contain any substances classified as PBT or vPvB.

CAS No.	Designation	PBT/vPvB	ED Human	ED Environment
128-37-0	2,6-di-tert-Butyl-p-cresol		List II	

## SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

### 3.2 Mixtures

Chemical characterisation: A mixture of base oils and additives.

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119827000-58-xxxx list no. 934-956-3 CAS -	Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Asp. Tox. 1; H304.	95 - 99 %
REACH 01-2120769710-51-xxxx EC No. 306-227-4 CAS 96690-34-5	Amines, C12-14-tert-alkyl, mixed sec-Bu and iso-Bu phosphates Acute Tox. 4; H302. Skin Corr. 1B; H314. Eye Dam. 1; H318. Aquatic Chronic 2; H411.	< 0,5 %
REACH 01-2119565113-46-xxxx EC No. 204-881-4 CAS 128-37-0	2,6-di-tert-Butyl-p-cresol Aquatic Acute 1; H400. Aquatic Chronic 1; H410.	< 0,25 %
EC No. 500-213-3 CAS 68439-50-9	Alcohols, C12-14, ethoxylated Aquatic Acute 1; H400. Aquatic Chronic 3; H412.	< 0,25 %

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.



# Eni metalGrind S 5 Uni Plus

Material number 687

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 7.0

Replaces version: 6.1

Language: en-DE

Date of print: 5.4.2024

Page: 3 of 11

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General information:	If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.
In case of inhalation:	Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.
Following skin contact:	Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.
After swallowing:	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Immediately get medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.  
The following symptoms may occur: Cough, respiratory complaints, shortage of breath, fever, pulmonary oedema, pneumonia. Symptoms can occur only after several hours.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, extinguishing powder, foam, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. May form dangerous gases and vapours in case of fire.  
Furthermore, there may develop: smoke, nitrogen oxides (NO<sub>x</sub>), carbon monoxide and carbon dioxide

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Do not inhale explosion and combustion gases. Use fine water spray to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

Contaminated fire-fighting water must be collected separately. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.



# Eni metalGrind S 5 Uni Plus

Material number 687

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 7.0

Replaces version: 6.1

Language: en-DE

Date of print: 5.4.2024

Page: 4 of 11

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid oil mist formation. Provide adequate ventilation. If possible, eliminate leakage.

Do not get in eyes, on skin, or on clothing. Take off contaminated clothing and wash it before reuse.

Wear appropriate protective equipment. Keep unprotected people away.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

### 6.3 Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal. Prevent spread over a wide area (e.g. by containment or oil barriers). Never return spills in original containers for re-use. Clean contaminated articles and floor according to the environmental legislation.

Additional information: Special danger of slipping by leaking/spilling product.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Avoid oil mist formation. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

Precautions against fire and explosion:

Keep away from heat sources, sparks and open flames. Take precautionary measures against static discharge.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.

Keep container dry. Keep only in the original container.

Store containers in upright position. Protect against heat, sun rays and frost.

Recommended storage temperature: 5 - 40 °C

Storage stability: 24 months

Hints on joint storage:

Do not store with strong oxidizing agents.

Keep away from food, drink and animal feedingstuffs.

Storage class:

10 = Combustible liquids, unless storage class 3

### 7.3 Specific end use(s)

No information available.



# Eni metalGrind S 5 Uni Plus

Material number 687

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 7.0  
Replaces version: 6.1  
Language: en-DE  
Date of print: 5.4.2024

Page: 5 of 11

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
128-37-0	2,6-di-tert-Butyl-p-cresol	Germany: TRGS 900 Kurzzeit	40 mg/m <sup>3</sup> (Aerosol and vapour, inhalable fraction)
		Germany: TRGS 900 Langzeit	10 mg/m <sup>3</sup> (Aerosol and vapour, inhalable fraction)

DNEL/DMEL: Information about 2,6-di-tert-Butyl-p-cresol:  
DNEL workers, dermal, systemic, long-term: 0,5 mg/kg bw/d  
DNEL workers, inhalative, systemic, long-term: 1,76 mg/m<sup>3</sup>

PNEC: Information about 2,6-di-tert-Butyl-p-cresol:  
PNEC water (freshwater): 0,199 µg/L  
PNEC water (marine water): 0,02 µg/L  
PNEC sediment (freshwater): 0,458 mg/kg dw  
PNEC STP: 0,054 mg/L

### 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

### Personal protection equipment

#### Occupational exposure controls

- Respiratory protection: In case of inadequate ventilation wear respiratory protection. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.
- Hand protection: Protective gloves according to DIN EN 374.  
Glove material: Nitrile rubber, polychloroprene, chloroprene rubber, polyvinyl alcohol  
wearing time with permanent contact: > 480 min  
Layer thickness: 0,70 mm  
wearing time with occasional contact (splashes): > 30 min  
Layer thickness: 0,40 mm  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022
- Body protection: Wear suitable protective clothing.
- General protection and hygiene measures:  
Do not breathe mist/vapours/spray. Avoid oil mist formation. Do not get in eyes, on skin, or on clothing. Take off contaminated clothing and wash it before reuse.  
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Don't put cleaning rags fouled by oil into trousers pockets. apply skin care products after work.

#### Environmental exposure controls

Refer to "6.2 Environmental precautions".



# Eni metalGrind S 5 Uni Plus

Material number 687

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 7.0

Replaces version: 6.1

Language: en-DE

Date of print: 5.4.2024

Page: 6 of 11

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow
Odour:	Mineral oil
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	> 240 °C
Flammability:	No data available
Upper/lower flammability or explosive limits:	LEL (Lower Explosion Limit): 1,00 Vol-% UEL (Upper Explosive Limit): 10,00 Vol-%
Flash point/flash point range:	> 130 °C (DIN EN ISO 2592)
Auto-ignition temperature:	> 240 °C
Decomposition temperature:	No data available
pH:	Not applicable
Viscosity, kinematic:	at 40 °C: approx. 4,5 mm <sup>2</sup> /s (DIN EN ISO 3104)
Water solubility:	at 20 °C: Practically insoluble
Partition coefficient: n-octanol/water:	Not applicable
Vapour pressure:	No data available
Density:	at 15 °C: approx. 0,815 g/mL (DIN EN ISO 12185)
Vapour density:	No data available
Particle characteristics:	Not applicable

### 9.2 Other information

Explosive properties:	Not explosive according to EU A.14.
Oxidizing characteristics:	Not oxidising.
Auto-ignition temperature:	> 240 °C
Evaporation rate:	No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.  
Protect from direct sunlight.



# Eni metalGrind S 5 Uni Plus

Material number 687

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 7.0

Replaces version: 6.1

Language: en-DE

Date of print: 5.4.2024

Page: 7 of 11

### 10.5 Incompatible materials

Strong oxidizing agents.

### 10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Asp. Tox. 1; H304 = May be fatal if swallowed and enters airways.

### 11.2 Information on other hazards

Endocrine disrupting properties:

This product contains a substance that has endocrine disrupting properties with respect to humans.

Other information:

Information about Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics:

LD50 Rat, oral: 5.000 mg/kg bw

LD50 Rabbit, dermal: > 3.160 mg/kg

LC50 Rat, inhalative: > 5 mg/L/4h

### Symptoms

The following symptoms may occur: Cough, respiratory complaints, shortage of breath, fever, pulmonary oedema, pneumonia. Symptoms can occur only after several hours.



# Eni metalGrind S 5 Uni Plus

Material number 687

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 7.0  
Replaces version: 6.1  
Language: en-DE  
Date of print: 5.4.2024

Page: 8 of 11

## SECTION 12: Ecological information

### 12.1 Toxicity

Aquatic toxicity: Information about Information about Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics:  
Fish toxicity:  
LC50: > 1.208 mg/L OECD 203  
Daphnia toxicity:  
EC50 Daphnia magna (Big water flea): > 3.193 mg/L  
Algae toxicity:  
ErC50: Desmodesmus subspicatus (green algae): >10.000 mg/L/  
Information about 2,6-di-tert-Butyl-p-cresol:  
Fish toxicity:  
LC50 Danio rerio (zebrafish): > 0,57 mg/L/96h  
Daphnia toxicity:  
EC50 Daphnia magna (Big water flea): > 0,48 mg/L/48h  
Algae toxicity:  
IC50: > 0,42 mg/L/48h

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

### 12.2 Persistence and degradability

Further details: Moderately/partially biodegradable

### 12.3 Bioaccumulative potential

No indication of bioaccumulation potential.  
Partition coefficient: n-octanol/water:  
Not applicable

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 12 01 07\* = Mineral-based machining oils free of halogens (except emulsions and solutions)  
\* = Evidence for disposal must be provided.





# Eni metalGrind S 5 Uni Plus

Material number 687

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024

Version: 7.0

Replaces version: 6.1

Language: en-DE

Date of print: 5.4.2024

Page: 9 of 11

Recommendation: Dispose of waste according to applicable legislation.

### Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:  
not applicable

### 14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:  
Not restricted

### 14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:  
not applicable

### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:  
not applicable

### 14.5 Environmental hazards

Dangerous for the environment:  
Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5. I: <5%

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).



# Eni metalGrind S 5 Uni Plus

Material number 687

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 7.0  
Replaces version: 6.1  
Language: en-DE  
Date of print: 5.4.2024

Page: 10 of 11

### National regulations - EC member states

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3, 75

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.

H304 = May be fatal if swallowed and enters airways.

H314 = Causes severe skin burns and eye damage.

H318 = Causes serious eye damage.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

H411 = Toxic to aquatic life with long lasting effects.

H412 = Harmful to aquatic life with long lasting effects.

Reason of change: Changes in section 1: Details of the supplier of the safety data sheet  
General revision

Date of first version: 20.10.2022

Department issuing data sheet:  
see section 1: Department responsible for information



# Eni metalGrind S 5 Uni Plus

Material number 687

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 7.0  
Replaces version: 6.1  
Language: en-DE  
Date of print: 5.4.2024

Page: 11 of 11

### Abbreviations and acronyms:

Acute Tox.: Acute toxicity  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
Aquatic Acute: Hazardous to the aquatic environment - acute  
Aquatic Chronic: Hazardous to the aquatic environment - chronic  
AS/NZS: Australian Standards/New Zealand Standards  
Asp. Tox.: Aspiration toxicity  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EC50: Effective Concentration 50%  
EN: European Standard  
EQ: Excepted quantities  
ErC50: EC50 in terms of reduction of growth rate  
EU: European Union  
Eye Dam.: Eye damage  
IATA: International Air Transport Association  
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50: Inhibition Concentration 50%  
IMDG Code: International Maritime Dangerous Goods Code  
LC50: Median lethal concentration  
LD50: Lethal dose 50%  
LEL: Lower Explosion Limit  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
OECD: Organisation for Economic Co-operation and Development  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
Skin Corr.: Skin corrosion  
STP: Sewage Treatment Plant  
TRGS: Technical Rules for Hazardous Substances  
vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:  
<http://sumdat.net/8h8sd5s1>

