

Material number 1909

Revision date: 2.7.2025
Version: 1.1
Replaces version: 1.0
Language: en-DE
Date of print: 3.7.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Agip Novecento Racing 10W-60

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Lubricating agent

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14
Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0 Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0 E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable
Precautionary statements: not applicable

Special labelling

EUH210 Safety data sheet available on request.



Material number 1909

Revision date: 2.7.2025
Version: 1.1
Replaces version: 1.0
Language: en-DE
Date of print: 3.7.2025

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 2 of 13

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

In case of heating / After contact with water: product may release Hydrogen Sulphide. Information about hydrogen sulfide: Extremely flammable gas. Fatal if inhaled. Very toxic to aquatic life.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of hydrocarbons, polymers and additives.

Hazardous ingredients:

Identifiers	Designation Classification	Content
EC No CAS -	Base oil (*) Asp. Tox. 1; H304.	5 - 10 %
REACH 01-2119493949-12-xxxx EC No. 500-393-3 CAS 157707-86-3	Dec-1-ene, trimers, hydrogenated Asp. Tox. 1; H304.	4 - 6 %
REACH 01-2119487077-29-xxxx EC No. 265-158-7 CAS 64742-55-8	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1; H304.	1,35 - 2,7 %
REACH 01-2119487067-30-xxxx EC No. 265-091-3 CAS 64741-89-5	Distillates (petroleum), solvent-refined light paraffinic Asp. Tox. 1; H304.	1,35 - 2,7 %
REACH 01-2119484627-25-xxxx EC No. 265-157-1 CAS 64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic Asp. Tox. 1; H304.	0,135 - 1,35 %
REACH 01-2119471299-27-xxxx EC No. 265-169-7 CAS 64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic Asp. Tox. 1; H304.	0,135 - 1,35 %
REACH 01-2119480132-48-xxxx EC No. 265-159-2 CAS 64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic Asp. Tox. 1; H304.	0,135 - 1,35 %

Full text of H- and EUH-statements: see section 16.



Material number 1909

Revision date: 2.7.2025 Version: 1.1 Replaces version: 1.0 Language: en-DE Date of print: 3.7.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 3 of 13

Additional information:

Contains Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS

72623-87-1). In case of heating / After contact with water: product may release Hydrogen Sulphide. The maximum workplace exposure limits are, where necessary, listed in section 8.

The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

(*) Information about Base oil:

CAS 64742-54-7 / REACH 01-2119484627-25-xxxx and/or

CAS 72623-87-1 / REACH 01-2119474889-13-xxxx

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing. Seek medical attention if problems persist.

Following skin contact: Take off contaminated clothing and wash it before reuse. Immediately clean with water

and soap followed by thorough rinsing. In case of skin reactions, consult a physician. Following fire: Immerse in cold water for a prolonged period. Sterile covering. Immediately

get medical attention.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye

irritation consult an ophthalmologist.

After swallowing: Rinse mouth. Never give anything by mouth to an unconscious person. Do not induce

vomiting. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation:

In case of prolonged exposure: Irritation to respiratory tract, nausea, dizziness. In case of ingestion: Irritation, nausea, discomfort, gastrointestinal irritation.

After contact with skin: Hot product can cause severe burns. After eye contact: Causes temporarily: Redness, irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

In case of inhalation (hydrogen sulfide): Take to a hospital immediately.

Injection through the skin due to contact with a high pressure product is a major medical

emergency. Take to a hospital immediately.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, foam, extinguishing powder, earth, sand, carbon dioxide.

In case of large fires: Water spray jet, foam.

Extinguishing media which must not be used for safety reasons:

Full water jet



Material number 1909

Revision date: 2.7.2025
Version: 1.1
Replaces version: 1.0
Language: en-DE
Date of print: 3.7.2025

Page: 4 of 13

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

5.2 Special hazards arising from the substance or mixture

Combustible.

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: sulphur oxides, Hydrogen sulphide, Nitrogen oxides (NOx), aldehydes, phosphorus oxides, tin oxides, Calcium oxide, Carbon monoxide and carbon dioxide.

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective

clothing.

Additional information: Use fine water spray to cool endangered containers. Move undamaged containers from

immediate hazard area if it can be done safely.

In case of major fire and large quantities: Evacuate area.

Contaminated fire-fighting water must be collected separately. Do not allow water used to

extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance

with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Provide adequate ventilation. Avoid oil mist formation. Eliminate all ignition sources if safe to do so. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Do not get in eyes, on skin, or on clothing. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary, notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal

binding agents) and place in closed containers for disposal.

Eliminate leaks immediately. Prevent spread over a wide area (e.g. by containment or oil

barriers).

Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.



Material number 1909

Revision date: 2.7.2025
Version: 1.1
Replaces version: 1.0
Language: en-DE
Date of print: 3.7.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 5 of 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid oil mist formation. Do

not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after

handling. Have eye wash bottle or eye rinse ready at work place.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Precautions against fire and explosion:

Keep away from open flames, hot surfaces and sources of ignition. When using do not

smoke

When handling larger quantities, take precautionary measures against electrostatic

charging.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place. Keep container dry. Keep only in the original container.

Protect from heat and direct sunlight. Store containers in upright position.

Hints on joint storage: Do not store with strong oxidizing agents.

Keep away from food, drink and animal feedingstuffs.

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Туре	Limit value
7783-06-4	Hydrogen sulphide	Europe: IOELV: STEL Europe: IOELV: TWA	14 mg/m³; 10 ppm 7 mg/m³; 5 ppm
		Germany: TRGS 900 Kurzzeit	14,2 mg/m³; 10 ppm
		Germany: TRGS 900 Langzeit	7,1 mg/m³; 5 ppm

DNEL/DMEL: Information about Dec-1-ene, trimers, hydrogenated (CAS 157707-86-3):

DNEL workers, acute, inhalative, local: 60 mg/m³ DNEL consumers, acute, inhalative, local: 50 mg/m³

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.



Material number 1909

Revision date: 2.7.2025 Version: 1.1 Replaces version: 1.0 Language: en-DE Date of print: 3.7.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 6 of 13

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection. Respiratory protection must

be worn whenever the WEL levels have been exceeded. Recommended: Combination filtering device (EN 14387).

In case of release of hydrogen sulfide: Wear a full face respirator conforming to EN

136/140/145 with Type B filter or better.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to DIN EN ISO 374-1.

Glove material: nitrile rubber (NBR); PVC

Breakthrough time: >= 240 min

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Do not breathe mist/vapours/spray. Avoid oil mist formation. Take off contaminated clothing and wash it before reuse. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash hands thoroughly after

handling. Have eye wash bottle or eye rinse ready at work place.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa liquid

Form: Clear Yellow-brown

Odour: Weak, acc. to petroleum

Melting point/freezing point: Not applicable

Boiling point or initial boiling point and boiling range:

Colour:

430 - 620 °C

(Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based)

Flammability: Not applicable

Lower and upper explosion limit: LEL (Lower Explosion Limit): >= 45 g/m³ (Aerosol)

Flash point: 230 °C (ASTM D 92)

Auto-ignition temperature: > 300 °C (Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based)

Decomposition temperature:

No data available

PH:

No data available

Kinematic viscosity: at 40 °C: 165 mm²/s (ASTM D 445)

Water solubility: Insoluble



Material number 1909

Revision date: 2.7.2025 Version: 1.1 Replaces version: 1.0 Language: en-DE Date of print: 3.7.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 7 of 13

Partition coefficient n-octanol/water (log value):

2 - 6 log P(o/w) (Distillates (petroleum), hydrotreated heavy paraffinic)
Based on the n-octanol/water partition coefficient accumulation in organisms

is possible.

<= 1 log K(o/w) (Distillates (petroleum), hydrotreated light paraffinic)

Based on the n-octanol/water partition coefficient significant accumulation in

organisms is not expected.

>= 10 log P(o/w) (Dec-1-ene, trimers, hydrogenated)

Based on the n-octanol/water partition coefficient accumulation in organisms

is possible.

Vapour pressure: at 20 °C: <= 0,1 hPa

Density: at 15 °C: 0,856 g/mL (ASTM D 4052)

Relative vapour density:

No data available

Particle characteristics:

Not applicable

9.2 Other information

Explosive properties:

No data available

Oxidizing characteristics:

No data available

Auto-ignition temperature: No data available

Evaporation rate: Very low ((Butyl acetate =1))

Additional information: Softening point: -27 °C (ASTM D 97)

SECTION 10: Stability and reactivity

10.1 Reactivity

In case of heating / After contact with water: product may release Hydrogen Sulphide.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Risk of fire!

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames. Protect from direct sunlight.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Hydrogen sulfide

Thermal decomposition: No data available



Material number 1909

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 2.7.2025 Version: 1.1 Replaces version: 1.0 Language: en-DE Date of print: 3.7.2025

Page: 8 of 13

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met. Contains calcium sulfonate:

Total Base Number (TBN) > 300 mgKOH/g (ASTM D 2896)

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.



Material number 1909

Revision date: 2.7.2025
Version: 1.1
Replaces version: 1.0
Language: en-DE
Date of print: 3.7.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 9 of 13

11.2 Information on other hazards

Endocrine disrupting properties:

None

Other information: Information about Dec-1-ene, trin

Information about Dec-1-ene, trimers, hydrogenated (CAS 157707-86-3):

LD50, Rat, oral: > 2.000 mg/kg (OECD 420)

Information about Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8):

LD50, Rat, oral: > 5.000 mg/kg (OECD 401) LD50, Rabbit, dermal: > 2.000 mg/kg (OECD 402)

Information about Distillates (petroleum), solvent-refined light paraffinic (CAS 64741-89-5):

LD50, Rat, oral: > 5.000 mg/kg (OECD 401) LD50, Rabbit, dermal: > 2.000 mg/kg (OECD 402) LC50, Rat, inhalative: > 5,0 mg/L/4h (OECD 403)

Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7):

LD50, Rat, oral: > 5.000 mg/kg (OECD 401) LD50, Rabbit, dermal: > 2.000 mg/kg (OECD 402) LC50, Rat, inhalative: > 5,53 mg/L/4h (OECD 403)

Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS

64742-65-0):

LD50, Rat, oral: > 5.000 mg/kg (OECD 401) LD50, Rabbit, dermal: > 2.000 mg/kg (OECD 402) LC50, Rat, inhalative: > 5,0 mg/L/4h (OECD 403)

Information about Distillates (petroleum), solvent-dewaxed light paraffinic (CAS 64742-56-9):

LD50, Rat, oral: > 5.000 mg/kg (OECD 401) LD50, Rat, dermal: > 2.000 mg/kg (OECD 402) LC50, Rat, inhalative: > 5,0 mg/L/4h (OECD 403)

Symptoms

In case of inhalation:

In case of prolonged exposure: Irritation to respiratory tract, nausea, dizziness. In case of ingestion: Irritation, nausea, discomfort, gastrointestinal irritation.

After contact with skin: Hot product can cause severe burns. After eye contact: Causes temporarily: Redness, irritation.



Material number 1909

Revision date: 2.7.2025
Version: 1.1
Replaces version: 1.0
Language: en-DE
Date of print: 3.7.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 10 of 13

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Information about Dec-1-ene, trimers, hydrogenated (CAS 157707-86-3):

Fish toxicity:

LL50: > 1.000 mg/L/96 h

Daphnia toxicity:

EL50: > 1.000 mg/L/48 h NOEC (chronic): 125 mg/L/21d

Algae toxicity:

EL50: > 1.000 mg/L/72 h

Information about Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8):

Fish toxicity:

LC50: >100 mg/L/96h Daphnia toxicity:

EC50: >10.000 mg/L (OECD 202) NOEC (chronic): 10 mg/L/21d

Algae toxicity: EC50: 100 mg/L

NOEC (chronic): >100 mg/L/21d

Information about Distillates (petroleum), solvent-refined light paraffinic (CAS 64741-89-5):

Fish toxicity:

LC50: > 100 mg/L/96 h

Daphnia toxicity:

EC50: > 10.000 mg/L/48 h (OECD 202)

Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7):

Fish toxicity:

LC50: > 100 mg/L/96 h NOEC: > 1 mg/L Daphnia toxicity:

EC50: > 100 mg/L/48 h (OECD 202)

NOEC: 10 mg/L/21d Algae toxicity:

ErC50 Pseudokirchneriella subcapitata (green algae): > 100 mg/L/72h

Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS

64742-65-0): Fish toxicity:

LC50: > 100 mg/L/96 h Daphnia toxicity:

EC50: > 10.000 mg/L/48 h (OECD 202)

Information about Distillates (petroleum), solvent-dewaxed light paraffinic (CAS 64742-56-9):

Fish toxicity:

LC50: > 100 mg/L/96 h Daphnia toxicity:

EC50: > 10.000 mg/L/48 h (OECD 202)

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

printed by Eni Schmiertechnik GmbH

with Qualisys SUMDAT



Material number 1909

Revision date: 2.7.2025
Version: 1.1
Replaces version: 1.0
Language: en-DE
Date of print: 3.7.2025

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 11 of 13

12.2 Persistence and degradability

Further details: According to OECD criteria the product is not readily biodegradable but inherently

biodegradable.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

2 - 6 log P(o/w) (Distillates (petroleum), hydrotreated heavy paraffinic)

Based on the n-octanol/water partition coefficient accumulation in organisms is possible.

<= 1 log K(o/w) (Distillates (petroleum), hydrotreated light paraffinic)

Based on the n-octanol/water partition coefficient significant accumulation in organisms is

not expected.

>= 10 log P(o/w) (Dec-1-ene, trimers, hydrogenated)

Based on the n-octanol/water partition coefficient accumulation in organisms is possible.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

12.6 Endocrine disrupting properties

None

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Recommendation: 13 02 05*: Mineral-based non-chlorinated engine, gear and lubricating oils

13 02 06*: Synthetic engine, gear and lubricating oils

*= Evidence for disposal must be provided.

Dispose of waste according to applicable legislation. Do not allow to enter into

ground-water, surface water or drains.

Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in

the same way as the substance itself.

Empty containers may contain flammable product residues. Do not cut, weld, bore, burn or incinerate emptied containers unless they have been cleaned and declared safe. Empty containers should be disposed of in accordance with local regulations.

printed by Eni Schmiertechnik GmbH



Material number 190

Revision date: 2.7.2025 Version: 1.1 Replaces version: 1.0 Language: en-DE Date of print: 3.7.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 12 of 13

Section 14. Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN

model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Further regulations, limitations and legal requirements:

No data available

National regulations - EC member states

Labelling of packaging with <= 125mL content

Hazard statements: EUH210 Safety data sheet available on request.

Precautionary statements: **not applicable**Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3.

printed by Eni Schmiertechnik GmbH



Agip Novecento Racing 10W-60 Material number 1909

Revision date: 2.7.2025 Version: 1.1 Replaces version: 1.0 Language: en-DE Date of print: 3.7.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)

Page: 13 of 13

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H304 = May be fatal if swallowed and enters airways. EUH210 = Safety data sheet available on request.

Reason of change: Material number

Date of first version: 5.6.2025

Department issuing data sheet:

see section 1: Department responsible for information

Abbreviations and acronyms

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AS/NZS: Australian Standards/New Zealand Standards

Asp. Tox.: Aspiration toxicity CAS: Chemical Abstracts Service CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EC50: Effective Concentration 50% EL50: Effective loading rate 50%

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

EN: European Standard EQ: Excepted quantities EU: European Union

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

IMO: International Maritime Organization LC50: Median lethal concentration LD50: Lethal dose 50% LEL: Lower Explosion Limit

log P(o/w): Partition coefficient: octanol/water

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

NOEC: No Observed Effect Concentration

OECD: Organisation for Economic Co-operation and Development

OEL: Occupational Exposure Limit Value OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic

PNEC: Predicted no-effect concentration

PVC: Polyvinyl chloride

printed by Eni Schmiertechnik GmbH

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

TLV: Threshold Limit Value

TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations

> Most recent product information is available at: https://sumdat.net/73fu8sch