



# Eni Rotra CVT

Material number 4119

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 15.10.2024  
Version: 4.0  
Replaces version: 3.0  
Language: en-DE  
Date of print: 16.10.2024

Page: 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Eni Rotra CVT

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Transmission oil

### 1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@enilive.com

### 1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

### 2.2 Label elements

#### Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

#### Special labelling

EUH210

Safety data sheet available on request.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

**2.3 Other hazards**

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

**SECTION 3: Composition/information on ingredients**

3.1 Substances: not applicable

**3.2 Mixtures**

Chemical characterisation: A mixture of mineral oil and additives.

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119484627-25-xxxx EC No. 265-157-1 CAS 64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic Asp. Tox. 1; H304.	≥ 80 %
REACH 01-2119474878-16-xxxx EC No. 276-737-9 CAS 72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified Asp. Tox. 1; H304.	1 - 5 %
REACH 01-2119487077-29-xxxx EC No. 265-158-7 CAS 64742-55-8	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1; H304.	1 - 5 %
REACH 01-2119471299-27-xxxx EC No. 265-169-7 CAS 64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic Asp. Tox. 1; H304.	0,3 - 2,5 %

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

General information:	Take off contaminated clothing and wash it before reuse.
In case of inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.
Following skin contact:	After contact with skin, wash immediately with soap and plenty of water. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.



# Eni Rotra CVT

Material number 4119

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 15.10.2024  
Version: 4.0  
Replaces version: 3.0  
Language: en-DE  
Date of print: 16.10.2024

Page: 3 of 12

After swallowing: Rinse mouth. Never give anything by mouth to an unconscious person. Seek medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Combustible.

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Cool exposed containers with water spray, but avoid contact of the substance with water. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Provide adequate ventilation. Remove all sources of ignition. Wear appropriate protective equipment.

Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. If necessary notify appropriate authorities.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

Never return spills in original containers for re-use.

Clean contaminated articles and floor according to the environmental legislation.

Additional information: Special danger of slipping by leaking/spilling product.



# Eni Rotra CVT

Material number 4119

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 15.10.2024  
Version: 4.0  
Replaces version: 3.0  
Language: en-DE  
Date of print: 16.10.2024

Page: 4 of 12

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Wear appropriate protective equipment.  
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.  
Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing.

Precautions against fire and explosion:

Keep away from heat.  
When handling larger quantities, take precautionary measures against electrostatic charging.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.  
Keep container dry. Keep only in the original container.  
Protect from heat and direct sunlight.  
Recommended storage temperature: 0 - 40 °C.

Hints on joint storage:

Do not store together with: Strong oxidizing agents.  
Keep away from food, drink and animal feedingstuffs.

Storage class:

10 = Combustible liquids that cannot be assigned to any of the above storage classes

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

All exposure relevant information (human health and environment) is summarised in annexes to this safety data sheet.

### 8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

DNEL/DMEL:

Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7):  
DNEL, workers, inhalative, systemic, long-term: 2,73 mg/m<sup>3</sup>  
DNEL, workers, inhalative, local, long-term: 5,58 mg/m<sup>3</sup>  
DNEL, workers, dermal, systemic, long-term: 0,97 mg/kg bw/d  
DNEL, consumers, oral, systemic, long-term: 0,74 mg/kg bw/d

### 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

### Personal protection equipment

#### Occupational exposure controls

- Respiratory protection: In case of inadequate ventilation wear respiratory protection.  
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.
- Hand protection: Protective gloves according to DIN EN ISO 374:1.  
Glove material: Nitrile rubber (NBR)  
Breakthrough time: > 480 min  
Layer thickness:  $\geq 0,35$  mm  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022.
- Body protection: Wear suitable protective clothing.
- General protection and hygiene measures:  
Do not breathe mist/vapours/spray.  
Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing.  
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

#### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	light brown
Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flammability:	Not applicable
Upper/lower flammability or explosive limits:	LEL (Lower Explosion Limit): No data available UEL (Upper Explosive Limit): No data available
Flash point/flash point range:	214 °C (ASTM D92)
Decomposition temperature:	No data available
pH:	No data available
Viscosity, kinematic:	at 40 °C: 35,4 mm <sup>2</sup> /s (ASTM D7042)
Water solubility:	Not/slightly miscible
Partition coefficient: n-octanol/water:	> 6 log P(o/w) (Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)) Based on the n-octanol/water partition coefficient accumulation in organisms is possible. > 6 log K(o/w) (Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (CAS 72623-86-0)) Based on the n-octanol/water partition coefficient accumulation in organisms is possible.
Vapour pressure:	No data available



# Eni Rotra CVT

Material number 4119

Revision date: 15.10.2024  
Version: 4.0  
Replaces version: 3.0  
Language: en-DE  
Date of print: 16.10.2024

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 6 of 12

Density: at 15 °C: 0,845 g/mL (ASTM D4052)  
Vapour density: No data available  
Particle characteristics: Not applicable

### 9.2 Other information

Explosive properties: Product is not explosive.  
Oxidizing characteristics: Product has no oxidizing effect.

Auto-ignition temperature: No data available  
Evaporation rate: No data available  
Additional information: Pour point: -48 °C (ASTM D5950)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Reacts violently with strong oxidizing agents.

### 10.4 Conditions to avoid

Protect from frost, heat and sunlight.

### 10.5 Incompatible materials

Strong oxidizing agents.

### 10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available



## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.  
ATEmix (calculated): > 5.000 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met.  
ATEmix (calculated): > 5.000 mg/kg

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.  
ATEmix (calculated, dusts/mist): > 5 mg/L/4 h

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Information about Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8):  
LOAEL Rat, oral (90 days): 125 mg/kg (OECD 408)

Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0):  
LOAEL Rat, oral (90 days): 125 mg/kg (OECD 408)  
NOAEL Rabbit, dermal (21/28 days): approx. 1.000 mg/kg (OECD 410)

Aspiration hazard: Based on available data, the classification criteria are not met.



# Eni Rotra CVT

Material number 4119

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 15.10.2024  
Version: 4.0  
Replaces version: 3.0  
Language: en-DE  
Date of print: 16.10.2024

Page: 8 of 12

### 11.2 Information on other hazards

Endocrine disrupting properties:

None

Other information:

Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7):

LD50 Rat, oral: > 5.000 mg/kg (OECD 401)

LD50 Rabbit, dermal: > 5.000 mg/kg (OECD 402)

LC50 Rat, inhalative (dusts/mist): > 5,53 mg/L/4 h (OECD 403)

Information about Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based;

Baseoil - unspecified (CAS 72623-86-0):

LD50 Rat, oral: > 5.000 mg/kg (OECD 401)

LD50 Rabbit, dermal: > 5.000 mg/kg (OECD 402)

LC50 Rat, inhalative (dusts/mist): > 5,53 mg/L (OECD 403)

Information about Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8):

LD50 Rat, oral: > 5.000 mg/kg (OECD 401)

LD50 Rabbit, dermal: > 5.000 mg/kg (OECD 402)

LC50 Rat, inhalative (dusts/mist): > 5,53 mg/L/4 h (OECD 403)

Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0):

LD50 Rat, oral: > 5.000 mg/kg (OECD 401)

LD50 Rabbit, dermal: > 5.000 mg/kg (OECD 402)

LC50 Rat, inhalative (dusts/mist): > 5,53 mg/L/4 h (OECD 403)



## SECTION 12: Ecological information

### 12.1 Toxicity

Aquatic toxicity:	Fish toxicity: LC50: 52,8 mg/L (calculated) Toxicity, crustaceans: EC50: 25,7 mg/L (calculated) Algae toxicity: NOEC: 1,4 mg/L (calculated) Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7): Fish toxicity: LL50 Pimephales promelas (fathead minnow): > 100 mg/L/96h (OECD 203) Daphnia toxicity: EL50 Daphnia magna (Big water flea): > 10.000 mg/L/48h (OECD 202) NOEL Daphnia magna (Big water flea): 10 mg/L/21d (OECD 211) Algae toxicity: NOEL Pseudokirchneriella subcapitata (green algae): ≥ 100 mg/L/72h (OECD 201) Information about Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (CAS 72623-86-0): Fish toxicity: LL50 Pimephales promelas (fathead minnow): > 100 mg/L/96h (OECD 203) Daphnia toxicity: EL50 Daphnia magna (Big water flea): > 10.000 mg/L/48h (OECD 202) NOEL Daphnia magna (Big water flea): 10 mg/L/21d (OECD 211) Algae toxicity: NOEL Pseudokirchneriella subcapitata (green algae): ≥ 100 mg/L/72h (OECD 201) Information about Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8): Fish toxicity: LL50 Pimephales promelas (fathead minnow): > 100 mg/L/96h (OECD 203) Daphnia toxicity: EL50 Daphnia magna (Big water flea): > 10.000 mg/L/48h (OECD 202) NOEL Daphnia magna (Big water flea): 10 mg/L/21d (OECD 211) Algae toxicity: NOEL Pseudokirchneriella subcapitata (green algae): ≥ 100 mg/L/72h (OECD 201)
Water Hazard Class:	1 = slightly hazardous to water (Self-classification (mixture).)

### 12.2 Persistence and degradability

Further details:	Biodegradability: Not easily degradable. Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7): 31%/28 d (OECD 301F). Not easily degradable. Information about Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (CAS 72623-86-0): 31%/28 d (OECD 301F). Not easily degradable. Information about Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8): 31%/28 d (OECD 301F). Not easily degradable. Information about Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0): 31%/28 d (OECD 301F). Not easily degradable.
------------------	--



# Eni Rotra CVT

Material number 4119

Revision date: 15.10.2024  
Version: 4.0  
Replaces version: 3.0  
Language: en-DE  
Date of print: 16.10.2024

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 10 of 12

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

> 6 log P(o/w) (Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8))  
Based on the n-octanol/water partition coefficient accumulation in organisms is possible.  
> 6 log K(o/w) (Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based;  
Baseoil - unspecified (CAS 72623-86-0))  
Based on the n-octanol/water partition coefficient accumulation in organisms is possible.

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

### 12.6 Endocrine disrupting properties

None

### 12.7 Other adverse effects

General information: Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 13 02 05\* = Mineral-based non-chlorinated engine, gear and lubricating oils  
\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

#### Package

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Evidence for disposal must be provided.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

### 14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

### 14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable



## Eni Rotra CVT

Material number 4119

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 15.10.2024  
Version: 4.0  
Replaces version: 3.0  
Language: en-DE  
Date of print: 16.10.2024

Page: 11 of 12

### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

### 14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Germany

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Further regulations, limitations and legal requirements:  
No data available

#### National regulations - EC member states

Volatile organic compounds (VOC):

0 % by weight

#### Labelling of packaging with <= 125mL content

Hazard statements: EUH210 Safety data sheet available on request.

Precautionary statements: not applicable

Further regulations, limitations and legal requirements:  
No data available

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H304 = May be fatal if swallowed and enters airways.

EUH210 = Safety data sheet available on request.



# Eni Rotra CVT

Material number 4119

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 15.10.2024  
Version: 4.0  
Replaces version: 3.0  
Language: en-DE  
Date of print: 16.10.2024

Page: 12 of 12

Reason of change: Changes in section 3: Composition / Information on ingredients  
Changes in section 11: Toxicological information  
Changes in section 12: Ecological information  
Changes in section 15: Regulatory information  
General revision

Date of first version: 20.5.2021

Department issuing data sheet:  
see section 1: Department responsible for information

### Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
AS/NZS: Australian Standards/New Zealand Standards  
Asp. Tox.: Aspiration toxicity  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EC50: Effective Concentration 50%  
EL50: Effective loading rate 50%  
EN: European Standard  
EQ: Excepted quantities  
EU: European Union  
IATA: International Air Transport Association  
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
LC50: Median lethal concentration  
LD50: Lethal dose 50%  
LEL: Lower Explosion Limit  
LOAEL: Lowest observed adverse effect level  
log P(o/w): Partition coefficient: octanol/water  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
NOAEL: No Observed Adverse Effect Level  
NOEC: No Observed Effect Concentration  
NOEL: No Observed Effect Level  
OECD: Organisation for Economic Co-operation and Development  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
TRGS: Technical Rules for Hazardous Substances  
vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:  
<http://sumdat.net/888g7yfb>

