



Eni Rotra DCT

Material number 4109

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 7.7.2025
Version: 6.0
Replaces version: 5.0
Language: en-DE
Date of print: 17.7.2025

Page: 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni Rotra DCT

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Transmission oil

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements:
not applicable

Special labelling

EUH208 Contains 2-Tetradecyloxirane, reaction products with boric acid. May produce an allergic reaction.

EUH210 Safety data sheet available on request.



Eni Rotra DCT

Material number 4109

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 7.7.2025
Version: 6.0
Replaces version: 5.0
Language: en-DE
Date of print: 17.7.2025

Page: 2 of 13

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation:

A mixture of mineral oil and additives.

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119484627-25-xxx EC No. 265-157-1 CAS 64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic Asp. Tox. 1; H304.	≥ 80 %
EC No. - CAS -	(*) Mineral oil Asp. Tox. 1; H304.	2,5 - 20 %
REACH 01-2119487077-29-xxx EC No. 265-158-7 CAS 64742-55-8	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1; H304.	0,1 - 2,5 %
REACH 01-2119960832-33-xxx list no. 701-204-9 CAS 68784-17-8	Reaction products of fatty acids, C14-C18 (branched and linear) and C18 (unsaturated) with tetraethylenepentamine (linear, branched, cyclic) Skin Irrit. 2; H315. Eye Irrit. 2; H319.	1 - 2,5 %
REACH 01-2119976364-28-xxx list no. 701-392-2	2-Tetradecyloxirane, reaction products with boric acid Skin Sens. 1B; H317.	< 1 %
EC No. 249-596-6 CAS 29385-43-1	Methyl-1H-benzotriazole Acute Tox. 4; H302. Repr. 2; H361d. Aquatic Chronic 2; H411.	< 0,3 %

Full text of H- and EUH-statements: see section 16.



Eni Rotra DCT

Material number 4109

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 7.7.2025
Version: 6.0
Replaces version: 5.0
Language: en-DE
Date of print: 17.7.2025

Page: 3 of 13

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

(*) Information about Mineral oil:

Contains:

CAS 64741-88-4 / REACH 01-2119488706-23-xxxx and/or
CAS 64741-89-5 / REACH 01-2119487067-30-xxxx and/or
CAS 64741-95-3 / REACH 01-2119487081-40-xxxx and/or
CAS 64741-96-4 / REACH 01-2119483621-38-xxxx and/or
CAS 64741-97-5 and/or
CAS 64742-01-4 / REACH 01-2119488707-21-xxxx and/or
CAS 64742-52-5 / REACH 01-2119467170-45-xxxx and/or
CAS 64742-53-6 / REACH 01-2119480375-34-xxxx and/or
CAS 64742-54-7 / REACH 01-2119484627-25-xxxx and/or
CAS 64742-55-8 / REACH 01-2119487077-29-xxxx and/or
CAS 64742-56-9 / REACH 01-2119480132-48-xxxx and/or
CAS 64742-57-0 / REACH 01-2119489287-22-xxxx and/or
CAS 64742-62-7 / REACH 01-2119480472-38-xxxx and/or
CAS 64742-65-0 / REACH 01-2119471299-27-xxxx and/or
CAS 64742-71-8 / REACH 01-2119485040-48-xxxx and/or
CAS 72623-85-9 / REACH 01-2119555262-43-xxxx and/or
CAS 72623-86-0 / REACH 01-2119474878-16-xxxx and/or
CAS 72623-87-1 / REACH 01-2119474889-13-xxxx and/or
CAS 74869-22-0 / REACH 01-2119495601-36-xxxx

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After swallowing: Rinse mouth. Never give anything by mouth to an unconscious person. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause allergic reactions in already sensitized persons.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet.



5.2 Special hazards arising from the substance or mixture

Combustible.

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Nitrogen oxides (NO_x), carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Cool exposed containers with water spray, but avoid contact of the substance with water. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Provide adequate ventilation. Remove all sources of ignition. Wear appropriate protective equipment.

Take off contaminated clothing and wash it before reuse. Avoid contact with the substance. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. If necessary, notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

Never return spills in original containers for re-use.

Clean contaminated articles and floor according to the environmental legislation.

Additional information:

Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Wear appropriate protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Take off contaminated clothing and wash it before reuse. Do not get in eyes, on skin, or on clothing.

Precautions against fire and explosion:

Keep away from heat.

When handling larger quantities, take precautionary measures against electrostatic charging.



Eni Rotra DCT

Material number 4109

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 7.7.2025
Version: 6.0
Replaces version: 5.0
Language: en-DE
Date of print: 17.7.2025

Page: 5 of 13

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.
Keep container dry. Keep only in the original container.
Protect from frost, heat and sunlight. Store containers in upright position.
Recommended storage temperature: 0 - 40 °C.

Hints on joint storage:

Do not store together with: Strong oxidizing agents.
Keep away from food, drink and animal feedingstuffs.

Storage class:

10 = Combustible liquids that cannot be assigned to any of the above storage classes

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

DNEL/DMEL:

Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7):

DNEL, workers, inhalative, systemic, long-term: 2,73 mg/m³

DNEL, workers, inhalative, local, long-term: 5,58 mg/m³

DNEL, workers, dermal, systemic, long-term: 0,97 mg/kg bw/d

DNEL, consumers, oral, systemic, long-term: 0,74 mg/kg bw/d

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection:

Protective gloves according to DIN EN ISO 374-1.
Glove material: Nitrile rubber (NBR)
Breakthrough time: > 480 min
Layer thickness: ≥ 0,35 mm
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection:

Tightly sealed goggles according to DIN EN ISO 16321-1.

Body protection:

Wear suitable protective clothing.

General protection and hygiene measures:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow
Odour:	Characteristic
Melting point/freezing point:	No data available
Boiling point:	No data available
Flammability:	Not applicable
Lower and upper explosion limit:	No data available
Flash point:	201 °C (ASTM D92)
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH:	No data available
Kinematic viscosity:	at 40 °C: 34,4 mm ² /s (ASTM D7042)
Water solubility:	Not/slightly miscible
Partition coefficient n-octanol/water (log value):	> 6 log P(o/w) (Distillates (petroleum), hydrotreated light paraffinic) Based on the n-octanol/water partition coefficient accumulation in organisms is possible. at 25 °C: 1,081 log P(o/w) (Methyl-1H-benzotriazole, OECD 117) Based on the n-octanol/water partition coefficient significant accumulation in organisms is not expected. at 40 °C: 9,4 log P(o/w) (2-Tetradecyloxirane, reaction products with boric acid) Based on the n-octanol/water partition coefficient accumulation in organisms is possible.
Vapour pressure:	No data available
Density:	at 15 °C: 0,851 g/mL (ASTM D4052)
Relative vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	Product is not explosive.
Oxidizing characteristics:	Product has no oxidizing effect.
Auto-ignition temperature:	No data available
Additional information:	Pour point: -51 °C (ASTM D5950)

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Reacts violently with strong oxidizing agents.



Eni Rotra DCT

Material number 4109

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 7.7.2025
Version: 6.0
Replaces version: 5.0
Language: en-DE
Date of print: 17.7.2025

Page: 7 of 13

10.4 Conditions to avoid

Protect from frost, heat and sunlight.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Contains 2-Tetradecyloxirane, reaction products with boric acid. May produce an allergic reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.



Eni Rotra DCT

Material number 4109

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 7.7.2025
Version: 6.0
Replaces version: 5.0
Language: en-DE
Date of print: 17.7.2025

Page: 8 of 13

11.2 Information on other hazards

Endocrine disrupting properties:

None

Other information:

Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7):

LD50 Rat, oral: > 5.000 mg/kg (OECD 401)

LD50 Rabbit, dermal: > 5.000 mg/kg (OECD 402)

LC50 Rat, inhalative (dusts/mist): > 5,53 mg/L/4h (OECD 403)

Information about Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8):

LD50 Rat, oral: > 5.000 mg/kg (OECD 401)

LD50 Rabbit, dermal: > 5.000 mg/kg (OECD 402)

LC50 Rat, inhalative (dusts/mist): > 5,53 mg/L/4h (OECD 403)

Information about Methyl-1H-benzotriazole (CAS 29385-43-1):

LD50 Rat, oral: approx. 720 mg/kg (OECD 401)

LD50 Rabbit, dermal: > 2.000 mg/kg (OECD 402, no mortality occurred)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Fish toxicity:

LC50 *Oncorhynchus mykiss*: > 100 mg/L/96h (OECD 203)

Daphnia toxicity:

EC50 *Daphnia magna* (Big water flea): > 100 mg/L/48h (OECD 202)

NOEC *Daphnia magna* (Big water flea): 58 mg/L/21d (OECD 211)

Algae toxicity:

EC50 *Pseudokirchneriella subcapitata* (green algae): 42,4 mg/L/72h (OECD 201)

Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7):

Fish toxicity:

LL50 *Pimephales promelas* (fathead minnow): > 100 mg/L/96h (OECD 203)

Daphnia toxicity:

EL50 *Daphnia magna* (Big water flea): > 10.000 mg/L/48h (OECD 202)

NOEL *Daphnia magna* (Big water flea): 10 mg/L/21d (OECD 211)

Algae toxicity:

NOEL *Pseudokirchneriella subcapitata* (green algae): ≥ 100 mg/L/72h (OECD 201)

Information about Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8):

Fish toxicity:

LL50 *Pimephales promelas* (fathead minnow): > 100 mg/L/96h (OECD 203)

Daphnia toxicity:

EL50 *Daphnia magna* (Big water flea): > 10.000 mg/L/48h (OECD 202)

NOEL *Daphnia magna* (Big water flea): 10 mg/L/21d (OECD 211)

Algae toxicity:

NOEL *Pseudokirchneriella subcapitata* (green algae): ≥ 100 mg/L/72h (OECD 201)

Information about Reaction products of fatty acids, C14-C18 (branched and linear) and C18 (unsaturated) with tetraethylenepentamine (linear, branched, cyclic) (List no. 701-204-9):

Fish toxicity:

LC50 *Pimephales promelas* (fathead minnow): > 1.000 mg/L/96h (OECD 203)

Daphnia toxicity:

EC50 *Daphnia magna* (Big water flea): > 1.000 mg/L/48h (OECD 202)

Algae toxicity:

EC50 *Pseudokirchneriella subcapitata* (green algae): 94 mg/L/96h (OECD 201)

Information about 2-Tetradecyloxirane, reaction products with boric acid (List no. 701-392-2):

Fish toxicity:

LL50 *Oncorhynchus mykiss*: > 100 mg/L/96h (OECD 203)

Daphnia toxicity:

EL50 *Daphnia magna* (Big water flea): > 100 mg/L/48h (OECD 202)

Algae toxicity:

EL50 *Pseudokirchneriella subcapitata* (green algae): > 100 mg/L/72h (OECD 201)

Information about Methyl-1H-benzotriazole (CAS 29385-43-1):

Fish toxicity:

LC50 *Cyprinodon variegatus* (sheepshead minnow): 55 mg/L/96h

Daphnia toxicity:

EL50 *Daphnia magna* (Big water flea): 51,6 mg/L/48h (OECD 202)



Eni Rotra DCT

Material number 4109

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 7.7.2025
Version: 6.0
Replaces version: 5.0
Language: en-DE
Date of print: 17.7.2025

Page: 10 of 13

Algae toxicity:

EC10 *Desmodesmus subspicatus* (green algae): 2,86 mg/L/72h (OECD 201)

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

12.2 Persistence and degradability

Further details:

Biodegradation:

Not easily degradable.

Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7):
31%/28d (OECD 301F), not easily bio-degradable.

Information about Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8):
31%/28d (OECD 301F), not easily bio-degradable.

Information about Reaction products of fatty acids, C14-C18 (branched and linear) and C18 (unsaturated) with tetraethylenepentamine (linear, branched, cyclic)
(List no. 701-204-9):

4,5%/28d (OECD 301B), not biodegradable.

Information about 2-Tetradecyloxirane, reaction products with boric acid
(List no. 701-392-2):

26,7%/28d (OECD 301B), not easily bio-degradable.

Information about Methyl-1H-benzotriazole (CAS 29385-43-1):
4%/28d (EU Method C.4-D), not biodegradable.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

> 6 log P(o/w) (Distillates (petroleum), hydrotreated light paraffinic)

Based on the n-octanol/water partition coefficient accumulation in organisms is possible.

at 25 °C: 1,081 log P(o/w) (Methyl-1H-benzotriazole, OECD 117)

Based on the n-octanol/water partition coefficient significant accumulation in organisms is not expected.

at 40 °C: 9,4 log P(o/w) (2-Tetradecyloxirane, reaction products with boric acid)

Based on the n-octanol/water partition coefficient accumulation in organisms is possible.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

12.6 Endocrine disrupting properties

None

12.7 Other adverse effects

General information: Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 13 02 05* = Mineral-based non-chlorinated engine, gear and lubricating oils
* = Evidence for disposal must be provided.



Eni Rotra DCT

Material number 4109

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 7.7.2025
Version: 6.0
Replaces version: 5.0
Language: en-DE
Date of print: 17.7.2025

Page: 11 of 13

Recommendation: Dispose of waste according to applicable legislation.

Package

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Section 14. Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:
not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:
Not restricted

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:
not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:
not applicable

14.5 Environmental hazards

Dangerous for the environment:
Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Information on working limitations:
Observe employment restrictions for young people.

Further regulations, limitations and legal requirements:
No data available



Eni Rotra DCT

Material number 4109

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 7.7.2025
Version: 6.0
Replaces version: 5.0
Language: en-DE
Date of print: 17.7.2025

Page: 12 of 13

National regulations - EC member states

Volatile organic compounds (VOC):

0 % by weight

Labelling of packaging with ≤ 125mL content

Hazard statements: EUH208 Contains 2-Tetradecyloxirane, reaction products with boric acid. May produce an allergic reaction.
EUH210 Safety data sheet available on request.

Precautionary statements:

not applicable

Further regulations, limitations and legal requirements:

No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.

H304 = May be fatal if swallowed and enters airways.

H315 = Causes skin irritation.

H317 = May cause an allergic skin reaction.

H319 = Causes serious eye irritation.

H361d = Suspected of damaging the unborn child.

H411 = Toxic to aquatic life with long lasting effects.

EUH208 = Contains 2-Tetradecyloxirane, reaction products with boric acid. May produce an allergic reaction.

EUH210 = Safety data sheet available on request.

Reason of change:

Changes in section 2: Labelling

Changes in section 3: Composition / Information on ingredients

Changes in section 9: Physical and chemical properties

General revision

Date of first version: 19.5.2021

Department issuing data sheet:

see section 1: Department responsible for information



Eni Rotra DCT

Material number 4109

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 7.7.2025
Version: 6.0
Replaces version: 5.0
Language: en-DE
Date of print: 17.7.2025

Page: 13 of 13

Abbreviations and acronyms:

Acute Tox.: Acute toxicity
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
Aquatic Chronic: Hazardous to the aquatic environment - chronic
AS/NZS: Australian Standards/New Zealand Standards
Asp. Tox.: Aspiration toxicity
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EC50: Effective Concentration 50%
EL50: Effective loading rate 50%
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods
EN: European Standard
EQ: Excepted quantities
EU: European Union
Eye Irrit.: Eye irritation
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
IMO: International Maritime Organization
LC50: Median lethal concentration
LD50: Lethal dose 50%
log P(o/w): Partition coefficient: octanol/water
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
NOEC: No Observed Effect Concentration
NOEL: No Observed Effect Level
OECD: Organisation for Economic Co-operation and Development
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.: Reproductive toxicity
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
Skin Irrit.: Skin irritation
Skin Sens.: Skin sensitisation
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<https://sumdat.net/02ha23z5>

