

General use:

Eni i-care superclean winter -30° gebrauchsfertig

Material number 917

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Version:6.0Replaces version:5.0Language:en-DEDate of print:22.1.2025

Page:

Revision date: 5.12.2024

1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni i-care superclean winter -30° gebrauchsfertig

UFI: GY00-R0DY-100A-3CJM

1.2 Relevant identified uses of the substance or mixture and uses advised against

Antifreeze and/or cleaning additive for windscreen wiper unit.

1.3 Details of the supplier of the safety data sheet

Company name:	Enilive Schmiertechnik GmbH
Street/POB-No.:	Paradiesstraße 14
Postal Code, city:	97080 Würzburg
	Germany
E-mail:	info.wuerzburg@enilive.com
Telephone:	+49 (0)931-90098-0
Telefax:	+49 (0)931-98442
Department responsible for	information:
	Application Engineering & Product Management (AEPM)
	Telephone: +49 (0)931-90098-0
	E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Flam. Liq. 3; H226 Flammable liquid and vapour.

2.2 Label elements

Labelling (CLP)



Hazard statements:

Signal word:

H226

Flammable liquid and vapour.



gebrauchsfertig Material number 917

Safety Data Sheet

Revision date:5.12.2024Version:6.0Replaces version:5.0Language:en-DEDate of print:22.1.2025

Page:

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

2 of 14

Precautionary statements: P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/protective clothing/eye protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to hazardous or special waste collection point. **Special labelling** Text for labelling:

Labelling for contents according to regulation (EC) No 648/2004, annex VII: Contains perfumes.

2.3 Other hazards

Potentially explosive mixtures may form if adequate ventilation is not provided. Inhaling can lead to irritations of the respiratory tract and mucous membrane. Higher doses may lead to a narcotic effect. Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

CAS No.	Designation	PBT/vPvB	ED Human	ED Environment
78-93-3	Butanone		List II	

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Aqueous solution

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119457610-43-xxxx	Ethanol	< 50 %
EC No. 200-578-6 CAS 64-17-5	Flam. Liq. 2; H225. Eye Irrit. 2; H319.	
	Specific concentration limits (SCL): Eye Irrit. 2; H319: C ≥ 50 %	
REACH 01-2119457290-43-xxxx	Butanone	≤1%
EC No. 201-159-0 CAS 78-93-3	Flam. Liq. 2; H225. Eye Irrit. 2; H319. STOT SE 3; H336. (EUH066).	

Full text of H- and EUH-statements: see section 16.

Additional information: Labelling for contents according to regulation (EC) No 648/2004, annex VII: Contains perfumes.



Eni i-care superclean winter -30° gebrauchsfertig

Material number 917

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date:5.12.2024Version:6.0Replaces version:5.0Language:en-DEDate of print:22.1.2025

Page:

3 of 14

SECTION 4: First aid measures

4.1 Description of first aid measures

General information. If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse. First aider: Pay attention to self-protection! Remove person to fresh air and keep comfortable for breathing. In the event of discomfort In case of inhalation: seek medical treatment. Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician. Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids After eve contact: apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist. After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation:

Inhaling can lead to irritations of the respiratory tract and mucous membrane. Higher doses may lead to a narcotic effect. After contact with skin: Frequently or prolonged contact with skin may cause dermal irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, alcohol resistant foam, extinguishing powder.

Extinguishing media which must not be used for safety reasons:

Full water jet.

5.2 Special hazards arising from the substance or mixture

Flammable liquid and vapour. Air combined with vapours may form potentially explosive mixtures that are heavier than air. Vapours may proceed on the ground over great distances and cause fire and backflashes.

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and fire fighter's clothing conforming to European standard EN 469.



Eni i-care superclean winter -30° gebrauchsfertig

Material number 917

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date:5.12.2024Version:6.0Replaces version:5.0Language:en-DEDate of print:22.1.2025

Page:

4 of 14

Additional information: Heating will lead to pressure increase: Danger of bursting and explosion. Keep containers cool with water spray.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Do not allow fire water to penetrate into surface or ground water.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing mist/vapours/spray. Avoid contact with the substance. In case of leakage, eliminate all ignition sources. If possible, eliminate leakage. Provide adequate ventilation. Wear appropriate protective equipment. Keep unprotected people away. Cordon off downwind area at risk and warn inhabitants.

Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains. Danger of explosion! In case of release, notify competent authorities.

6.3 Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

Beware of reignition. Thoroughly clean surrounding area. In case of greater quantities: Collect mechanically (use only explosion-proof equipment when pumping out). Never return spills in original containers for re-use.

Additional information: Use explosion-proof equipment and non-sparking tools/utensils.

Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment. Do not eat, drink or smoke when using this product. Wash hands thoroughly after

handling. Take off contaminated clothing and wash it before reuse.

Guarantee sufficient ventilation during and after use, in order to prevent vapour accumulation.

When handling large quantities, supply emergency spray.



Eni i-care superclean winter -30° gebrauchsfertig

Material number 917

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date:5.12.2024Version:6.0Replaces version:5.0Language:en-DEDate of print:22.1.2025

Page:

5 of 14

Precautions against fire and explosion:

Keep away from sources of ignition - No smoking. Take action to prevent static discharges. Use only explosion-protected equipment/instruments. Do not weld. In partially filled containers explosive mixtures may form.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

	Keep container tightly closed and in a well-ventilated place.
	Keep container dry. Keep only in the original container.
	Protect from heat and direct sunlight.
	Store containers in upright position.
Hints on joint storage:	Keep away from food, drink and animal feedingstuffs.
<u>.</u>	

Storage class: 3 = Flammable liquids

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational ex	nosure limit va	ا مور
Occupational ex	posure inflit va	ues.

CAS No.	Designation	Туре	Limit value
64-17-5	Ethanol	Germany: TRGS 900 Kurzzeit Germany: TRGS 900 Langzeit	1.520 mg/m³; 800 ppm 380 mg/m³; 200 ppm
78-93-3	Butanone	Europe: IOELV: STEL Europe: IOELV: TWA Germany: TRGS 900 Kurzzeit	900 mg/m³; 300 ppm 600 mg/m³; 200 ppm 600 mg/m³; 200 ppm (may be absorbed through the skin)
		Germany: TRGS 900 Langzeit	600 mg/m³; 200 ppm (may be absorbed through the skin)

Biological limit values:

CAS No.	Designation	Туре	Limit value	Parameter	Sampling
78-93-3	Butanone	Germany: TRGS 903, urine	2 mg/L	2-Butanone	end of exposure or end of shift



gebrauchsfertig Material number 917

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 5.12.2024 Version: 6.0 Replaces version: 5.0 en-DE . Language: 22.1.2025 Date of print:

Page:

6 of 14

DNEL/DMEL:	Information about Ethanol (CAS 64-17-5): DNEL, workers, inhalative, systemic, long-term: 380 mg/m ³ DNEL, workers, dermal, systemic, long-term: 400 mg/kg bw/d DNEL, consumers, inhalative, systemic, long-term: 114 mg/m ³ Information about Butanone (CAS 78-93-3): DNEL, workers, inhalative, systemic, long-term: 600 mg/m ³ DNEL, workers, inhalative, systemic, short-term: 900 mg/m ³ DNEL, workers, dermal, systemic, long-term: 1.161 mg/kg bw/d DNEL, consumers, inhalative, systemic, long-term: 106 mg/m ³ DNEL, consumers, inhalative, systemic, short-term: 450 mg/m ³ DNEL, consumers, oral, systemic, long-term: 31 mg/kg bw/d
PNEC:	Information about Ethanol (CAS 64-17-5): PNEC, water (freshwater): 0,96 mg/L PNEC, water (freshwater, intermittent release): 2,75 mg/L PNEC, water (marine water): 0,79 mg/L PNEC, sewage treatment plant: 580 mg/L PNEC, sediment (freshwater): 3,6 mg/kg dw PNEC, sediment (marine water): 2,9 mg/kg dw PNEC, soil: 0,63 mg/kg dw PNEC, Secondary Poisoning: 0,38 g/kg Food

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection:	Respiratory protection must be worn whenever the WEL levels have been exceeded. Use filter type A (= against vapours of organic substances) according to DE EN 14387. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.
Hand protection:	Protective gloves according to DIN EN ISO 374:1. Glove material: Permanent contact: Butyl caoutchouc (butyl rubber), fluoro rubber Splash guard: Nitrile rubber, chloroprene rubber Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Tightly sealed goggles according to DIN EN ISO 16321-1:2022.
Body protection:	Flame retardant, antistatic and chemical resistant protective clothing.
General protection and hyg	iene measures:
	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Take off contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. When using do not eat or drink. Wash hands thoroughly after handling.
	When handling large quantities, supply emergency spray.



gebrauchsfertig Material number 917

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page:

Version:

Language:

Replaces version:

Revision date: 5.12.2024

Date of print: 22.1.2025

7 of 14

6.0

5.0 en-DE

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	blue
	Clear
Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	> 80 °C
Flammability:	Flammable liquid and vapour.
Upper/lower flammability or explosive li	^{mits:} LEL (Lower Explosion Limit): 2,50 Vol-% UEL (Upper Explosive Limit): 13,50 Vol-%
Flash point/flash point range:	26 °C
Auto-ignition temperature:	> 363 °C (Ethanol)
Decomposition temperature:	No data available
pH:	at 20 °C: approx. 7
Viscosity, kinematic:	No data available
Water solubility:	Completely miscible
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	No data available
Vapour density:	No data available
Particle characteristics:	Not applicable
9.2 Other information	
Explosive properties:	Not explosive. Vapours can form explosive mixture

Explosive properties: Oxidizing characteristics:	Not explosive. Vapours can form explosive mixtures with air. No data available
Auto-ignition temperature:	Not self-igniting
Solvent content:	39,3 %
Evaporation rate:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Flammable liquid and vapour. Vapours can form explosive mixtures with air.

10.2 Chemical stability

Stable under recommended storage conditions.



gebrauchsfertig Material number 917

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page:

Revision date: Version:

Language:

Date of print:

Replaces version:

8 of 14

5.12.2024

6.0

50

en-DE

22.1.2025

10.3 Possibility of hazardous reactions

Heating will lead to pressure increase: Danger of bursting and explosion.

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames. Protect from direct sunlight.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

No decomposition when used properly. No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

Thermal decomposition:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met. Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met. Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.



gebrauchsfertig Material number 917

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 5.12.2024

6.0

5.0 en-DE

22.1.2025

9 of 14

Version:

Language:

Page:

Date of print:

Replaces version:

11.2 Information on other hazards

Endocrine disrupting pro	operties:
	This product contains a substance that has endocrine disrupting properties with respect
	to humans.
Other information:	Information about Ethanol (CAS 64-17-5):
	LD50 Rat, oral: 10.470 mg/kg (OECD 401)
	LD50 Rabbit, dermal: 17.100 mg/kg
	LC50 Rat, inhalative (vapour): 116,9 mg/L/4h (OECD 403)
	Information about Butanone (CAS 78-93-3):
	LD50 Rat, oral: 2.054 mg/kg (OECD 423)
Symptoms	
	In case of inhalation:

Inhaling can lead to irritations of the respiratory tract and mucous membrane. Higher doses may lead to a narcotic effect. After contact with skin: Frequently or prolonged contact with skin may cause dermal irritation.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:	Information about Ethanol (CAS 64-17-5):
	Fish toxicity:
	LC50 Lepomis macrochirus (bluegill): 12.700 mg/L/96h
	Daphnia toxicity:
	EC50 Daphnia magna (Big water flea): > 10.000 mg/L/48h
	Algae toxicity:
	EC50 Pseudokirchneriella subcapitata (green algae): 22.000 mg/L/96h
	Information about Butanone (CAS 78-93-3):
	Fish toxicity:
	LC50 Pimephales promelas (fathead minnow): 2.973 mg/L/96h (OECD 203)
	Daphnia toxicity:
	EC50 Daphnia magna (Big water flea): 308 mg/L/48h (OECD 202)
	Algae toxicity:
	EC50 Pseudokirchneriella subcapitata (green algae): 1.220 mg/L/72h (OECD 201)
Water Hazard Class:	1 = slightly hazardous to water (Self-classification (mixture).)

12.2 Persistence and degradability

Further details: Product is biodegradable.

12.3 Bioaccumulative potential

Does not accumulate in organisms.

No data available

12.4 Mobility in soil

No data available



gebrauchsfertig Material number 917

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page:

Version:

Language:

Date of print:

Replaces version:

10 of 14

22.1.2025

6.0

5.0 en-DE

Revision date: 5.12.2024

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number:	07 07 04* = Other organic solvents, washing liquids and mother liquors * = Evidence for disposal must be provided.
Recommendation:	Dispose of waste according to applicable legislation.
Package	
Recommendation:	Dispose of waste according to applicable legislation. Handle empty container

Dispose of waste according to applicable legislation. Handle empty containers with care. Incineration may cause explosion. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR: UN 1170

14.2 UN proper shipping name

ADR/RID, ADN, IMDG: UN 1170, ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) IATA-DGR: UN 1170, ETHANOL SOLUTION

14.3 Transport hazard class(es)

ADR/RID, ADN:	Class 3, Code: F1
IMDG:	Class 3, Subrisk -
IATA-DGR:	Class 3

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

Ш





gebrauchsfertig Material number 917

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page:

Revision date: 5.12.2024

Date of print: 22.1.2025

6.0

5.0

en-DE

11 of 14

Version:

. Language:

Replaces version:

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

Land transport (ADR/RID)

Warning board:	ADR/RID: Kemmler-number 30, UN number UN 1170
Hazard label:	3
Special Provisions:	144 601
Limited quantities:	5 L
EQ:	E1
Package - Instructions:	P001 IBC03 LP01 R001
Special provisions for packing together:	MP19
Portable tanks - Instructions:	T2
Portable tanks - Special Provisions:	TP1
Tank coding:	LGBF
Tunnel restriction code:	(D/E)
Remarks:	ADR/RID: Transport as "limited quantity" according to chapter 3.4 ADR/RID (> 8.000 kg total gross mass): Tunnel restriction code (E)

Inland waterway craft (ADN)

Hazard label:	3
Special Provisions:	144 601
Limited quantities:	5 L
EQ:	E1
Transport permitted:	Т
Equipment necessary:	PP - EX - A
ventilation:	VE01

Sea transport (IMDG)

EmS:	F-E, S-D
Special Provisions:	144 223
Limited quantities:	5 L
Excepted quantities:	E1
Package - Instructions:	P001, LP01
IBC - Instructions:	IBC03
IBC - Provisions:	-
Tank instructions - IMO:	-
Tank instructions - UN:	T2
Tank instructions - Provisions:	TP1
Stowage and handling:	Category A.
Properties and observations:	Colourless, volatile liquids. Pure ETHANOL: Flashpoint 13°C c.c. Explosive
	limits: 3,3% to 19%. Miscible with water.
Segregation group:	none



gebrauchsfertig

Material number 917

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page:

Revision date: 5.12.2024

Version:

Language:

Date of print:

Replaces version:

12 of 14

22.1.2025

6.0

5.0 en-DE

Air transport (IATA)

Hazard label: Excepted Quantity Code: Passenger and Cargo Aircraft: Ltd.Qty.: Passenger and Cargo Aircraft: Cargo Aircraft only: Special Provisions: Emergency Response Guide-Code (ERG): Flamm. liquid E1 Pack.Instr. Y344 - Max. Net Qty/Pkg. 10 L Pack.Instr. 355 - Max. Net Qty/Pkg. 60 L Pack.Instr. 366 - Max. Net Qty/Pkg. 220 L A3 A58 A180 3L

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

-	-
Storage class:	3 = Flammable liquids
Water Hazard Class:	1 = slightly hazardous to water (Self-classification (mixture).)
Major Accident Ordinance	(12. BlmSchV):
	Physical hazards: Number 1.2.5.3 = Code P5c,
	Quantity threshold 5 000 000 kg / 50 000 000 kg
Technical guidance air:	5.2.5
Information on working limit	tations:
	Observe employment restrictions for young people.
Further regulations, limitation	ons and legal requirements:
	No data available
National regulations - EC member states	

National regulations - EC member states

Volatile organic compounds (VOC):

39,3 % by weight

Labelling of packaging with <= 125mL content



	•
Signal word:	Warning
Hazard statements: Precautionary statements:	not applicable
	P102 Keep out of reach of children.
Further regulations, limitation	ns and legal requirements:
Product:	Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: refer to Germany, 12. BImSchV Use restriction according to REACH annex XVII, no.: 3, 40, 75
Butanone:	REGULATION (EC) 273/2004 (Drug precursors): Category 3 REGULATION (EC) 111/2005 (Trade with drug precursors): Category 3



gebrauchsfertig Material number 917

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page:

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

	SECTION 16: Other information
Classification procedure:	Physical hazards: On basis of test data
Wording of the H-phrases	under paragraph 2 and 3:
	H225 = Highly flammable liquid and vapour.
	H226 = Flammable liquid and vapour.
	H319 = Causes serious eye irritation.
	H336 = May cause drowsiness or dizziness.
	EUH066 = Repeated exposure may cause skin dryness or cracking.
Reason of change:	Changes in section 2: Labelling
	Changes in section 3: Composition / Information on ingredients
	Changes in section 8: Control parameters
	Changes in section 9: Physical and chemical properties
	Changes in section 13: Waste key number
	Material number
	General revision
Date of first version:	25.6.2021
Department issuing data sheet:	
	see section 1: Department responsible for information

Revision date: 5.12.2024 Version: 6.0 Replaces version: 5.0 en-DE . Language: Date of print: 22.1.2025

13 of 14



gebrauchsfertig

Material number 917

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

14 of 14

5.12.2024

6.0

5.0

en-DE

22.1.2025

Revision date:

Replaces version:

Version:

Page:

Language:

Date of print:

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road AS/NZS: Australian Standards/New Zealand Standards CAS: Chemical Abstracts Service CFR: Code of Federal Regulations CLP: Classification, Labelling and Packaging DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EC50: Effective Concentration 50% EN: European Standard EQ: Excepted quantities EU: European Union Eve Irrit .: Eve irritation Flam. Liq .: Flammable liquid IATA: International Air Transport Association IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IMDG Code: International Maritime Dangerous Goods Code LC50: Median lethal concentration LD50: Lethal dose 50% LEL: Lower Explosion Limit MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships OECD: Organisation for Economic Co-operation and Development OEL: Occupational Exposure Limit Value OSHA: Occupational Safety and Health Administration PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail STOT SE: Specific target organ toxicity - single exposure TLV: Threshold Limit Value TRGS: Technical Rules for Hazardous Substances UN: United Nations vPvB: Very persistent and very bioaccumulative WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at: http://sumdat.net/1arp38rz