



# Eni Antifoam SH 3

Material number 17570

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 16.4.2025  
Version: 3.2  
Replaces version: 3.1  
Language: en-DE  
Date of print: 16.7.2025

Page: 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Eni Antifoam SH 3  
UFI: 4NA0-X0DT-N007-UXDW

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Defoamer

### 1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH  
Street/POB-No.: Paradiesstraße 14  
Postal Code, city: 97080 Würzburg  
Germany  
E-mail: info.wuerzburg@enilive.com  
Telephone: +49 (0)931-90098-0  
Telefax: +49 (0)931-98442

Department responsible for information:  
Application Engineering & Product Management (AEPM)  
Telephone: +49 (0)931-90098-0  
E-mail: technik.wuerzburg@enilive.com

### 1.4 Emergency telephone number

**GIZ-Nord, Göttingen**  
Telephone: +49 (0)551-19240

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

Skin Sens. 1; H317 May cause an allergic skin reaction.  
Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (CLP)



Signal word: **Warning**

Hazard statements: H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.



# Eni Antifoam SH 3

Material number 17570

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 16.4.2025  
Version: 3.2  
Replaces version: 3.1  
Language: en-DE  
Date of print: 16.7.2025

Page: 2 of 12

### Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261	Avoid breathing mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to hazardous or special waste collection point.

### Special labelling

Text for labelling: Contains 1,2-Benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one.

### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

CAS No.	Designation	PBT/vPvB	ED Human	ED Environment
541-02-6	Decamethylcyclopentasiloxane (SVHC)	PBT, vPvB	List II	
556-67-2	Octamethylcyclotetrasiloxane (SVHC)	PBT, vPvB	List II, III	
128-37-0	2,6-di-tert-Butyl-p-cresol		List II	

## SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

### 3.2 Mixtures

Chemical characterisation:

A mixture of water and polysiloxane.



# Eni Antifoam SH 3

Material number 17570

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 16.4.2025

Version: 3.2

Replaces version: 3.1

Language: en-DE

Date of print: 16.7.2025

Page: 3 of 12

Hazardous ingredients:

Identifiers	Designation Classification	Content
EC No. 208-764-9 CAS 541-02-6	Decamethylcyclopentasiloxane (SVHC) not classified	< 0,25 %
EC No. 209-136-7 CAS 556-67-2	Octamethylcyclotetrasiloxane (SVHC) Flam. Liq. 3; H226. Repr. 2; H361f. Aquatic Chronic 1; H410. M-factors: Aquatic Chronic 1: M = 10.	< 0,25 %
EC No. 204-881-4 CAS 128-37-0	2,6-di-tert-Butyl-p-cresol Aquatic Acute 1; H400. Aquatic Chronic 1; H410.	< 0,25 %
REACH 01-2120761540-60-xxxx EC No. 220-120-9 CAS 2634-33-5	1,2-Benzisothiazol-3(2H)-one Acute Tox. 4; H302. Acute Tox. 2; H330. Skin Irrit. 2; H315. Eye Dam. 1; H318. Skin Sens. 1A; H317. Aquatic Acute 1; H400. Aquatic Chronic 1; H410. Acute toxicity estimate (ATE): Oral: 450 mg/kg bw. Inhalative, dust/mist: 0,21 mg/L. Specific concentration limits (SCL): Skin Sens. 1A; H317: C ≥ 0,036 % M-factors: Aquatic Acute 1: M = 1. Aquatic Chronic 1: M = 1.	< 0,01 %
EC No. 220-239-6 CAS 2682-20-4	2-Methyl-2H-isothiazol-3-one Acute Tox. 3; H301. Acute Tox. 3; H311. Acute Tox. 2; H330. Skin Corr. 1B; H314. Eye Dam. 1; H318. Skin Sens. 1A; H317. Aquatic Acute 1; H400. Aquatic Chronic 1; H410. (EUH071). Specific concentration limits (SCL): Skin Sens. 1A; H317: C ≥ 0,0015 % M-factors: Aquatic Acute 1: M = 10. Aquatic Chronic 1: M = 1.	< 0,01 %

Full text of H- and EUH-statements: see section 16.

Additional information: Contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: Decamethylcyclopentasiloxane (PBT (Article 57d); vPvB (Article 57e)), Octamethylcyclotetrasiloxane (PBT (Article 57d); vPvB (Article 57e))

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General information: If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.
- In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. In the events of symptoms take medical treatment.
- Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.



# Eni Antifoam SH 3

Material number 17570

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 16.4.2025

Version: 3.2

Replaces version: 3.1

Language: en-DE

Date of print: 16.7.2025

Page: 4 of 12

- After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.
- After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

### 5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Smoke, nitrogen oxides (NO<sub>x</sub>), carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Do not inhale explosion and combustion gases. Use fine water spray to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

Contaminated fire-fighting water must be collected separately. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance.

If possible, eliminate leakage. Provide adequate ventilation.

Keep unprotected people away.

Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary, notify appropriate authorities.



# Eni Antifoam SH 3

Material number 17570

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 16.4.2025

Version: 3.2

Replaces version: 3.1

Language: en-DE

Date of print: 16.7.2025

Page: 5 of 12

### 6.3 Methods and material for containment and cleaning up

Collect with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents, or sawdust) and place in closed containers for disposal.  
Prevent spread over a wide area (e.g. by containment or oil barriers).  
Never return spills in original containers for re-use.  
Clean contaminated articles and floor according to the environmental legislation.

Additional information: Special danger of slipping by leaking/spilling product.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray.  
Wear appropriate protective equipment.  
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.  
Take off contaminated clothing and wash it before reuse. Do not get in eyes, on skin, or on clothing.

Precautions against fire and explosion:

Keep away from heat.  
When handling larger quantities, take precautionary measures against electrostatic charging.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.  
Keep container dry. Keep only in the original container.  
Protect against heat, sun rays and frost.  
Store containers in upright position.  
Storage temperature: 5 - 40 °C

Hints on joint storage:

Do not store together with: oxidizing agents.  
Keep away from food, drink and animal feedingstuffs.

Storage class:

10 = Combustible liquids that cannot be assigned to any of the above storage classes

### 7.3 Specific end use(s)

No information available.



# Eni Antifoam SH 3

Material number 17570

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 16.4.2025

Version: 3.2

Replaces version: 3.1

Language: en-DE

Date of print: 16.7.2025

Page: 6 of 12

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
128-37-0	2,6-di-tert-Butyl-p-cresol	Germany: TRGS 900 Kurzzeit	40 mg/m <sup>3</sup> (Aerosol and vapour, inhalable fraction)
		Germany: TRGS 900 Langzeit	10 mg/m <sup>3</sup> (Aerosol and vapour, inhalable fraction)

**DNEL/DMEL:** Information about 2,6-di-tert-Butyl-p-cresol (CAS 128-37-0):  
DNEL Workers, long-term, systemic, inhalative: 1,76 mg/m<sup>3</sup>  
DNEL Workers, long-term, systemic, dermal: 0,5 mg/kg bw/d  
DNEL Consumer, long-term, systemic, inhalative: 0,435 mg/m<sup>3</sup>  
DNEL Consumer, long-term, systemic, dermal: 0,25 mg/kg bw/d  
DNEL Consumer, long-term, systemic, oral: 0,25 mg/kg bw/d

**PNEC:** Information about 2,6-di-tert-Butyl-p-cresol (CAS 128-37-0):  
PNEC water (freshwater): 0,199 µg/L  
PNEC water (marine water): 0,02 µg/L  
PNEC sediment (freshwater): 0,458 mg/kg dw  
PNEC sediment (marine water): 0,046 mg/kg dw  
PNEC soil: 0,054 mg/kg dw  
PNEC sewage treatment plant: 0,017 mg/L  
PNEC oral: 16,67 mg/kg Food

### 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

### Personal protection equipment

#### Occupational exposure controls

**Respiratory protection:** In case of inadequate ventilation wear respiratory protection. Respiratory protection must be worn whenever the WEL levels have been exceeded.  
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

**Hand protection:** Protective gloves according to DIN EN ISO 374-1.  
Glove material: Nitrile rubber, CR (Polychloroprene, Chloroprene rubber)  
During full contact:  
Layer thickness: 0,7 mm  
Breakthrough time: > 480 min  
During splash contact:  
Layer thickness: 0,4 mm  
Breakthrough time: > 30 min  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

**Eye protection:** Tightly sealed goggles according to DIN EN ISO 16321-1.

**Body protection:** Wear suitable protective clothing.



# Eni Antifoam SH 3

Material number 17570

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 16.4.2025

Version: 3.2

Replaces version: 3.1

Language: en-DE

Date of print: 16.7.2025

Page: 7 of 12

General protection and hygiene measures:

Do not breathe mist/vapours/spray.

Take off contaminated clothing and wash it before reuse. Do not get in eyes, on skin, or on clothing.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Protect skin by using skin protective cream.

### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	white
Odour:	Characteristic
Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	> 100 °C (1013 hPa)
Flammability:	No data available
Lower and upper explosion limit:	No data available
Flash point:	> 100 °C (DIN EN ISO 2592)
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH:	8
Kinematic viscosity:	No data available
Water solubility:	at 20 °C: Emulsifiable
Partition coefficient n-octanol/water (log value):	No data available
Vapour pressure:	No data available
Density:	at 20 °C: 1,05 g/mL (DIN EN ISO 12185)
Relative vapour density:	No data available
Particle characteristics:	Not applicable

### 9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

### 10.2 Chemical stability

Stable under recommended storage conditions.



# Eni Antifoam SH 3

Material number 17570

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 16.4.2025

Version: 3.2

Replaces version: 3.1

Language: en-DE

Date of print: 16.7.2025

Page: 8 of 12

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Protect against heat, sun rays and frost.

### 10.5 Incompatible materials

Oxidizing agents.

### 10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Skin Sens. 1; H317 = May cause an allergic skin reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

Endocrine disrupting properties:

This product contains a substance that has endocrine disrupting properties with respect to humans.

Other information:

Information about 2,6-di-tert-Butyl-p-cresol (CAS 128-37-0):

LD50 Rat, oral: > 6.000 mg/kg (OECD 401)

LD50 Rat, dermal: > 2.000 mg/kg (OECD 402)





# Eni Antifoam SH 3

Material number 17570

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 16.4.2025  
Version: 3.2  
Replaces version: 3.1  
Language: en-DE  
Date of print: 16.7.2025

Page: 9 of 12

## SECTION 12: Ecological information

### 12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects.  
Information about 2,6-di-tert-Butyl-p-cresol (CAS 128-37-0):  
Fish toxicity:  
LC50 Danio rerio (zebrafish): > 0,57 mg/L/96h (EU Method C.1)  
Daphnia toxicity:  
EC50 Daphnia magna (Big water flea): 0,48 mg/L/48h (OECD 202)  
Algae toxicity:  
EC50 Desmodesmus subspicatus (green algae): > 0,4 mg/L/72h (EU Method C.3)  
Water Hazard Class: 2 = obviously hazardous to water (Self-classification (mixture).)

### 12.2 Persistence and degradability

Further details: No data available

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:  
No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 16 03 05\* = Organic wastes containing hazardous substances  
\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

#### Package

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.



# Eni Antifoam SH 3

Material number 17570

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 16.4.2025

Version: 3.2

Replaces version: 3.1

Language: en-DE

Date of print: 16.7.2025

Page: 10 of 12

## Section 14. Transport information

### 14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR:

not applicable

ADN: ID 9006

### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

ADN: ID 9006, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

ADN: Class 9, Code: M12

### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

### 14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

### 14.6 Special precautions for user

#### Inland waterway craft (ADN)

Hazard label: -  
Transport permitted: T  
Equipment necessary: PP

No dangerous good in sense of these transport regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Germany

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 2 = obviously hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Information on working limitations:

Observe employment restrictions for young people.

Further regulations, limitations and legal requirements:

No data available



# Eni Antifoam SH 3

Material number 17570

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 16.4.2025  
Version: 3.2  
Replaces version: 3.1  
Language: en-DE  
Date of print: 16.7.2025

Page: 11 of 12

### National regulations - EC member states

Further regulations, limitations and legal requirements:

Contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH:  
Decamethylcyclotetrasiloxane (PBT, vPvB), Octamethylcyclotetrasiloxane (PBT, vPvB).  
Use restriction according to REACH annex XVII, no.: 3, 40, 70, 75

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

Classification procedure: Physical hazards: on basis of test data  
Health hazards, environmental hazards: calculation method

Wording of the H-phrases under paragraph 2 and 3:

H226 = Flammable liquid and vapour.  
H301 = Toxic if swallowed.  
H302 = Harmful if swallowed.  
H311 = Toxic in contact with skin.  
H314 = Causes severe skin burns and eye damage.  
H315 = Causes skin irritation.  
H317 = May cause an allergic skin reaction.  
H318 = Causes serious eye damage.  
H330 = Fatal if inhaled.  
H361f = Suspected of damaging fertility.  
H400 = Very toxic to aquatic life.  
H410 = Very toxic to aquatic life with long lasting effects.  
H412 = Harmful to aquatic life with long lasting effects.  
EUH071 = Corrosive to the respiratory tract.

Reason of change: Changes in section 3: Composition / Information on ingredients

Date of first version: 10.8.2022

Department issuing data sheet:

see section 1: Department responsible for information



# Eni Antifoam SH 3

Material number 17570

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 16.4.2025  
Version: 3.2  
Replaces version: 3.1  
Language: en-DE  
Date of print: 16.7.2025

Page: 12 of 12

### Abbreviations and acronyms:

Acute Tox.: Acute toxicity  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
Aquatic Acute: Hazardous to the aquatic environment - acute  
Aquatic Chronic: Hazardous to the aquatic environment - chronic  
AS/NZS: Australian Standards/New Zealand Standards  
Bw: Body weight  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EC50: Effective Concentration 50%  
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods  
EN: European Standard  
EQ: Excepted quantities  
EU: European Union  
Eye Dam.: Eye damage  
Flam. Liq.: Flammable liquid  
IATA: International Air Transport Association  
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
IMO: International Maritime Organization  
LC50: Median lethal concentration  
LD50: Lethal dose 50%  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
M-factor: Multiplication factor  
OECD: Organisation for Economic Co-operation and Development  
OEL: Occupational Exposure Limit Value  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
Repr.: Reproductive toxicity  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
Skin Corr.: Skin corrosion  
Skin Irrit.: Skin irritation  
Skin Sens.: Skin sensitisation  
SVHC: Substance of very high concern  
TLV: Threshold Limit Value  
TRGS: Technical Rules for Hazardous Substances  
vPvB: Very persistent and very bioaccumulative  
WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:  
<https://sumdat.net/u9306t6v>

