



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni metalClean AKR
UFI: 4X80-T0KV-H00C-M3RM

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Cleaner

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH
Street/POB-No.: Paradiesstraße 14
Postal Code, city: 97080 Würzburg
Germany
E-mail: info.wuerzburg@enilive.com
Telephone: +49 (0)931-90098-0
Telefax: +49 (0)931-98442
Department responsible for information:
Application Engineering & Product Management (AEPM)
Telephone: +49 (0)931-90098-0
E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen
Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Skin Corr. 1B; H314 Causes severe skin burns and eye damage.
Eye Dam. 1; H318 Causes serious eye damage.
Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (CLP)



Signal word: **Danger**
Hazard statements: H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.



Eni metalClean AKR

Material number 930

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 2 of 14

Precautionary statements:

- P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.

P260 Do not breathe mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container to hazardous or special waste collection point.

Special labelling

Text for labelling:

Contains: 2-(2-Aminoethoxy)ethanol
Labelling for contents according to regulation (EC) No 648/2004, annex VII:
Contains
- less than 5% non-ionic surfactants, phosphonates

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Mixture of the substances listed below with non-hazardous additions



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 3 of 14

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119520701-52-xxxx EC No. 213-195-4 CAS 929-06-6	2-(2-Aminoethoxy)ethanol Skin Corr. 1B; H314. Eye Dam. 1; H318.	< 15 %
list no. 608-578-1 CAS 31075-24-8	1,2-Ethanediamine, N,N,N',N'-tetramethyl-, polymer with 1,1'-oxybis(2-chloroethane) Aquatic Acute 1; H400. Aquatic Chronic 1; H410. M-factors: Aquatic Acute 1: M = 10.	< 1 %
REACH 01-2119511183-53-xxxx EC No. 201-993-5 CAS 90-43-7	Biphenyl-2-ol Skin Irrit. 2; H315. Eye Irrit. 2; H319. STOT SE 3; H335. Aquatic Acute 1; H400.	< 0,5 %
EC No. 223-296-5 CAS 3811-73-2	Pyridine-2-thiol 1-oxide, sodium salt Acute Tox. 4; H302. Acute Tox. 3; H311. Acute Tox. 3; H331. Skin Irrit. 2; H315. Eye Irrit. 2; H319. Skin Sens. 1; H317. STOT RE 1; H372. Aquatic Acute 1; H400. Aquatic Chronic 2; H411. (EUH070). Acute toxicity estimate (ATE): Oral: 500 mg/kg bw. Dermal: 790 mg/kg bw. Inhalative, dust/mist: 0,5 mg/L. M-factors: Aquatic Acute 1: M = 100.	< 0,1 %

Full text of H- and EUH-statements: see section 16.

Additional information: Contains Triethanolamine. The maximum workplace exposure limits are, where necessary, listed in section 8.
Labelling for contents according to regulation (EC) No 648/2004, annex VII:
Contains
- less than 5% non-ionic surfactants, phosphonates

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: First aider: Pay attention to self-protection!
If medical advice is needed, have product container or label at hand. Take off immediately all contaminated clothing and wash it before reuse.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently seek the immediate attention of an ophthalmologist.



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 4 of 14

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.
Water spray jet, extinguishing powder, foam, sand and carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.
Furthermore, there may develop: smoke, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Use a breathing apparatus independent of the ambient air (isolated apparatus) and a full protection outfit (suit) against chemicals.

Additional information:

Use fine water spray to cool endangered containers.
Do not allow water used to extinguish fire to enter drains, ground or waterways.
Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance.
If possible, eliminate leakage. Provide adequate ventilation.
Wear appropriate protective equipment. Take off immediately all contaminated clothing and wash it before reuse. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains. Do not allow to enter into soil/subsoil.
If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.
Never return spills in original containers for re-use.



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 5 of 14

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off immediately all contaminated clothing and wash it before reuse.
When handling large quantities, supply emergency spray.

Precautions against fire and explosion:

Keep away from heat.
When handling larger quantities, take precautionary measures against electrostatic charging.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.
Keep container dry. Keep only in the original container.
Protect from heat and direct sunlight.
Store containers in upright position.
Recommended storage temperature: 5-40 °C
Shelf life: 12 months

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

Storage class: 8A = Combustible corrosive substances

7.3 Specific end use(s)

No information available.



Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
929-06-6	2-(2-Aminoethoxy) ethanol	Germany: TRGS 900 Kurzzeit	0,87 mg/m ³ ; 0,2 ppm (Aerosol and vapour, may be absorbed through the skin)
		Germany: TRGS 900 Langzeit	0,87 mg/m ³ ; 0,2 ppm (Aerosol and vapour, may be absorbed through the skin)
90-43-7	Biphenyl-2-ol	Germany: TRGS 900 Kurzzeit	5 mg/m ³ (Aerosol and vapour, inhalable fraction)
		Germany: TRGS 900 Langzeit	5 mg/m ³ (Aerosol and vapour, inhalable fraction)
3811-73-2	Pyridine-2-thiol 1-oxide, sodium salt	Germany: TRGS 900 Kurzzeit	0,4 mg/m ³ (inhalable fraction; may be absorbed through the skin)
		Germany: TRGS 900 Langzeit	0,2 mg/m ³ (inhalable fraction; may be absorbed through the skin)
102-71-6	Triethanolamine	Germany: TRGS 900 Kurzzeit	1 mg/m ³ (inhalable fraction)
		Germany: TRGS 900 Langzeit	1 mg/m ³ (inhalable fraction)

DNEL/DMEL:

Information about Triethanolamine

Workers, Long-term, systemic:
DNEL, dermal: 6,3 mg/kg bw/d.
DNEL, inhalative: 5 mg/m³.

Information about 2-(2-Aminoethoxy)ethanol

Workers, Long-term, local:
DNEL, inhalative: 0,67 mg/m³.
Workers, Long-term, systemic:
DNEL, dermal: 7,3 mg/kg bw/d.
Workers, Short-term, systemic:
DNEL, inhalative: 1,12 mg/m³.

Information about Biphenyl-2-ol

Workers, systemic:
DNEL, inhalative: 19,25 mg/m³.
DNEL, dermal: 21,84 mg/kg bw/d.



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 7 of 14

PNEC: Information about Triethanolamine
PNEC water (freshwater): 0,32mg/L.
PNEC water (marine water): 0,032mg/L.
PNEC sediment (freshwater): 1,7 mg/ kg dwt.
PNEC sediment (marine water): 0,17 mg/ kg dwt.
PNEC soil: 0,151 mg/ kg dwt.
Information about 2-(2-Aminoethoxy)ethanol
PNEC water (freshwater): 0,0202mg/L.
PNEC water (marine water): 0,0202mg/L.
PNEC sediment (freshwater): 0,945 mg/ kg dwt.
PNEC sediment (marine water): 0,0945 mg/ kg dwt.
PNEC sewage treatment plant: 28 mg/L. Information about Biphenyl-2-ol
PNEC water (freshwater): 0,0009mg/L.
PNEC water (marine water): 0,00009mg/L.
PNEC sediment (freshwater): 0,1284 mg/ kg dwt.
PNEC sewage treatment plant: 0,56 mg/L.

8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

Personal protection equipment

Occupational exposure controls

Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. In case of inadequate ventilation wear respiratory protection.
Respiratory protection in case of aerosol or vapour formation. Recommendation:
Combination filtering device (EN 14387)
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Hand protection: Protective gloves according to DIN EN 374.
permanent contact: Glove material: Nitrile rubber, > 0,7 mm
Breakthrough time: > 480
During splash contact: Glove material: Nitrile rubber, > 0,4 mm
Breakthrough time: > 30 min
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:
Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
Take off immediately all contaminated clothing and wash it before reuse.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
When handling large quantities, supply emergency spray.

Environmental exposure controls

Refer to "6.2 Environmental precautions".



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 8 of 14

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow
Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	> 100 °C
Flammability:	No data available
Upper/lower flammability or explosive limits:	LEL (Lower Explosion Limit): Not determined UEL (Upper Explosive Limit): Not determined
Flash point/flash point range:	> 100 °C (DIN EN ISO 2592)
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
pH:	at 20 °C, 1%: 9,6
Viscosity, kinematic:	No data available
Water solubility:	at 20 °C: Miscible
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	at 15 °C: 1,084 g/mL (DIN EN ISO 12185)
Vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	Product is not explosive.
Oxidizing characteristics:	Not oxidising
Auto-ignition temperature:	No data available
Evaporation rate:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.
Protect from direct sunlight.



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 9 of 14

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

No decomposition when used properly.

Thermal decomposition: Not determined

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Skin Corr. 1B; H314 = Causes severe skin burns and eye damage.

Serious eye damage/irritation: Eye Dam. 1; H318 = Causes serious eye damage.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties:
None

Symptoms

After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

Water Hazard Class: 3 = highly hazardous to water (Self-classification (mixture).)

Further details: The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 10 of 14

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

12.6 Endocrine disrupting properties

None

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 07 06 01* = aqueous washing liquids and mother liquors
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.
Do not dispose of with household waste.

Package

Recommendation: Dispose of waste according to applicable legislation.
Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

UN 1760

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

UN 1760, CORROSIVE LIQUID, N.O.S. (2-(2-Aminoethoxy)ethanol)



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 11 of 14

14.3 Transport hazard class(es)

ADR/RID, ADN: Class 8, Code: C9
IMDG: Class 8, Subrisk -
IATA-DGR: Class 8



14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:
III

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

Land transport (ADR/RID)

Warning board: ADR/RID: Kemmler-number 80, UN number UN 1760
Hazard label: 8
Special Provisions: 274
Limited quantities: 5 L
EQ: E1
Package - Instructions: P001 IBC03 LP01 R001
Special provisions for packing together: MP19
Portable tanks - Instructions: T7
Portable tanks - Special Provisions: TP1 TP28
Tank coding: L4BN
Tunnel restriction code: (E)

Inland waterway craft (ADN)

Hazard label: 8
Special Provisions: 274
Limited quantities: 5 L
EQ: E1
Transport permitted: T
Equipment necessary: PP - EP



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 12 of 14

Sea transport (IMDG)

EmS:	F-A, S-B
Special Provisions:	223 274
Limited quantities:	5 L
Excepted quantities:	E1
Package - Instructions:	P001, LP01
Package - Provisions:	-
IBC - Instructions:	IBC03
IBC - Provisions:	-
Tank instructions - IMO:	-
Tank instructions - UN:	T7
Tank instructions - Provisions:	TP1, TP28
Stowage and handling:	Category A. SW2
Properties and observations:	Causes burns to skin, eyes and mucous membranes.
Segregation group:	none

Air transport (IATA)

Hazard label:	Corrosive
Excepted Quantity Code:	E1
Passenger and Cargo Aircraft: Ltd.Qty.:	Pack.Instr. Y841 - Max. Net Qty/Pkg. 1 L
Passenger and Cargo Aircraft:	Pack.Instr. 852 - Max. Net Qty/Pkg. 5 L
Cargo Aircraft only:	Pack.Instr. 856 - Max. Net Qty/Pkg. 60 L
Special Provisions:	A3 A803
Emergency Response Guide-Code (ERG):	8L

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class:	8A = Combustible corrosive substances
Water Hazard Class:	3 = highly hazardous to water (Self-classification (mixture).)
Information on working limitations:	Observe employment restrictions for young people. Observe employment restrictions for expectant or nursing mothers.
Further regulations, limitations and legal requirements:	The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

National regulations - EC member states

Volatile organic compounds (VOC):	0 % by weight
Further regulations, limitations and legal requirements:	Use restriction according to REACH annex XVII, no.: 3, 75.

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 13 of 14

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

- H302 = Harmful if swallowed.
- H311 = Toxic in contact with skin.
- H314 = Causes severe skin burns and eye damage.
- H315 = Causes skin irritation.
- H317 = May cause an allergic skin reaction.
- H318 = Causes serious eye damage.
- H319 = Causes serious eye irritation.
- H331 = Toxic if inhaled.
- H335 = May cause respiratory irritation.
- H372 = Causes damage to organs through prolonged or repeated exposure.
- H400 = Very toxic to aquatic life.
- H410 = Very toxic to aquatic life with long lasting effects.
- H411 = Toxic to aquatic life with long lasting effects.
- H412 = Harmful to aquatic life with long lasting effects.
- EUH070 = Toxic by eye contact.

Date of first version: 6.6.2023

Department issuing data sheet:

see section 1: Department responsible for information



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 14 of 14

Abbreviations and acronyms:

Acute Tox.: Acute toxicity
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
Aquatic Acute: Hazardous to the aquatic environment - acute
Aquatic Chronic: Hazardous to the aquatic environment - chronic
AS/NZS: Australian Standards/New Zealand Standards
Bw: Body weight
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EN: European Standard
EQ: Excepted quantities
EU: European Union
Eye Dam.: Eye damage
Eye Irrit.: Eye irritation
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
LEL: Lower Explosion Limit
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
M-factor: Multiplication factor
OEL: Occupational Exposure Limit Value
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
Skin Corr.: Skin corrosion
Skin Irrit.: Skin irritation
Skin Sens.: Skin sensitisation
STOT RE: Specific target organ toxicity - repeated exposure
STOT SE: Specific target organ toxicity - single exposure
TLV: Threshold Limit Value
TRGS: Technical Rules for Hazardous Substances
UN: United Nations
vPvB: Very persistent and very bioaccumulative
WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<http://sumdat.net/xmicakit>

