

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni metalClean AKR
UFI: MPF0-Q0UG-100G-XYSX

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Cleaner

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH
Street/POB-No.: Paradiesstraße 14
Postcode, city: 97080 Würzburg
Germany
Email: info.wuerzburg@enilive.com
Telephone: +49 (0)931-90098-0
Telefax: +49 (0)931-98442
Department responsible for information:
Application Engineering & Product Management (AEPM)
Telephone: +49 (0)931-90098-0
Email: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen
Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Skin Corr. 1B; H314 Causes severe skin burns and eye damage.
Eye Dam. 1; H318 Causes serious eye damage.
Skin Sens. 1; H317 May cause an allergic skin reaction.
Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (CLP)



Signal word: **Danger**

Hazard statements: H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 12.8.2026
Version: 4.0
Replaces version: 3.0
Language: en-DE
Date of print: 13.8.2026

Page: 2 of 14

Precautionary statements:

- P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.

P260 Do not breathe mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container to hazardous or special waste collection point.

Special labelling

Text for labelling:

Contains:
2-(2-Aminoethoxy)ethanol
2-n-Butyl-benzo[d]isothiazol-3-one
1,2-Benzisothiazol-3(2H)-one
Labelling for contents according to regulation (EC) No 648/2004, annex VII:
Contains:
- less than 5%: non-ionic surfactants, phosphonates

2.3 Other hazards

The product is skin resorptive.
Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher.
The product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 12.8.2026
Version: 4.0
Replaces version: 3.0
Language: en-DE
Date of print: 13.8.2026

Page: 3 of 14

3.2 Mixtures

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119520701-52-xxxx EC No. 213-195-4 CAS 929-06-6	2-(2-Aminoethoxy)ethanol Skin Corr. 1B; H314. Eye Dam. 1; H318.	10 - 15 %
list no. 608-578-1 CAS 31075-24-8	1,2-Ethanediamine, N,N,N',N'-tetramethyl-, polymer with 1,1'-oxybis(2-chloroethane) Acute Tox. 4; H302. Acute Tox. 4; H332. Aquatic Chronic 1; H410.	< 0,5 %
EC No. 420-590-7 CAS 4299-07-4	2-n-Butyl-benzo[d]isothiazol-3-one Skin Corr. 1B; H314. Eye Dam. 1; H318. Skin Sens. 1; H317. Aquatic Acute 1; H400. Aquatic Chronic 1; H410. M-factors: Aquatic Acute 1: M = 10. Aquatic Chronic 1: M = 1.	< 0,5 %
REACH 01-2120761540-60-xxxx EC No. 220-120-9 CAS 2634-33-5	1,2-Benzisothiazol-3(2H)-one Acute Tox. 4; H302. Acute Tox. 2; H330. Skin Irrit. 2; H315. Eye Dam. 1; H318. Skin Sens. 1A; H317. Aquatic Acute 1; H400. Aquatic Chronic 1; H410. Acute toxicity estimate (ATE): Oral: 450 mg/kg bw. Inhalative, dust/mist: 0,21 mg/L. Specific concentration limits (SCL): Skin Sens. 1A; H317: C ≥ 0,036 % M-factors: Aquatic Acute 1: M = 1. Aquatic Chronic 1: M = 1.	< 0,25 %

Full text of H- and EUH-statements: see section 16.

Additional information: Contains Triethanolamine (CAS 102-71-6). The maximum workplace exposure limits are, where necessary, listed in section 8.
Labelling for contents according to regulation (EC) No 648/2004, annex VII:
Contains:
- less than 5%: non-ionic surfactants, phosphonates

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: First aider: Pay attention to self-protection!
If medical advice is needed, have product container or label at hand. Take off immediately all contaminated clothing and wash it before reuse.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. Immediately get medical attention.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently seek the immediate attention of an ophthalmologist.



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 12.8.2026
Version: 4.0
Replaces version: 3.0
Language: en-DE
Date of print: 13.8.2026

Page: 4 of 14

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.
May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.
Water spray jet, water mist, extinguishing powder, foam, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet.

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.
Furthermore, there may develop: Nitrogen oxides (NO_x), smoke, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Use a breathing apparatus independent of the ambient air (isolated apparatus) and a full protection outfit (suit) against chemicals.

Additional information:

Use fine water spray to cool endangered containers.
Do not allow water used to extinguish fire to enter drains, ground or waterways.
Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance.
If possible, eliminate leakage. Provide adequate ventilation.
Wear appropriate protective equipment. Take off immediately all contaminated clothing and wash it before reuse. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains. Do not allow to enter into soil/subsoil.
If necessary, notify appropriate authorities.



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 12.8.2026
Version: 4.0
Replaces version: 3.0
Language: en-DE
Date of print: 13.8.2026

Page: 5 of 14

6.3 Methods and material for containment and cleaning up

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.
Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off immediately all contaminated clothing and wash it before reuse.
Work place should be equipped with a shower and an eye rinsing apparatus.

Precautions against fire and explosion:

Keep away from heat.
When handling larger quantities, take precautionary measures against electrostatic charging.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.
Keep container dry. Keep only in the original container.
Protect from heat and direct sunlight. Protect from frost.
Store containers in upright position.
Recommended storage temperature: 5-40 °C
Shelf life: 12 months

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

Storage class: 8A = Combustible corrosive substances

7.3 Specific end use(s)

No information available.



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
929-06-6	2-(2-Aminoethoxy) ethanol	Germany: TRGS 900 Kurzzeit	0,87 mg/m ³ ; 0,2 ppm (Aerosol and vapour, may be absorbed through the skin)
		Germany: TRGS 900 Langzeit	0,87 mg/m ³ ; 0,2 ppm (Aerosol and vapour, may be absorbed through the skin)
102-71-6	Triethanolamine	Germany: TRGS 900 Kurzzeit	1 mg/m ³ (inhalable fraction)
		Germany: TRGS 900 Langzeit	1 mg/m ³ (inhalable fraction)

DNEL/DMEL:

Information about Triethanolamine (CAS 102-71-6):

DNEL, workers, inhalative, local, long-term: 1 mg/m³

DNEL, workers, dermal, systemic, long-term: 7,5 mg/kg bw/d

DNEL, workers, dermal, local, long-term: 140 µg/cm²DNEL, consumers, inhalative, local, long-term: 0,4 mg/m³

DNEL, consumers, dermal, systemic, long-term: 2,66 mg/kg bw/d

DNEL, consumers, dermal, local, long-term: 70 µg/cm²

DNEL, consumers, oral, systemic, long-term: 3,3 mg/kg bw/d

Information about 2-(2-Aminoethoxy)ethanol (CAS 929-06-6):

DNEL, workers, inhalative, systemic, long-term: 16,8 mg/m³DNEL, workers, inhalative, local, long-term: 0,15 mg/m³

DNEL, workers, dermal, systemic, long-term: 4,8 mg/kg bw/d

DNEL, consumers, oral, systemic, long-term: 1,7 mg/kg bw/d

PNEC:

Information about Triethanolamine (CAS 102-71-6):

PNEC, water (freshwater): 0,32 mg/L

PNEC, water (freshwater, intermittent release): 5,12 mg/L

PNEC, water (marine water): 0,032 mg/L

PNEC, sewage treatment plant: 10 mg/L

PNEC, sediment (freshwater): 1,7 mg/kg dw

PNEC, sediment (marine water): 0,17 mg/kg dw

PNEC, soil: 0,151 mg/kg dw

Information about 2-(2-Aminoethoxy)ethanol (CAS 929-06-6):

PNEC, water (freshwater): 0,0202 mg/L

PNEC, water (marine water): 0,0202 mg/L

PNEC, sewage treatment plant: 28 mg/L

PNEC, sediment (freshwater): 0,945 mg/kg dw

PNEC, sediment (marine water): 0,0945 mg/kg dw

8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 12.8.2026
Version: 4.0
Replaces version: 3.0
Language: en-DE
Date of print: 13.8.2026

Page: 7 of 14

Personal protection equipment

Occupational exposure controls

- Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. In case of inadequate ventilation wear respiratory protection. Respiratory protection in case of aerosol or vapour formation.
Recommendation: Wear half-mask respirator with combination filter for organic vapours and particles.
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.
- Hand protection: Protective gloves according to DIN EN ISO 374-1.
permanent contact: Glove material: Nitrile rubber, $\geq 0,7$ mm
Breakthrough time: > 480 min
During splash contact: Glove material: Nitrile rubber, $\geq 0,4$ mm
Breakthrough time: > 30 min
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1.
- Body protection: Wear suitable protective clothing.
- General protection and hygiene measures:
Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
Take off immediately all contaminated clothing and wash it before reuse.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Work place should be equipped with a shower and an eye rinsing apparatus.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	colourless
Odour:	Characteristic
Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	> 100 °C
Flammability:	This material is combustible, but will not ignite readily.
Lower and upper explosion limit:	No data available
Flash point:	> 100 °C (DIN EN ISO 2592)
Auto-ignition temperature:	No data available
Decomposition temperature:	Not determined
pH:	at 20 °C, 3%: 9,6
Kinematic viscosity:	No data available
Water solubility:	at 20 °C: Miscible
Partition coefficient n-octanol/water (log value):	Not applicable
Vapour pressure:	No data available
Density:	at 15 °C: 1,08 g/mL (DIN EN ISO 12185)



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 12.8.2026
Version: 4.0
Replaces version: 3.0
Language: en-DE
Date of print: 13.8.2026

Page: 8 of 14

Relative vapour density: No data available
Particle characteristics: Not applicable

9.2 Other information

Explosive properties: No data available
Oxidizing characteristics: No data available
Auto-ignition temperature: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.
Protect from direct sunlight. Protect from frost.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Thermal decomposition: No decomposition when used properly.
Not determined



SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Skin Corr. 1B; H314 = Causes severe skin burns and eye damage.

Serious eye damage/irritation: Eye Dam. 1; H318 = Causes serious eye damage.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Skin Sens. 1; H317 = May cause an allergic skin reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties:

None

Other information:

Information about 2-(2-Aminoethoxy)ethanol (CAS 929-06-6):

LD50 Rat, oral: approx. 3.400 mg/kg (OECD 401)

LD50 Rabbit, dermal: > 3.000 mg/kg (OECD 402, no mortality occurred)

LC0 Rat, inhalative: > 8,7 mg/m³ (OECD 403, saturated vapour concentration (SVC))

Information about 1,2-Ethanediamine, N,N,N',N'-tetramethyl-, polymer with 1,1'-oxybis(2-chloroethane) (CAS 31075-24-8):

LD50 Rabbit, oral: 1.951 mg/kg

LD50 Rat, dermal: > 2.000 mg/kg

LC50 Rat, inhalative (dusts/mist): 2,9 mg/L/4h

Information about 1,2-Benzisothiazol-3(2H)-one (CAS 2634-33-5):

ATE, oral: 450 mg/kg

ATE, inhalative (dusts/mist): 0,21 mg/L

Symptoms

After contact with skin: The product is skin resorptive.

After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

Prolonged eye contact may damage the cornea.



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 12.8.2026
Version: 4.0
Replaces version: 3.0
Language: en-DE
Date of print: 13.8.2026

Page: 10 of 14

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects.
Information about 2-(2-Aminoethoxy)ethanol (CAS 929-06-6):
Fish toxicity:
LC50 *Leuciscus idus*: > 681 mg/L/96h
Daphnia toxicity:
EC50 *Daphnia magna* (Big water flea): > 500 mg/L/48h (EU Method C.2)
Algae toxicity:
EC50 *Desmodesmus subspicatus* (green algae): 202 mg/L/72h (growth rate)
Information about 1,2-Ethanediamine, N,N,N',N'-tetramethyl-, polymer with 1,1'-oxybis(2-chloroethane) (CAS 31075-24-8):
Fish toxicity:
LC50 *Oncorhynchus mykiss* (rainbow trout): 0,047 mg/L/96h
NOEC *Oncorhynchus mykiss* (rainbow trout): 0,037 mg/L/96h
Daphnia toxicity:
EC50 *Daphnia magna* (Big water flea): 0,37 mg/L/48h
NOEC *Daphnia magna* (Big water flea): 0,08 mg/L/48h
Water Hazard Class: 2 = obviously hazardous to water (Self-classification (mixture).)

12.2 Persistence and degradability

Further details: The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:
Not applicable

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

12.6 Endocrine disrupting properties

None

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 07 06 01* = Aqueous washing liquids and mother liquors
* = Evidence for disposal must be provided.



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 12.8.2026
Version: 4.0
Replaces version: 3.0
Language: en-DE
Date of print: 13.8.2026

Page: 11 of 14

Recommendation: Dispose of waste according to applicable legislation.
Do not dispose of with household waste.

Package

Recommendation: Dispose of waste according to applicable legislation.
Handle contaminated packages in the same way as the substance itself.
Non-contaminated packages may be recycled.

Section 14. Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:
UN 1760

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:
UN 1760, CORROSIVE LIQUID, N.O.S. (2-(2-Aminoethoxy)ethanol)

14.3 Transport hazard class(es)

ADR/RID, ADN: Class 8, Code: C9
IMDG: Class 8, Subrisk -
IATA-DGR: Class 8



14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:
III

14.5 Environmental hazards

Dangerous for the environment:
Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

Land transport (ADR/RID)

Warning board:	ADR/RID: Hazard identification number 80, UN number UN 1760
Hazard label:	8
Special Provisions:	274
Limited quantities:	5 L
EQ:	E1
Package - Instructions:	P001 IBC03 LP01 R001
Special provisions for packing together:	MP19
Portable tanks - Instructions:	T7
Portable tanks - Special Provisions:	TP1 TP28
Tank coding:	L4BN
Tunnel restriction code:	(E)



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 12.8.2026
Version: 4.0
Replaces version: 3.0
Language: en-DE
Date of print: 13.8.2026

Page: 12 of 14

Inland waterway craft (ADN)

Hazard label: 8
Special Provisions: 274
Limited quantities: 5 L
EQ: E1
Transport permitted: T
Equipment necessary: PP - EP

Sea transport (IMDG)

EmS: F-A, S-B
Special Provisions: 223 274
Limited quantities: 5 L
Excepted quantities: E1
Package - Instructions: P001, LP01
Package - Provisions: -
IBC - Instructions: IBC03
IBC - Provisions: -
Tank instructions - IMO: -
Tank instructions - UN: T7
Tank instructions - Provisions: TP1, TP28
Stowage and handling: Category A. SW2
Properties and observations: Causes burns to skin, eyes and mucous membranes.
Segregation group: none

Air transport (IATA)

Hazard label: Corrosive
Excepted Quantity Code: E1
Passenger and Cargo Aircraft: Ltd.Qty.: Pack.Instr. Y841 - Max. Net Qty/Pkg. 1 L
Passenger and Cargo Aircraft: Pack.Instr. 852 - Max. Net Qty/Pkg. 5 L
Cargo Aircraft only: Pack.Instr. 856 - Max. Net Qty/Pkg. 60 L
Special Provisions: A3 A803
Emergency Response Guide-Code (ERG): 8L

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 8A = Combustible corrosive substances
Water Hazard Class: 2 = obviously hazardous to water (Self-classification (mixture).)
Technical guidance air: 5.2.5
Information on working limitations:
Observe employment restrictions for young people.
Observe employment restrictions for expectant or nursing mothers.
Further regulations, limitations and legal requirements:
No data available



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 12.8.2026
Version: 4.0
Replaces version: 3.0
Language: en-DE
Date of print: 13.8.2026

Page: 13 of 14

National regulations - EC member states

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3, 75

International Conventions

Triethanolamine: Chemical Weapons Convention (CWC): Schedule 3B (Precursors)

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Classification procedure: Physical hazards: on basis of test data
Health hazards, environmental hazards: calculation method

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.
H314 = Causes severe skin burns and eye damage.
H315 = Causes skin irritation.
H317 = May cause an allergic skin reaction.
H318 = Causes serious eye damage.
H330 = Fatal if inhaled.
H332 = Harmful if inhaled.
H400 = Very toxic to aquatic life.
H410 = Very toxic to aquatic life with long lasting effects.
H412 = Harmful to aquatic life with long lasting effects.

Reason of change: Changes in section 1: Product identifier (UFI)
Changes in section 2: Classification, labelling
Changes in section 3: Composition / Information on ingredients
Changes in section 8: DNEL, PNEC
Changes in section 9: Physical and chemical properties
General revision

Date of first version: 6.6.2023

Department issuing data sheet:
see section 1: Department responsible for information



Eni metalClean AKR

Material number 930

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 12.8.2026
Version: 4.0
Replaces version: 3.0
Language: en-DE
Date of print: 13.8.2026

Page: 14 of 14

Abbreviations and acronyms:

Acute Tox.: Acute toxicity
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
Aquatic Acute: Hazardous to the aquatic environment - acute
Aquatic Chronic: Hazardous to the aquatic environment - chronic
AS/NZS: Australian Standards/New Zealand Standards
ATE: Acute toxicity estimate
Bw: Body weight
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EC50: Effective Concentration 50%
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods
EN: European Standard
EQ: Excepted quantities
EU: European Union
Eye Dam.: Eye damage
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
IMO: International Maritime Organization
LC0: Lethal concentration 0%
LC50: Median lethal concentration
LD50: Lethal dose 50%
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
M-factor: Multiplication factor
NOEC: No Observed Effect Concentration
OECD: Organisation for Economic Co-operation and Development
OEL: Occupational Exposure Limit Value
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
Skin Corr.: Skin corrosion
Skin Irrit.: Skin irritation
Skin Sens.: Skin sensitisation
TLV: Threshold Limit Value
TRGS: Technical Rules for Hazardous Substances
UFI: Unique Formula Identifier
UN: United Nations
vPvB: Very persistent and very bioaccumulative
WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<https://sumdat.net/xmicakit>

