



Eni metalClean NR

Material number 928

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni metalClean NR
UFI: GU80-90WG-600U-YS5J

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Cleaner

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH
Street/POB-No.: Paradiesstraße 14
Postal Code, city: 97080 Würzburg
Germany
E-mail: info.wuerzburg@enilive.com
Telephone: +49 (0)931-90098-0
Telefax: +49 (0)931-98442
Department responsible for information:
Application Engineering & Product Management (AEPM)
Telephone: +49 (0)931-90098-0
E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen
Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Skin Irrit. 2; H315 Causes skin irritation.
Eye Dam. 1; H318 Causes serious eye damage.
Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (CLP)



Signal word: **Danger**

Hazard statements: H315 Causes skin irritation.
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.



Eni metalClean NR

Material number 928

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 2 of 14

Precautionary statements:

- P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P264 Wash hands and face thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P501 Dispose of contents/container to hazardous or special waste collection point.

Special labelling

- EUH208 Contains Pyridine-2-thiol 1-oxide, sodium salt. May produce an allergic reaction.

Text for labelling:

Contains:
Alcohols, C8-10, ethers with polyethylene-polypropylene glycol monobenzyl ether
2-(2-Aminoethoxy)ethanol
Alcohols, C12-14, ethoxylated
Labelling for contents according to regulation (EC) No 648/2004, annex VII:
Contains
- less than 5% non-ionic surfactants, cationic surfactants

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.
The product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Mixture of the substances listed below with non-hazardous additions



Eni metalClean NR

Material number 928

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 3 of 14

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119475104-44-xxxx EC No. 203-961-6 CAS 112-34-5	2-(2-Butoxyethoxy)ethanol Eye Irrit. 2; H319.	< 10 %
list no. 627-098-3 CAS 68154-99-4	Alcohols, C8-10, ethers with polyethylene-polypropylene glycol monobenzyl ether Acute Tox. 4; H312. Skin Irrit. 2; H315. Eye Dam. 1; H318.	< 3 %
REACH 01-2119520701-52-xxxx EC No. 213-195-4 CAS 929-06-6	2-(2-Aminoethoxy)ethanol Skin Corr. 1B; H314. Eye Dam. 1; H318.	< 3 %
list no. 932-106-6 CAS 68439-50-9	Alcohols, C12-14, ethoxylated Acute Tox. 4; H302. Eye Dam. 1; H318.	< 3 %
REACH 01-2119511183-53-xxxx EC No. 201-993-5 CAS 90-43-7	Biphenyl-2-ol Skin Irrit. 2; H315. Eye Irrit. 2; H319. STOT SE 3; H335. Aquatic Acute 1; H400.	< 0,5 %
list no. 608-578-1 CAS 31075-24-8	1,2-Ethanediamine, N,N,N',N'-tetramethyl-, polymer with 1,1'-oxybis(2-chloroethane) Aquatic Acute 1; H400. Aquatic Chronic 1; H410. M-factors: Aquatic Acute 1: M = 10.	< 0,5 %
EC No. 223-296-5 CAS 3811-73-2	Pyridine-2-thiol 1-oxide, sodium salt Acute Tox. 4; H302. Acute Tox. 3; H311. Acute Tox. 3; H331. Skin Irrit. 2; H315. Eye Irrit. 2; H319. Skin Sens. 1; H317. STOT RE 1; H372. Aquatic Acute 1; H400. Aquatic Chronic 2; H411. (EUH070). Acute toxicity estimate (ATE): Oral: 500 mg/kg bw. Dermal: 790 mg/kg bw. Inhalative, dust/mist: 0,5 mg/L. M-factors: Aquatic Acute 1: M = 100.	< 0,25 %

Full text of H- and EUH-statements: see section 16.

Additional information: Contains Triethanolamine. The maximum workplace exposure limits are, where necessary, listed in section 8.

Labelling for contents according to regulation (EC) No 648/2004, annex VII:

Contains

- less than 5% non-ionic surfactants, cationic surfactants



Eni metalClean NR

Material number 928

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 4 of 14

SECTION 4: First aid measures

4.1 Description of first aid measures

- General information: If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.
- In case of inhalation: Remove casualty to fresh air and keep warm and at rest. If breathing becomes irregular or ceases, apply rescue breathing or artificial respiration immediately, where required supply oxygen. If unconscious place in recovery position and seek medical advice.
- Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.
- After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Seek the attention of an ophthalmologist immediately.
- After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- Causes skin irritation.
- Causes serious eye damage.
- May cause allergic reactions in already sensitized persons.

4.3 Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media: Water spray jet, extinguishing powder, foam, sand and carbon dioxide.
- Extinguishing media which must not be used for safety reasons: Full water jet

5.2 Special hazards arising from the substance or mixture

- May form dangerous gases and vapours in case of fire.
- Furthermore, there may develop: smoke, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

- Special protective equipment for firefighters: Wear a self-contained breathing apparatus and chemical protective clothing.
- Additional information: Use fine water spray to cool endangered containers. Do not allow water used to extinguish fire to enter drains, ground or waterways. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.



Eni metalClean NR

Material number 928

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 5 of 14

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance.
Eliminate all ignition sources if safe to do so. Provide adequate ventilation.
Keep unprotected people away.
Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains. Do not allow to enter into soil/subsoil.
If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Prevent spread over a wide area (e.g. by containment or oil barriers).
Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.
Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.
Have eye wash bottle or eye rinse ready at work place.

Precautions against fire and explosion:

Keep away from heat.
When handling larger quantities, take precautionary measures against electrostatic charging.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.
Keep container dry. Keep only in the original container.
Protect from heat and direct sunlight.
Store containers in upright position.
Recommended storage temperature: 5-40 °C
Shelf life: 12 months

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

Storage class: 10 = Combustible liquids, unless storage class 3



Eni metalClean NR

Material number 928

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 6 of 14

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
112-34-5	2-(2-Butoxyethoxy) ethanol	Europe: IOELV: STEL	101,2 mg/m ³ ; 15 ppm
		Europe: IOELV: TWA	67,5 mg/m ³ ; 10 ppm
		Germany: TRGS 900 Kurzzeit	100,5 mg/m ³ ; 15 ppm (Aerosol and vapour)
929-06-6	2-(2-Aminoethoxy) ethanol	Germany: TRGS 900 Langzeit	67 mg/m ³ ; 10 ppm (Aerosol and vapour)
		Germany: TRGS 900 Kurzzeit	0,87 mg/m ³ ; 0,2 ppm (Aerosol and vapour, may be absorbed through the skin)
102-71-6	Triethanolamine	Germany: TRGS 900 Langzeit	0,87 mg/m ³ ; 0,2 ppm (Aerosol and vapour, may be absorbed through the skin)
		Germany: TRGS 900 Kurzzeit	1 mg/m ³ (inhalable fraction)
90-43-7	Biphenyl-2-ol	Germany: TRGS 900 Langzeit	1 mg/m ³ (inhalable fraction)
		Germany: TRGS 900 Kurzzeit	5 mg/m ³ (Aerosol and vapour, inhalable fraction)
3811-73-2	Pyridine-2-thiol 1-oxide, sodium salt	Germany: TRGS 900 Langzeit	5 mg/m ³ (Aerosol and vapour, inhalable fraction)
		Germany: TRGS 900 Kurzzeit	0,4 mg/m ³ (inhalable fraction; may be absorbed through the skin)
		Germany: TRGS 900 Langzeit	0,2 mg/m ³ (inhalable fraction; may be absorbed through the skin)



Eni metalClean NR

Material number 928

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 7 of 14

DNEL/DMEL:

Information about Triethanolamine

Workers, Long-term, systemic:
DNEL, dermal: 6,3 mg/kg bw/d.
DNEL, inhalative: 5 mg/m³.

Information about 2-(2-Butoxyethoxy)ethanol

Workers, Long-term, systemic:
DNEL, dermal: 20 mg/kg bw/d.
DNEL, inhalative: 67,5 mg/m³.

Information about 2-(2-Aminoethoxy)ethanol

Workers, Long-term, local:
DNEL, inhalative: 0,67 mg/m³.
Workers, Long-term, systemic:
DNEL, dermal: 7,3 mg/kg bw/d.
Workers, Short-term, systemic:
DNEL, inhalative: 1,12 mg/m³.

Information about Biphenyl-2-ol

Workers, systemic:
DNEL, inhalative: 19,25 mg/m³.
DNEL, dermal: 21,84 mg/kg bw/d.

PNEC:

Information about Triethanolamine

PNEC water (freshwater): 0,32mg/L.
PNEC water (marine water): 0,032mg/L.
PNEC sediment (freshwater): 1,7 mg/ kg dwt.
PNEC sediment (marine water): 0,17 mg/ kg dwt.
PNEC soil: 0,151 mg/ kg dwt.

Information about 2-(2-Butoxyethoxy)ethanol

PNEC water (freshwater): 1mg/L.
PNEC water (marine water): 0,1mg/L.
PNEC sediment (freshwater): 4 mg/ kg dwt.
PNEC sediment (marine water): 0,4 mg/ kg dwt.
PNEC sewage treatment plant: 200 mg/L.

Information about 2-(2-Aminoethoxy)ethanol

PNEC water (freshwater): 0,0202mg/L.
PNEC water (marine water): 0,0202mg/L.
PNEC sediment (freshwater): 0,945 mg/ kg dwt.
PNEC sediment (marine water): 0,0945 mg/ kg dwt.
PNEC sewage treatment plant: 28 mg/L.

Information about Biphenyl-2-ol

PNEC water (freshwater): 0,0009mg/L.
PNEC water (marine water): 0,00009mg/L.
PNEC sediment (freshwater): 0,1284 mg/ kg dwt.
PNEC sewage treatment plant: 0,56 mg/L.

8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.



Eni metalClean NR

Material number 928

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 8 of 14

Personal protection equipment

Occupational exposure controls

- Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. In case of inadequate ventilation wear respiratory protection.
Respiratory protection in case of aerosol or vapour formation. Recommendation:
Combination filtering device (EN 14387)
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.
- Hand protection: Protective gloves according to DIN EN 374.
permanent contact: Glove material: Nitrile rubber, > 0,7 mm
Breakthrough time: > 480 min
During splash contact: Glove material: Nitrile rubber, > 0,4 mm
Breakthrough time: > 30 min
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022.
- Body protection: Wear suitable protective clothing.
- General protection and hygiene measures:
Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
Take off contaminated clothing and wash it before reuse.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Have eye wash bottle or eye rinse ready at work place.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow
Odour:	characteristic
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	> 100 °C (1013 hPa)
Flammability:	No data available
Upper/lower flammability or explosive limits:	LEL (Lower Explosion Limit): Not determined UEL (Upper Explosive Limit): Not determined
Flash point/flash point range:	> 100 °C (DIN EN ISO 2592)
Decomposition temperature:	Not determined
pH:	at 20 °C, 5%: 9,3 (DIN 51369)
Viscosity, kinematic:	at 20 °C: approx. 10 mm ² /s (DIN EN ISO 3104)
Water solubility:	at 20 °C: miscible
Partition coefficient: n-octanol/water:	Not applicable
Vapour pressure:	No data available
Density:	at 15 °C: 1,056 g/mL (DIN EN ISO 12185)
Vapour density:	No data available



Eni metalClean NR

Material number 928

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 9 of 14

Particle characteristics: Not applicable

9.2 Other information

Explosive properties: Product is not explosive.

Oxidizing characteristics: Not oxidising

Auto-ignition temperature: No data available

Evaporation rate: No data available

Additional information: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.
Protect from direct sunlight.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Thermal decomposition: No decomposition when used properly.
Not determined



Eni metalClean NR

Material number 928

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 10 of 14

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Skin Irrit. 2; H315 = Causes skin irritation.

Serious eye damage/irritation: Eye Dam. 1; H318 = Causes serious eye damage.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Contains Pyridine-2-thiol 1-oxide, sodium salt. May produce an allergic reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties:

No data available

Symptoms

After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

Water Hazard Class: 3 = highly hazardous to water (Self-classification (mixture).)

Further details: The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:
Not applicable



Eni metalClean NR

Material number 928

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 11 of 14

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

12.6 Endocrine disrupting properties

None

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 07 06 01* = aqueous washing liquids and mother liquors
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.
Do not dispose of with household waste.

Package

Recommendation: Dispose of waste according to applicable legislation.
Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR: not applicable
ADN: ID 9006

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted
ADN: ID 9006, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable
ADN: Class 9, Code: M12

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR: not applicable



Eni metalClean NR

Material number 928

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 12 of 14

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

Inland waterway craft (ADN)

Hazard label: -
Transport permitted: T
Equipment necessary: PP

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3
Water Hazard Class: 3 = highly hazardous to water (Self-classification (mixture).)
Technical guidance air: 5.2.5
Information on working limitations:
Observe employment restrictions for young people.
Observe employment restrictions for expectant or nursing mothers.

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

National regulations - EC member states

Volatile organic compounds (VOC):
< 5,7 % by weight

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 13 of 14

Labelling of packaging with <= 125mL content



Signal word:

Danger

Hazard statements:

H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.
EUH208 Contains Pyridine-2-thiol 1-oxide, sodium salt. May produce an allergic reaction.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3, 55, 75

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.
H311 = Toxic in contact with skin.
H312 = Harmful in contact with skin.
H314 = Causes severe skin burns and eye damage.
H315 = Causes skin irritation.
H317 = May cause an allergic skin reaction.
H318 = Causes serious eye damage.
H319 = Causes serious eye irritation.
H331 = Toxic if inhaled.
H335 = May cause respiratory irritation.
H372 = Causes damage to organs through prolonged or repeated exposure.
H400 = Very toxic to aquatic life.
H410 = Very toxic to aquatic life with long lasting effects.
H411 = Toxic to aquatic life with long lasting effects.
H412 = Harmful to aquatic life with long lasting effects.
EUH070 = Toxic by eye contact.
EUH208 = Contains Pyridine-2-thiol 1-oxide, sodium salt. May produce an allergic reaction.

Reason of change:

Changes in section 1: Details of the supplier of the safety data sheet
General revision

Date of first version:

6.6.2023

Department issuing data sheet:

see section 1: Department responsible for information



Eni metalClean NR

Material number 928

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024
Version: 2.0
Replaces version: 1.1
Language: en-DE
Date of print: 17.5.2024

Page: 14 of 14

Abbreviations and acronyms:

Acute Tox.: Acute toxicity
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
Aquatic Acute: Hazardous to the aquatic environment - acute
Aquatic Chronic: Hazardous to the aquatic environment - chronic
AS/NZS: Australian Standards/New Zealand Standards
Bw: Body weight
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EN: European Standard
EQ: Excepted quantities
EU: European Union
Eye Dam.: Eye damage
Eye Irrit.: Eye irritation
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
LEL: Lower Explosion Limit
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
M-factor: Multiplication factor
OEL: Occupational Exposure Limit Value
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
Skin Corr.: Skin corrosion
Skin Irrit.: Skin irritation
Skin Sens.: Skin sensitisation
STOT RE: Specific target organ toxicity - repeated exposure
STOT SE: Specific target organ toxicity - single exposure
TLV: Threshold Limit Value
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative
WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<http://sumdat.net/kwuemvwi>

