



Eni Formula MS Sint 5W-30

Material number 910

Revision date: 9.3.2026
Version: 2.0
Replaces version: 1.0
Language: en-DE
Date of print: 10.3.2026

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni Formula MS Sint 5W-30

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Lubricant.

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14

Postal Code, city: 97080 Würzburg

Germany

E-mail: info.wuerzburg@enilive.com

Telephone: +49 (0)931-90098-0

Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0

E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

Special labelling

EUH208 Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts and Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated. May produce an allergic reaction.

EUH210 Safety data sheet available on request.



Eni Formula MS Sint 5W-30

Material number 910

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 9.3.2026
Version: 2.0
Replaces version: 1.0
Language: en-DE
Date of print: 10.3.2026

Page: 2 of 12

2.3 Other hazards

Hot product can cause severe burns.

Special danger of slipping by leaking/spilling product.

With exposure to water, product will release hydrogen sulfide.

Information about hydrogen sulfide: Extremely flammable gas. Fatal if inhaled. Very toxic to aquatic life.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of hydrocarbons and additives.

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119474889-13-xxxx EC No. 276-738-4 CAS 72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Asp. Tox. 1; H304.	15 - 25 %
REACH 01-2119657973-23-xxxx EC No. 272-238-5 CAS 68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl)esters, zinc salts Eye Dam. 1; H318. Aquatic Chronic 2; H411.	≤ 1 %
list no. 682-816-2 CAS 722503-68-6	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts Skin Sens. 1B; H317.	< 1 %
REACH 01-0000015551-76-xxxx EC No. 406-040-9 CAS 125643-61-0	Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate Aquatic Chronic 4; H413.	< 1 %
list no. 953-650-0 CAS -	Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated Skin Sens. 1; H317. Repr. 2; H361d. Specific concentration limits (SCL): Repr. 2; H361d: C ≥ 17,15 %	< 1 %
EC No. 309-877-7 CAS 101316-72-7	Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated Asp. Tox. 1; H304.	≤ 0,3 %

Full text of H- and EUH-statements: see section 16.



Eni Formula MS Sint 5W-30

Material number 910

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 9.3.2026
Version: 2.0
Replaces version: 1.0
Language: en-DE
Date of print: 10.3.2026

Page: 3 of 12

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346. With exposure to water, product will release hydrogen sulfide. The maximum workplace exposure limits are, where necessary, listed in section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician. Following fire: Immerse in cold water for a prolonged period. Sterile covering. Immediately get medical attention.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause allergic reactions in already sensitized persons. Hot product can cause severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
In case of inhalation (hydrogen sulfide): Take to a hospital immediately.
Injection through the skin due to contact with a high pressure product is a major medical emergency. Take to a hospital immediately.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray jet, foam, extinguishing powder, earth, sand, carbon dioxide.

Extinguishing media which must not be used for safety reasons: Full water jet.

5.2 Special hazards arising from the substance or mixture

Combustible.
Air combined with vapours may form potentially explosive mixtures that are heavier than air. Closed containers may burst when pressure and temperature rise.
May form dangerous gases and vapours in case of fire.
Furthermore, there may develop: Aldehydes, sulphur oxides, hydrogen sulfide, phosphorus oxides, metallic oxides, carbon monoxide and carbon dioxide.



Eni Formula MS Sint 5W-30

Material number 910

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 9.3.2026
Version: 2.0
Replaces version: 1.0
Language: en-DE
Date of print: 10.3.2026

Page: 4 of 12

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Move undamaged containers from immediate hazard area if it can be done safely.
Use fine water spray to cool endangered containers.
Do not allow water used to extinguish fire to enter drains, ground or waterways.
Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance.
If possible, eliminate leakage. Provide adequate ventilation.
Wear appropriate protective equipment. Keep unprotected people away.
Take off contaminated clothing and wash it before reuse. Remove all sources of ignition.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.
If necessary, notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.
Never return spills in original containers for re-use.

Additional information:

Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Do not put any product-impregnated cleaning rags into your trouser pockets. Work place should be equipped with a shower and an eye rinsing apparatus.

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharge.



Eni Formula MS Sint 5W-30

Material number 910

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 9.3.2026
Version: 2.0
Replaces version: 1.0
Language: en-DE
Date of print: 10.3.2026

Page: 5 of 12

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.
Keep container dry. Keep only in the original container.
Protect from heat and direct sunlight. Store containers in upright position.
Store at room temperature. Use caution when opening containers under pressure.

Hints on joint storage:

Do not store together with strong oxidizing agents.
Keep away from food, drink and animal feedingstuffs.

Storage class:

10 = Combustible liquids that cannot be assigned to any of the above storage classes

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
7783-06-4	Hydrogen sulphide	Europe: IOELV: STEL	14 mg/m ³ ; 10 ppm
		Europe: IOELV: TWA	7 mg/m ³ ; 5 ppm
		Germany: TRGS 900 Kurzzeit	14,2 mg/m ³ ; 10 ppm
		Germany: TRGS 900 Langzeit	7,1 mg/m ³ ; 5 ppm

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Respiratory protection must be worn whenever the WEL levels have been exceeded.

Recommended: Use combination filter type A/P according to EN 14387.

In case of release of hydrogen sulfide: Wear a full face respirator conforming to EN 136/140/145 with Type B filter or better.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection:

Protective gloves according to DIN EN ISO 374-1.

Glove material: Nitrile rubber, Polyvinyl chloride

Breakthrough time: ≥ 240 min

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection:

Tightly sealed goggles according to DIN EN ISO 16321-1.

Body protection:

Wear suitable protective clothing.

General protection and hygiene measures:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Do not put any product-impregnated cleaning rags into your trouser pockets. Work place should be equipped with a shower and an eye rinsing apparatus.



Eni Formula MS Sint 5W-30

Material number 910

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 9.3.2026
Version: 2.0
Replaces version: 1.0
Language: en-DE
Date of print: 10.3.2026

Page: 6 of 12

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow-amber, clear
Odour:	Like petroleum (weak)
Melting point/freezing point:	No data available
Boiling point:	No data available
Flammability:	Not applicable
Lower and upper explosion limit:	No data available
Flash point:	220 °C (ASTM D 92)
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH:	Not applicable
Kinematic viscosity:	at 40 °C: 70 mm ² /s (ASTM D 445)
Water solubility:	Immiscible and insoluble
Partition coefficient n-octanol/water (log value):	No data available
Vapour pressure:	No data available
Density:	at 15 °C: 0,855 g/mL (ASTM D 4052)
Relative vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	Not explosive
Oxidizing characteristics:	Not oxidising
Auto-ignition temperature:	No data available
Additional information:	Pour point: -33 °C (ASTM D 97)

SECTION 10: Stability and reactivity

10.1 Reactivity

With exposure to water, product will release hydrogen sulfide.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Risk of fire!



Eni Formula MS Sint 5W-30

Material number 910

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 9.3.2026
Version: 2.0
Replaces version: 1.0
Language: en-DE
Date of print: 10.3.2026

Page: 7 of 12

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.
Protect from direct sunlight. Take action to prevent static discharges. Protect from moisture contamination.

10.5 Incompatible materials

Water, strong oxidizing agents.

10.6 Hazardous decomposition products

Hydrogen sulfide.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.
ATEmix (calculated): > 2.000 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met.
ATEmix (calculated): > 2.000 mg/kg

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.
ATEmix (calculated, dusts/mist): > 5 mg/L/4h

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Evaluation in analogy to an analyzed, similar product.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts and Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated. May produce an allergic reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.



Eni Formula MS Sint 5W-30

Material number 910

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 9.3.2026
Version: 2.0
Replaces version: 1.0
Language: en-DE
Date of print: 10.3.2026

Page: 8 of 12

11.2 Information on other hazards

Endocrine disrupting properties:

None

Other information:

Information about Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS 72623-87-1):

LD50 Rat, oral: > 5.000 mg/kg (OECD 401)

LD50 Rabbit, dermal: > 5.000 mg/kg (OECD 402)

LD50 Rat, inhalative (dusts/mist): > 5,53 mg/L/4h (OECD 403)

Symptoms

In case of inhalation: Irritation to respiratory tract, nausea, discomfort, dizziness.

In case of ingestion: Irritation, nausea, discomfort, gastrointestinal complaints.

After contact with skin: Hot product can cause severe burns.

After eye contact: Causes temporarily: Redness, irritation.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Forms a thin oil film on water surfaces.

Information about Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS 72623-87-1):

Fish toxicity:

LL50 Pimephales promelas (fathead minnow): > 100 mg/L/96h (OECD 203)

Daphnia toxicity:

EL50 Daphnia magna (Big water flea): > 10.000 mg/L/48h (OECD 202)

Algae toxicity:

NOEL Pseudokirchneriella subcapitata (green algae), growth rate: \geq 100 mg/L/72h (OECD 201)

Information about Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl)esters, zinc salts (CAS 68784-31-6):

Fish toxicity:

LL50 Oncorhynchus mykiss: 4,4 mg/L/96h (OECD 203)

Daphnia toxicity:

EL50 Daphnia magna (Big water flea): 75 mg/L/48h (OECD 202)

Algae toxicity:

EL50 Desmodesmus subspicatus (green algae), growth rate: 410 mg/L/72h (OECD 201)

Information about Reaction mass of isomers of: C7-9-alkyl

3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS 125643-61-0):

Fish toxicity:

LC50 Danio rerio (zebrafish): > 100 mg/L/96h (OECD 203)

Daphnia toxicity:

EC50 Daphnia magna (Big water flea): > 100 mg/L/48h (OECD 202)

Algae toxicity:

EC50 Desmodesmus subspicatus (green algae), growth rate: > 3 mg/L/72h (OECD 201)

Water Hazard Class:

2 = obviously hazardous to water (Self-classification (mixture).)



Eni Formula MS Sint 5W-30

Material number 910

Revision date: 9.3.2026
Version: 2.0
Replaces version: 1.0
Language: en-DE
Date of print: 10.3.2026

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 9 of 12

12.2 Persistence and degradability

Further details: Biodegradability:
According to OECD criteria the product is not readily biodegradable but inherently biodegradable. Data apply to the main component.
Information about Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS 72623-87-1):
Oxygen consumption: 31%/28d, inherently biodegradable (OECD 301 F).
Information about Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl)esters, zinc salts (CAS 68784-31-6):
Oxygen consumption: < 5%/27d, not biodegradable (OECD 301 D).
Information about Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS 125643-61-0):
Formation of carbon dioxide: 2 - 4%/28d, not biodegradable (OECD 301 B).

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:
No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

12.6 Endocrine disrupting properties

None

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 13 02 05* = Mineral-based non-chlorinated engine, gear and lubricating oils
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.



Eni Formula MS Sint 5W-30

Material number 910

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 9.3.2026
Version: 2.0
Replaces version: 1.0
Language: en-DE
Date of print: 10.3.2026

Page: 10 of 12

Section 14. Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 2 = obviously hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Further regulations, limitations and legal requirements:

No data available



Eni Formula MS Sint 5W-30

Material number 910

Revision date: 9.3.2026
Version: 2.0
Replaces version: 1.0
Language: en-DE
Date of print: 10.3.2026

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 11 of 12

National regulations - EC member states

Labelling of packaging with <= 125mL content

Hazard statements: EUH208 Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts and Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated. May produce an allergic reaction.
EUH210 Safety data sheet available on request.

Precautionary statements: not applicable

Further regulations, limitations and legal requirements:
No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Classification procedure: The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Wording of the H-phrases under paragraph 2 and 3:

H304 = May be fatal if swallowed and enters airways.
H317 = May cause an allergic skin reaction.
H318 = Causes serious eye damage.
H361d = Suspected of damaging the unborn child.
H411 = Toxic to aquatic life with long lasting effects.
H413 = May cause long lasting harmful effects to aquatic life.
EUH208 = Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts and Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated. May produce an allergic reaction.
EUH210 = Safety data sheet available on request.

Reason of change: Changes in section 2: Labelling
Changes in section 3: Composition / Information on ingredients
Changes in section 9: Physical and chemical properties
Changes in section 11: Toxicological information
General revision

Date of first version: 27.3.2024

Department issuing data sheet:
see section 1: Department responsible for information



Eni Formula MS Sint 5W-30

Material number 910

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 9.3.2026
Version: 2.0
Replaces version: 1.0
Language: en-DE
Date of print: 10.3.2026

Page: 12 of 12

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
Aquatic Chronic: Hazardous to the aquatic environment - chronic
AS/NZS: Australian Standards/New Zealand Standards
Asp. Tox.: Aspiration toxicity
ATEmix: Acute Toxicity Estimate of mixture
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EC50: Effective Concentration 50%
EL50: Effective loading rate 50%
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods
EN: European Standard
EQ: Excepted quantities
EU: European Union
Eye Dam.: Eye damage
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
IMO: International Maritime Organization
LC50: Median lethal concentration
LD50: Lethal dose 50%
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
NOEL: No Observed Effect Level
OECD: Organisation for Economic Co-operation and Development
OEL: Occupational Exposure Limit Value
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.: Reproductive toxicity
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
Skin Sens.: Skin sensitisation
TLV: Threshold Limit Value
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative
WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<https://sumdat.net/6y8z77h5>

