



Eni aquamet POW - 718

Material number 634

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 23.6.2025
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 16.7.2025

Page: 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni aquamet POW - 718
UFI: 6N70-707W-W00X-Q00N

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Metalworking fluid.
Lubrication at high energy conditions in metal working operations.

1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH
Street/POB-No.: Paradiesstraße 14
Postal Code, city: 97080 Würzburg
Germany
E-mail: info.wuerzburg@enilive.com
Telephone: +49 (0)931-90098-0
Telefax: +49 (0)931-98442
Department responsible for information:
Application Engineering & Product Management (AEPM)
Telephone: +49 (0)931-90098-0
E-mail: technik.wuerzburg@enilive.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen
Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Eye Irrit. 2; H319 Causes serious eye irritation.
Skin Sens. 1; H317 May cause an allergic skin reaction.
Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (CLP)



Signal word: **Warning**

Hazard statements: H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.



Eni aquamet POW - 718

Material number 634

Revision date: 23.6.2025
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 16.7.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 2 of 13

Precautionary statements:

- P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P261 Avoid breathing mist/vapours/spray.
P264 Wash hands and face thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection.
P501 Dispose of contents/container to hazardous or special waste collection point.

Special labelling

Text for labelling:

Contains:
1,2-Benzisothiazol-3(2H)-one
2-n-Butyl-benzo[d]isothiazol-3-one.

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

The product does not contain any substances classified as PBT or vPvB.

CAS No.	Designation	PBT/vPvB	ED Human	ED Environment
95-14-7	Benzotriazole		List II	List II

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation:

Mixture of the substances listed below with non-hazardous additions



Eni aquamet POW - 718

Material number 634

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 23.6.2025
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 16.7.2025

Page: 3 of 13

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119488970-24-xxx EC No. 203-312-7 CAS 105-59-9	2,2'-(Methylimino)diethanol Eye Irrit. 2; H319.	< 15 %
EC No. 223-362-3 CAS 3855-32-1	N-[3-(Dimethylamino)propyl]-N,N',N'-trimethylpropane-1,3-diamine Acute Tox. 4; H302. Acute Tox. 3; H311. Skin Corr. 1B; H314. Eye Dam. 1; H318. Aquatic Chronic 3; H412.	< 1 %
REACH 01-2119979079-20-xxx EC No. 202-394-1 CAS 95-14-7	Benzotriazole Acute Tox. 4; H302. Eye Irrit. 2; H319. Aquatic Chronic 2; H411.	< 1 %
REACH 01-2120761540-60-xxxx EC No. 220-120-9 CAS 2634-33-5	1,2-Benzisothiazol-3(2H)-one Acute Tox. 4; H302. Acute Tox. 2; H330. Skin Irrit. 2; H315. Eye Dam. 1; H318. Skin Sens. 1A; H317. Aquatic Acute 1; H400. Aquatic Chronic 1; H410. Acute toxicity estimate (ATE): Oral: 450 mg/kg bw. Inhalative, dust/mist: 0,21 mg/L. Specific concentration limits (SCL): Skin Sens. 1A; H317: C ≥ 0,036 % M-factors: Aquatic Acute 1: M = 1. Aquatic Chronic 1: M = 1.	< 0,25 %
EC No. 420-590-7 CAS 4299-07-4	2-n-Butyl-benzo[d]isothiazol-3-one Skin Corr. 1B; H314. Eye Dam. 1; H318. Skin Sens. 1; H317. Aquatic Acute 1; H400. Aquatic Chronic 1; H410. M-factors: Aquatic Acute 1: M = 10. Aquatic Chronic 1: M = 1.	< 0,25 %

Full text of H- and EUH-statements: see section 16.

Additional information: Contains Glycerol. The maximum workplace exposure limits are, where necessary, listed in section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:	If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.
In case of inhalation:	Remove casualty to fresh air and keep warm and at rest. If breathing becomes irregular or ceases, apply rescue breathing or artificial respiration immediately, where required supply oxygen. If unconscious place in recovery position and seek medical advice.
Following skin contact:	Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an ophthalmologist.



Eni aquamet POW - 718

Material number 634

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 23.6.2025
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 16.7.2025

Page: 4 of 13

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, extinguishing powder, foam, carbon dioxide, sand.

Extinguishing media which must not be used for safety reasons:

Full water jet.

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Nitrogen oxides (NO_x), smoke, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Remove persons to safety. Do not inhale explosion and combustion gases.

Use fine water spray to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

Contaminated fire-fighting water must be collected separately. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing mist/vapours/spray. Avoid contact with the substance.

Provide adequate ventilation. Keep unprotected people away.

Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains. Do not allow to enter into soil/subsoil.

If necessary, notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

Never return spills in original containers for re-use.



Eni aquamet POW - 718

Material number 634

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 23.6.2025
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 16.7.2025

Page: 5 of 13

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Have eye wash bottle or eye rinse ready at work place.

Precautions against fire and explosion:

Keep away from heat.

When handling larger quantities, take precautionary measures against electrostatic charging.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed in a cool, well-ventilated place.

Keep container dry. Keep only in the original container.

Protect from heat and direct sunlight. Protect from frost.

Storage temperature: 5 - 40 °C

Storage stability: 12 months

Hints on joint storage:

Do not store together with: oxidizing agents.

Keep away from food, drink and animal feedingstuffs.

Storage class:

12 = Non-combustible liquids that cannot be assigned to any of the above storage classes

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
105-59-9	2,2'-(Methylimino) diethanol	Germany: TRGS 900 Kurzzeit	0,5 mg/m ³ ; 0,1 ppm
		Germany: TRGS 900 Langzeit	0,5 mg/m ³ ; 0,1 ppm
56-81-5	Glycerol	Germany: TRGS 900 Kurzzeit	400 mg/m ³ (inhalable fraction)
		Germany: TRGS 900 Langzeit	200 mg/m ³ (inhalable fraction)



Eni aquamet POW - 718

Material number 634

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 23.6.2025
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 16.7.2025

Page: 6 of 13

DNEL/DMEL: Information about 2,2'-(Methylimino)diethanol (CAS 105-59-9):
DNEL workers, long-term, systemic, inhalative: 26 mg/m³
DNEL workers, long-term, systemic, dermal: 19 mg/kg bw/d
Information about Benzotriazole (CAS 95-14-7):
DNEL workers, long-term, systemic, inhalative: 10 mg/m³
DNEL workers, long-term, systemic, dermal: 1,08 mg/kg bw/d

PNEC: Information about 2,2'-(Methylimino)diethanol (CAS 105-59-9):
PNEC water (freshwater): 0,1 mg/L
PNEC water (marine water): 0,0045 mg/L
PNEC sewage treatment plant: 10 mg/L
PNEC sediment (freshwater): 0,78 mg/kg dw
PNEC soil: 0,097 mg/kg dw
Information about Benzotriazole (CAS 95-14-7):
PNEC water (freshwater): 0,0194 mg/L
PNEC water (marine water): 0,0194 mg/L
PNEC sewage treatment plant: 39,4 mg/L
PNEC sediment (freshwater): 0,00375 mg/kg dw
PNEC soil: 0,003 mg/kg dw

8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection. Respiratory protection must be worn whenever the WEL levels have been exceeded.
Recommendation: Combination filtering device (EN 14387).
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to DIN EN ISO 374-1.
During full contact:
Glove material: NBR (nitrile rubber), CR (polychloroprene, chloroprene rubber)
Breakthrough time: > 480 min
Layer thickness: >= 0,7 mm
During splash contact:
Glove material: NBR (nitrile rubber), CR (polychloroprene, chloroprene rubber)
Breakthrough time: > 30 min
Layer thickness: >= 0,4 mm
Unsuitable materials: PVA (Polyvinyl alcohol)
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:
Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
Take off contaminated clothing and wash it before reuse.
Do not eat, drink or smoke when using this product. Do not put any product-impregnated cleaning rags into your trouser pockets. Wash hands thoroughly after handling.
Have eye wash bottle or eye rinse ready at work place.



Eni aquamet POW - 718

Material number 634

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 23.6.2025
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 16.7.2025

Page: 7 of 13

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow
Odour:	Characteristic
Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	> 100 °C (1013 hPa)
Flammability:	No data available
Lower and upper explosion limit:	No data available
Flash point:	> 100 °C (DIN EN ISO 2592)
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH:	at 20 °C, 10%: 9,1 (DIN 51369)
Kinematic viscosity:	No data available
Water solubility:	at 20 °C: Miscible
Partition coefficient n-octanol/water (log value):	Not applicable
Vapour pressure:	No data available
Density:	at 15 °C: 1,117 g/mL (DIN EN ISO 12185)
Relative vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.
Protect from direct sunlight. Protect from frost.



Eni aquamet POW - 718

Material number 634

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 23.6.2025
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 16.7.2025

Page: 8 of 13

10.5 Incompatible materials

Oxidizing agents.

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Eye Irrit. 2; H319 = Causes serious eye irritation.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Skin Sens. 1; H317 = May cause an allergic skin reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties:

This product contains a substance that has endocrine disrupting properties with respect to humans.

Other information:

Information about 2,2'-(Methylimino)diethanol (CAS 105-59-9):

LD50 Rat, oral: 4.680 mg/kg (OECD 401)

LD50 Rabbit, dermal: > 2.000 mg/kg (OECD 402)

Information about N-[3-(Dimethylamino)propyl]-N,N',N'-trimethylpropane-1,3-diamine (CAS 3855-32-1):

LD50 Rat, oral: 1.598 mg/kg (OECD 401)

LD50 Rat, dermal: 569 mg/kg (OECD 402)

Information about Benzotriazole (CAS 95-14-7):

LD50 Rat, oral: approx. 500 mg/kg (OECD 423)

Information about 1,2-Benzisothiazol-3(2H)-one (CAS 2634-33-5):

ATE, oral: 450 mg/kg

ATE, inhalative (dusts/mist): 0,21 mg/L



Eni aquamet POW - 718

Material number 634

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 23.6.2025
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 16.7.2025

Page: 9 of 13

Symptoms

After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects.
Information about 2,2'-(Methylimino)diethanol (CAS 105-59-9):
Fish toxicity:
LC50 *Leuciscus idus*: 1.466 mg/L/96h
Daphnia toxicity:
EC50 *Daphnia magna* (Big water flea): 233 mg/L/48h
Algae toxicity:
EC50 *Desmodesmus subspicatus* (green algae), growth rate: > 100 mg/L/72h
Information about 1,2-Benzisothiazol-3(2H)-one (CAS 2634-33-5):
Fish toxicity:
LC50 *Cyprinodon variegatus* (sheepshead minnow): approx. 16,7 mg/L/96h
Daphnia toxicity:
EC50 *Daphnia magna* (Big water flea): 2,9 mg/L/48h (OECD 202)
Algae toxicity:
EC50 *Pseudokirchneriella subcapitata* (green algae), growth rate: 150 µg/L/72h (OECD 201)
Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

12.2 Persistence and degradability

Further details: Part of the components is biodegradable.

12.3 Bioaccumulative potential

No indication of bioaccumulation potential.
Partition coefficient: n-octanol/water:
Not applicable

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

12.6 Endocrine disrupting properties

This product contains a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.



Eni aquamet POW - 718

Material number 634

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 23.6.2025
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 16.7.2025

Page: 10 of 13

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 12 01 10* = Synthetic machining oils
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.
Do not dispose of with household waste.

Package

Recommendation: Dispose of waste according to applicable legislation.
Handle contaminated packages in the same way as the substance itself.
Empty containers may contain flammable product residues. Do not cut, weld, bore, burn or incinerate emptied containers unless they have been cleaned and declared safe.
Empty containers should be disposed of in accordance with local regulations.

Section 14. Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:
not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:
Not restricted

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:
not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:
not applicable

14.5 Environmental hazards

Dangerous for the environment:
Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Page: 11 of 13

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations - Germany**

Storage class: 12 = Non-combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Information on working limitations:

Observe employment restrictions for young people.

Further regulations, limitations and legal requirements:

The product is subject to the restrictions on use according to TRGS 611.

National regulations - EC member states

Volatile organic compounds (VOC):

0,993 % by weight

Labelling of packaging with <= 125mL content

Signal word:

Warning

Hazard statements:

H317

May cause an allergic skin reaction.

H412

Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P261

Avoid breathing mist/vapours/spray.

P280

Wear protective gloves/protective clothing/eye protection.

P501

Dispose of contents/container to hazardous or special waste collection point.

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3, 75

International Conventions

2,2'-(Methylimino)diethanol: Chemical Weapons Convention (CWC): Schedule 3B (Precursors)

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Classification procedure: Physical hazards: on basis of test data

Health hazards, environmental hazards: calculation method



Eni aquamet POW - 718

Material number 634

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 23.6.2025
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 16.7.2025

Page: 12 of 13

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.
H311 = Toxic in contact with skin.
H314 = Causes severe skin burns and eye damage.
H315 = Causes skin irritation.
H317 = May cause an allergic skin reaction.
H318 = Causes serious eye damage.
H319 = Causes serious eye irritation.
H330 = Fatal if inhaled.
H400 = Very toxic to aquatic life.
H410 = Very toxic to aquatic life with long lasting effects.
H411 = Toxic to aquatic life with long lasting effects.
H412 = Harmful to aquatic life with long lasting effects.

Reason of change: Changes in section 2: Classification, labelling
Changes in section 3: Composition / Information on ingredients
Changes in section 8: Occupational exposure limit values
Changes in section 15: Regulatory information
General revision

Date of first version: 6.12.2022

Department issuing data sheet:
see section 1: Department responsible for information



Eni aquamet POW - 718

Material number 634

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 23.6.2025
Version: 5.0
Replaces version: 4.1
Language: en-DE
Date of print: 16.7.2025

Page: 13 of 13

Abbreviations and acronyms:

Acute Tox.: Acute toxicity
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
Aquatic Acute: Hazardous to the aquatic environment - acute
Aquatic Chronic: Hazardous to the aquatic environment - chronic
AS/NZS: Australian Standards/New Zealand Standards
ATE: Acute toxicity estimate
Bw: Body weight
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EC50: Effective Concentration 50%
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods
EN: European Standard
EQ: Excepted quantities
EU: European Union
Eye Dam.: Eye damage
Eye Irrit.: Eye irritation
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
IMO: International Maritime Organization
LC50: Median lethal concentration
LD50: Lethal dose 50%
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
M-factor: Multiplication factor
OECD: Organisation for Economic Co-operation and Development
OEL: Occupational Exposure Limit Value
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
Skin Corr.: Skin corrosion
Skin Irrit.: Skin irritation
Skin Sens.: Skin sensitisation
TLV: Threshold Limit Value
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative
WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<https://sumdat.net/piqx4a48>

