



# Eni OSO IM 46

Material number 597

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 28.11.2025  
Version: 1.0  
Replaces version: 0.0  
Language: en-DE  
Date of print: 4.12.2025

Page: 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Eni OSO IM 46

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Functional fluids  
Hydraulic oil

### 1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH  
Street/POB-No.: Paradiesstraße 14  
Postal Code, city: 97080 Würzburg  
Germany  
E-mail: info.wuerzburg@enilive.com  
Telephone: +49 (0)931-90098-0  
Telefax: +49 (0)931-98442  
Department responsible for information:  
Application Engineering & Product Management (AEPM)  
Telephone: +49 (0)931-90098-0  
E-mail: technik.wuerzburg@enilive.com

### 1.4 Emergency telephone number

GIZ-Nord, Göttingen  
Telephone: +49 (0)551-19240

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

### 2.2 Label elements

#### Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.



# Eni OSO IM 46

Material number 597

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 28.11.2025  
Version: 1.0  
Replaces version: 0.0  
Language: en-DE  
Date of print: 4.12.2025

Page: 2 of 10

## SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

### 3.2 Mixtures

Chemical characterisation: A mixture of Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) and additives.

Hazardous ingredients:

The actual concentration or concentration range is withheld as a trade secret.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.

Following skin contact: Remove residues with soap and water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.  
Following fire: Immerse in cold water for a prolonged period. Sterile covering. Seek medical attention.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation: Irritation to respiratory tract, nausea, dizziness.  
In case of ingestion: Nausea, discomfort, gastrointestinal complaints.  
After contact with skin: Hot product can cause severe burns.  
After eye contact: Causes temporarily: Redness, irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.  
Injection through the skin due to contact with a high pressure product is a major medical emergency. Take to a hospital immediately.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, extinguishing powder, foam, sand, earth, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet.



# Eni OSO IM 46

Material number 597

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 28.11.2025  
Version: 1.0  
Replaces version: 0.0  
Language: en-DE  
Date of print: 4.12.2025

Page: 3 of 10

### 5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Aldehydes, carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Move undamaged containers from immediate hazard area if it can be done safely. Use fine water spray to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid oil mist formation. Avoid contact with the substance. If possible, eliminate leakage. Provide adequate ventilation.

Wear appropriate protective equipment. Keep unprotected people away.

Take off contaminated clothing and wash it before reuse. Remove all sources of ignition.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary, notify appropriate authorities.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

Never return spills in original containers for re-use.

Clean contaminated articles and floor according to the environmental legislation.

Additional information:

Special danger of slipping by leaking/spilling product.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Avoid oil mist formation. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Have eye wash bottle or eye rinse ready at work place.



# Eni OSO IM 46

Material number 597

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 28.11.2025  
Version: 1.0  
Replaces version: 0.0  
Language: en-DE  
Date of print: 4.12.2025

Page: 4 of 10

Precautions against fire and explosion:

Keep away from heat.

When handling larger quantities, take precautionary measures against electrostatic charging.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.

Keep container dry. Keep only in the original container.

Protect from heat and direct sunlight. Store containers in upright position.

Hints on joint storage:

Do not store together with: Strong oxidizing agents.

Keep away from food, drink and animal feedingstuffs.

Storage class:

10 = Combustible liquids that cannot be assigned to any of the above storage classes

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Additional information:

Contains no substances with occupational exposure limit values.

DNEL/DMEL:

Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7):

DNEL, workers, inhalative, systemic, long-term: 2,73 mg/m<sup>3</sup>

DNEL, workers, inhalative, local, long-term: 5,58 mg/m<sup>3</sup>

DNEL, workers, dermal, systemic, long-term: 0,97 mg/kg bw/d

DNEL, consumers, oral, systemic, long-term: 0,74 mg/kg bw/d

PNEC:

Information about Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7):

PNEC, Secondary Poisoning: 9,33 mg/kg Food

### 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

### Personal protection equipment

#### Occupational exposure controls

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

Recommended: Use combination filter type A/P according to EN 14387.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection:

Protective gloves according to DIN EN ISO 374-1.

Glove material: Nitrile rubber, PVC

Breakthrough time: > 240 min

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection:

Tightly sealed goggles according to DIN EN ISO 16321-1.

Body protection:

Wear suitable protective clothing.



# Eni OSO IM 46

Material number 597

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 28.11.2025  
Version: 1.0  
Replaces version: 0.0  
Language: en-DE  
Date of print: 4.12.2025

Page: 5 of 10

### General protection and hygiene measures:

Do not breathe mist/vapours/spray. Avoid oil mist formation. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Have eye wash bottle or eye rinse ready at work place.

### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                                                    |                                                                                                                                                                               |
|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Physical state at 20 °C and 101.3 kPa              | liquid                                                                                                                                                                        |
| Colour:                                            | White-light yellow, clear                                                                                                                                                     |
| Odour:                                             | Characteristic                                                                                                                                                                |
| Melting point/freezing point:                      | Not determined                                                                                                                                                                |
| Boiling point:                                     | Not determined                                                                                                                                                                |
| Flammability:                                      | This material is combustible, but will not ignite readily.                                                                                                                    |
| Lower and upper explosion limit:                   | LEL (Lower Explosion Limit): Not determined<br>UEL (Upper Explosive Limit): Not determined                                                                                    |
| Flash point:                                       | 238 °C (ASTM D 92)                                                                                                                                                            |
| Auto-ignition temperature:                         | No data available                                                                                                                                                             |
| Decomposition temperature:                         | Not determined                                                                                                                                                                |
| pH:                                                | No data available                                                                                                                                                             |
| Kinematic viscosity:                               | at 40 °C: 46 mm <sup>2</sup> /s (ASTM D 445)                                                                                                                                  |
| Water solubility:                                  | Immiscible                                                                                                                                                                    |
| Partition coefficient n-octanol/water (log value): | 1,99 - 18,02 log P(o/w) (Distillates (petroleum), hydrotreated heavy paraffinic)<br>Based on the n-octanol/water partition coefficient accumulation in organisms is possible. |
| Vapour pressure:                                   | at 20 °C: 0,1 hPa (Mineral oil, ASTM D 5191)                                                                                                                                  |
| Density:                                           | at 15 °C: 0,840 g/mL (ASTM D 4052)                                                                                                                                            |
| Relative vapour density:                           | No data available                                                                                                                                                             |
| Particle characteristics:                          | Not applicable                                                                                                                                                                |

### 9.2 Other information

|                            |                                                     |
|----------------------------|-----------------------------------------------------|
| Explosive properties:      | Explosion limits (Aerosol): $\geq 45 \text{ g/m}^3$ |
| Oxidizing characteristics: | No data available                                   |
| Auto-ignition temperature: | Not determined                                      |
| Additional information:    | Pour point: -21 °C                                  |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".



## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Risk of fire!

## 10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.  
Protect from direct sunlight. Avoid electrostatic charging.

## 10.5 Incompatible materials

Strong oxidizing agents.

## 10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: Not determined

# SECTION 11: Toxicological information

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

Endocrine disrupting properties:

None

Other information:

Information about Distillates (petroleum), hydrotreated heavy paraffinic  
(CAS 64742-54-7):

LD50 Rat, oral: &gt; 5.000 mg/kg (OECD 401)

LD50 Rabbit, dermal: &gt; 5.000 mg/kg (OECD 402)

LD50 Rat, inhalative (dusts/mist): &gt; 5,53 mg/L/4h (OECD 403)

## Symptoms

In case of inhalation: Irritation to respiratory tract, nausea, dizziness.

In case of ingestion: Nausea, discomfort, gastrointestinal complaints.

After contact with skin: Hot product can cause severe burns.

After eye contact: Causes temporarily: Redness, irritation.

## SECTION 12: Ecological information

### 12.1 Toxicity

Aquatic toxicity:

Daphnia toxicity:

EC50: &gt; 100 mg/L (OECD 211)

Algae toxicity:

NOEC: 100 mg/L/21d

Information about Distillates (petroleum), hydrotreated heavy paraffinic  
(CAS 64742-54-7):

Fish toxicity:

LL50 Pimephales promelas (fathead minnow): &gt; 100 mg/L/96h (OECD 203)

NOELR Oncorhynchus mykiss: ≥ 1.000 mg/L/14d (QSAR)

Daphnia toxicity:

EL50 Daphnia magna (Big water flea): &gt; 10.000 mg/L/48h (OECD 202)

NOEL Daphnia magna (Big water flea): 10 mg/L/21d (OECD 211)

Algae toxicity:

NOEL Pseudokirchneriella subcapitata (green algae): ≥ 100 mg/L/72h (OECD 201, growth  
rate)

Water Hazard Class:

1 = slightly hazardous to water (Self-classification (mixture).)

Further details:

Product is not soluble in water, and floats on water.

### 12.2 Persistence and degradability

Further details:

Biodegradability:

Information about Distillates (petroleum), hydrotreated heavy paraffinic  
(CAS 64742-54-7):

Oxygen consumption: 31%/28d, inherently biodegradable (OECD 301 F).

**Safety Data Sheet**according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU)  
2020/878

Page: 8 of 10

**12.3 Bioaccumulative potential**

Bioconcentration factor (BCF):

Information about Distillates (petroleum), hydrotreated heavy paraffinic  
(CAS 64742-54-7):

0,4 - 71.100 L/kg

Partition coefficient: n-octanol/water:

1,99 - 18,02 log P(o/w) (Distillates (petroleum), hydrotreated heavy paraffinic)

Based on the n-octanol/water partition coefficient accumulation in organisms is possible.

**12.4 Mobility in soil**Information about Distillates (petroleum), hydrotreated heavy paraffinic  
(CAS 64742-54-7):

Log Koc: 1,71 - 14,7

**12.5 Results of PBT and vPvB assessment**The product contains no components classified as PBT or as vPvB at concentrations of  
0.1% or higher.**12.6 Endocrine disrupting properties**

None

**12.7 Other adverse effects**

General information: Do not allow to enter into ground-water, surface water or drains.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**Waste key number: 13 02 05\* = Mineral-based non-chlorinated engine, gear and lubricating oils  
\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

**Package**Recommendation: Dispose of waste according to applicable legislation.  
Handle contaminated packages in the same way as the substance itself.  
Non-contaminated packages may be recycled.**Section 14. Transport information****14.1 UN number or ID number**ADR/RID, ADN, IMDG, IATA-DGR:  
not applicable**14.2 UN proper shipping name**ADR/RID, ADN, IMDG, IATA-DGR:  
Not restricted



## Eni OSO IM 46

Material number 597

### Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 28.11.2025  
Version: 1.0  
Replaces version: 0.0  
Language: en-DE  
Date of print: 4.12.2025

Page: 9 of 10

#### 14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

#### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

#### 14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

no

#### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Germany

Storage class: 10 = Combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Further regulations, limitations and legal requirements:

No data available

#### National regulations - EC member states

Further regulations, limitations and legal requirements:

No data available

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

Date of first version: 28.11.2025

Department issuing data sheet:

see section 1: Department responsible for information



# Eni OSO IM 46

Material number 597

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 28.11.2025  
Version: 1.0  
Replaces version: 0.0  
Language: en-DE  
Date of print: 4.12.2025

Page: 10 of 10

### Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
AS/NZS: Australian Standards/New Zealand Standards  
BCF: Bioconcentration Factor  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EC50: Effective Concentration 50%  
EL50: Effective loading rate 50%  
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods  
EN: European Standard  
EQ: Excepted quantities  
EU: European Union  
IATA: International Air Transport Association  
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
IMO: International Maritime Organization  
LD50: Lethal dose 50%  
LEL: Lower Explosion Limit  
log P(o/w): Partition coefficient: octanol/water  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
NOEC: No Observed Effect Concentration  
NOEL: No Observed Effect Level  
OECD: Organisation for Economic Co-operation and Development  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
PVC: Polyvinyl chloride  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
TRGS: Technical Rules for Hazardous Substances  
vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:  
<https://sumdat.net/pauam67c>

