



# Eni metalCut S 3000

Material number 725

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 7.0  
Replaces version: 6.0  
Language: en-DE  
Date of print: 5.4.2024

Page: 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Eni metalCut S 3000  
REACH registration No.: 01-2119496071-40-xxxx  
CAS-Number: 1335202-94-2  
List number: 701-042-9

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: For lubricants and lubricant additives, hydraulic fluids

### 1.3 Details of the supplier of the safety data sheet

Company name: Enilive Schmiertechnik GmbH  
Street/POB-No.: Paradiesstraße 14  
Postal Code, city: 97080 Würzburg  
Germany  
E-mail: info.wuerzburg@enilive.com  
Telephone: +49 (0)931-90098-0  
Telefax: +49 (0)931-98442  
Department responsible for information:  
Application Engineering & Product Management (AEPM)  
Telephone: +49 (0)931-90098-0  
E-mail: technik.wuerzburg@enilive.com

### 1.4 Emergency telephone number

**GIZ-Nord, Göttingen**  
**Telephone: +49 (0)551-19240**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

This substance is classified as not hazardous.

### 2.2 Label elements

#### Labelling (CLP)

Hazard statements: not applicable  
Precautionary statements: not applicable



# Eni metalCut S 3000

Material number 725

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 7.0  
Replaces version: 6.0  
Language: en-DE  
Date of print: 5.4.2024

Page: 2 of 9

### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher. This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

CAS-Number: 1335202-94-2  
List number: 701-042-9

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General information: Take off contaminated clothing and wash it before reuse. When in doubt or if symptoms are observed, get medical advice.

In case of inhalation: Remove casualty to fresh air and keep warm and at rest. When in doubt or if symptoms are observed, get medical advice.

Following skin contact: After contact with skin, wash immediately with soap and plenty of water. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After swallowing: Rinse mouth. Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately get medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media: Extinguishing powder, atomized water, carbon dioxide.

Extinguishing media which must not be used for safety reasons: Full water jet



# Eni metalCut S 3000

Material number 725

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 7.0  
Replaces version: 6.0  
Language: en-DE  
Date of print: 5.4.2024

Page: 3 of 9

### 5.2 Special hazards arising from the substance or mixture

Combustible.  
May form dangerous gases and vapours in case of fire.  
Furthermore, there may develop: carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Cool endangered containers with water jetspray. Do not allow water used to extinguish fire to enter drains, ground or waterways.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide good ventilation and/or an exhaust system in the work area. Do not breathe mist/vapours/spray.  
Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. Wear appropriate protective equipment. Keep unprotected people away.

### 6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.  
If necessary notify appropriate authorities.

### 6.3 Methods and material for containment and cleaning up

Larger quantities to be stemmed and pumped into tanks.  
Stop leak if safe to do so.  
Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.  
Treat the recovered material as prescribed in the section on waste disposal.

Additional information:

Special danger of slipping by leaking/spilling product.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling: Provide good ventilation and/or an exhaust system in the work area. Avoid generation of vapours/aerosols. Avoid oil mist formation. Avoid breathing mist/vapours/spray.  
Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. Wear appropriate protective equipment.  
When using do not eat, drink or smoke. Wash hands before breaks and after work.

Precautions against fire and explosion:

Keep away from sources of ignition - No smoking. Take action to prevent static discharges.



# Eni metalCut S 3000

Material number 725

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 7.0  
Replaces version: 6.0  
Language: en-DE  
Date of print: 5.4.2024

Page: 4 of 9

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store only in original container. Store container tightly closed in a dry and cool place.  
Provide good ventilation.  
Protect against heat /sun rays.

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.  
Do not store with strong oxidizing agents.

Storage class: 10 = Combustible liquids, unless storage class 3

## 7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area. Avoid generation of vapours/aerosols.

## Personal protection equipment

### Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.  
Wear a respirator conforming to EN 140 with Type A filter or better.

Hand protection: Protective gloves according to DIN EN 374. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1:2022.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Avoid oil mist formation. Avoid breathing mist/vapours/spray.  
Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse.  
When using do not eat, drink or smoke. Wash hands before breaks and after work.

### Environmental exposure controls

Refer to "6.2 Environmental precautions".

# SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow
Odour:	Characteristic
Odour threshold:	No data available



# Eni metalCut S 3000

Material number 725

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 7.0  
Replaces version: 6.0  
Language: en-DE  
Date of print: 5.4.2024

Page: 5 of 9

Melting point/freezing point:	No data available
Initial boiling point and boiling range:	> 300 °C
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	> 300 °C
Decomposition temperature:	No data available
pH:	No data available
Viscosity, kinematic:	at 40 °C: 46,0 mm <sup>2</sup> /s
Water solubility:	< 1 mg/L
Partition coefficient: n-octanol/water:	14,4728 log K(o/w) Based on the n-octanol/water partition coefficient accumulation in organisms is possible.
Vapour pressure:	No data available
Density:	at 20 °C: 921 kg/m <sup>3</sup>
Vapour density:	No data available
Particle characteristics:	Not applicable
<b>9.2 Other information</b>	
Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available
Evaporation rate:	No data available
Additional information:	No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions with proper and specified storage and handling.

### 10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames. Take action to prevent static discharges.

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available



# Eni metalCut S 3000

Material number 725

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 7.0  
Replaces version: 6.0  
Language: en-DE  
Date of print: 5.4.2024

Page: 6 of 9

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity:	LD50 Rat, oral: > 2.000 mg/kg (OECD 401) LC50 Rat, inhalative: > 5 mg/L/4h (Aerosol, OECD 403) LD50 Rabbit, dermal: > 2.000 mg/kg (OECD 402)
Toxicological effects:	Acute toxicity (oral): Based on available data, the classification criteria are not met. Acute toxicity (dermal): Based on available data, the classification criteria are not met. Acute toxicity (inhalative): Based on available data, the classification criteria are not met. Skin corrosion/irritation: Based on available data, the classification criteria are not met. Rabbit: Negative (OECD 404) Serious eye damage/irritation: Based on available data, the classification criteria are not met. Rabbit: Negative (OECD 405) Sensitisation to the respiratory tract: Lack of data. Skin sensitisation: Based on available data, the classification criteria are not met. Guinea pig: not sensitising Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met. Negative in the Ames test. (OECD 471) Carcinogenicity: Lack of data. Reproductive toxicity: Based on available data, the classification criteria are not met. NOAEL, Rat: 2.000 mg/kg bw/d (OECD 414) Effects on or via lactation: Lack of data. Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met. NOAEL, Rat: 12.500 ppm (OECD 407) Specific target organ toxicity (repeated exposure): Lack of data. Aspiration hazard: Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

Endocrine disrupting properties:	None
Other information:	Aerosol

## SECTION 12: Ecological information

### 12.1 Toxicity

Aquatic toxicity:	Fish toxicity: LC50 Danio rerio (zebrafish): > 10.000 mg/L/96h Daphnia toxicity: EL50 Daphnia magna (Big water flea): > 100 mg/L/48h Algae toxicity: EL50 Desmodesmus subspicatus (green algae): > 100 mg/L/72h
Water Hazard Class:	1 = slightly hazardous to water (WGK catalog number 2075)



# Eni metalCut S 3000

Material number 725

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 7.0  
Replaces version: 6.0  
Language: en-DE  
Date of print: 5.4.2024

Page: 7 of 9

### 12.2 Persistence and degradability

Further details: Biodegradability: 79,9%/ 28 d (OECD 301 B)  
Easily bio-degradable.

### 12.3 Bioaccumulative potential

Bioconcentration factor (BCF):  
3,162

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

### 12.6 Endocrine disrupting properties

None

### 12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 13 01 12\* = readily biodegradable hydraulic oils  
\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.  
Do not allow to enter into ground-water, surface water or drains.

#### Package

Recommendation: Empty carefully and completely, if possible. Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled.  
Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:  
not applicable

### 14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:  
Not restricted



# Eni metalCut S 3000

Material number 725

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 7.0  
Replaces version: 6.0  
Language: en-DE  
Date of print: 5.4.2024

Page: 8 of 9

### 14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

### 14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

no

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 1 = slightly hazardous to water (WGK catalog number 2075)

Technical guidance air: 5.2.5

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

#### National regulations - EC member states

Further regulations, limitations and legal requirements:

No data available

### 15.2 Chemical Safety Assessment

No data available

## SECTION 16: Other information

Reason of change: Changes in section 1: Details of the supplier of the safety data sheet  
General revision

Date of first version: 21.6.2022

Department issuing data sheet:

see section 1: Department responsible for information





# Eni metalCut S 3000

Material number 725

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 20.3.2024  
Version: 7.0  
Replaces version: 6.0  
Language: en-DE  
Date of print: 5.4.2024

Page: 9 of 9

### Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
AS/NZS: Australian Standards/New Zealand Standards  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EN: European Standard  
EQ: Excepted quantities  
EU: European Union  
IATA: International Air Transport Association  
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
OECD: Organisation for Economic Co-operation and Development  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
TRGS: Technical Rules for Hazardous Substances  
vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:  
<http://sumdat.net/s7giutw1>

